



F 39 A

ROYAL BOTANIC  
GARDEN


C. No. ....

CLASS .....

Loc. ....

24-1-64

EDINBURGH.












Three Good sold at an Auction of Dr Woodward's Books, for - 4<sup>5</sup> 92.


From  
David Stewart Esq.  
13. Feby. 1840





The best advances — in this part of [nat:]  
History — are owing to y<sup>e</sup> extraordinary skill  
& industry of Mr. James Rutherford, the present  
worthy overseer of the Royal & Physic Gar-  
dens at Edinburgh — who in about twenty  
years time, has brought his collection of  
Plants to such a degree of excellency, &  
as is truly admirable. His Hortus medicus  
Edinburgensis, shows that it was long  
since in a condition to vie with the best  
in foreign parts; & it now certainly sur-  
passes most of 'em — 1683. 8<sup>o</sup>.

See Scot: Historic: Library, P: 32, 33.





# EDINBURGH,

November 22. 1683.

**T**He Lords of His Majesties Privy Council having heard and considered a Petition presented by Mr. *James Sutherland*, Botanist and Overseer of the Physical Garden at *Edinburgh*. Do hereby Give and Grant to Him the sole Priviledge of causing Print and Publish the Catalogue of all the Plants he hath Collected, in Latin and English, under the Name of *Hortus Medicus Edinburgensis*; and that for the space of seven years after the Date hereof; and do discharge all others to Print the same, or Import it from abroad, and sell it here during the said space, under the pain of Confiscation of the Copies to the Petitioners use, and being otherwise Punished for their Contempt as the Council shall find Cause.

Extr. by me,

PA. MENZEIS, *Clk. Sti. Con.*



*Hortus Medicus*  
**EDINBURGENSIS:**

OR,

**A Catalogue**

Of the

**P L A N T S**

In the

**Physical Garden**

AT

**E D I N B U R G H;**

CONTAINING

Their most proper Latin and English  
Names; With an English Alphe-  
tical INDEX.

BY

Mr. **JAMES SUTHERLAND.**  
Intendant of the said Garden.

Edinburgh, Printed by the Heir of Andrew Anderson, and  
to be sold by Mr. Henry Ferguson Seed-Merchant, at  
the head of Black-Friar-Wynd, and at the Physical  
Garden by the Author, Anno DOM. 1683.

Tho: Baker Coll: Jo: Socius ejectus.

Ex dono viri admodum reverendi

Liber Joannis Martyn

May 23. 1729.

F 39

SOC. BOT. EDIN.

---

TO THE  
Right Honourable  
**GEORGE DRUMMOND**  
OF  
*MILN-NAB,*  
Lord Provost of  
**EDINBURGH.**

---

*My Lord,*  
**T**HE *Physical Garden* in this Place being Established and Entertained by the Munificence of this Honourable and Ancient City, it is necessary the *Catalogue* thereof, appearing now in Publick, should be Sheltered under the Protection of your auspicious Name. I come therefore in the Croud with others of all Ranks and Qualities in this City, to rejoice at your Promotion, from whom all good men may justly

## *The Epistle*

expect all good Things; neither is this opinion founded only upon the past Experience of your Demeanour in the former Dignities and Offices of Magistracy which you have so worthily born in this City; but more especially upon the certain Knowledge which every one hath of your natural Generosity and Love to Justice, as well in the Rewarding and Encouraging of Virtue, as in the Discountenancing and Punishing of Vice; Qualities, which with your Blood you derive (as well as your Piety to God, and Loyalty to the King) from one of the Noblest Families of this Kingdom.

My Lord, I shall not here trouble you with any tedious Account of the Garden it Self, it will sufficiently appear to your  
Lord.



## Dedictory.

Lordship, and to all the World, by this *Catalogue*, how well it is instructed; and I dare boldly say, comparing it with the *Catalogues* of other Gardens abroad, it runs up with most of them, either for Number, or Rarity of Plants: it having been my Business these seven years past, wherein I have had the Honour to serve the City as Intendant over the Garden, to use all Care and Industry by forraign Correspondence to Acquire both Seeds and Plants from *the Levant, Italy, Spain, France, Holland, England, east and west Indies*; and by many painful Journeys in all the Seasons of the year, to recover whatever this Kingdom produceth of Variety, and to cultivate and preserve all of them with all possible Diligence. And of  
the

## *The Epistle*

the truth of this, I hope these worthy Gentlemen who were named Overseers to the Garden, will bear me Witness. Neither do I need here to trouble your Lordship with a rehearsal of the Advantages that from this Design accrues to the whole Nation, and more especially to this Place, besides the Ornament thereof; for now it plainly appears that many of these *Simples* that were wanting here, and therefore yearly brought from abroad, because of their Usefulness in Physick, may now by Industry and Culture be had in plenty at home. And it is evident that the Apothecaries Apprentices could never be competently instructed in the Knowledge of *Simples* (which necessarily they ought to be) before the Establishing of this Garden; for now they may learn more in one Summer, then formerly it was possible for them to do  
in

## *Dedicatory.*

in an Age. And to make the thing easier for Beginners, I have Planted in One corner of the Garden, the Dispensatory Plants in an alphabetical Order. And for those whose Curiosity and Time gives them further desire of learning *Botanie*, I have disposed the whole Plants according to the most natural and rational Method, and according to the best and latest Authors of *Botanie*, and particularly our most Learned and incomparable Countreyman Doctor *Morison*, by their *Genera* and *Species*; by means whereof, they come not only more easily to be known, but also much better retained in Memory. I have given the English Names as well as the Latin, that the Catalogue might be the more useful to all Persons; and especially those that are unskilful in the Latin. And now, My Lord, such as it is, I in all humble Duty, Dedicate and Offer it to your Lordship,  
be-

*The Epistle, &c.*

befeeching you to look upon it with your accustomed Candor and Goodness, and vouchsafe to Countenance the Garden, and take it into your Protection, which certainly will make it flourish more and more. And here I humbly beg leave to assure your Lordship, that as I shall ever be ready in my Station to serve your Lordship and the good Town with all Fidelity; so I shall never cease to pray for the Honour and Prosperity of Both: humbly kissing your Lordships Hands, and craving leave to remain in all Duty,

My Lord,

EDINBURGH,  
Octob. 10. 1683

Your Lordships most  
humble and most  
obedient Ser-  
vant,

*James Sutherland.*

TO



# TO THE READER.

**T**He Reader may easily understand what were the Reasons that obliged me to Print this Catalogue, if he take the pains to Read the Dedication to my Lord Provost of Edinburgh: But none seemed more urgent (besides the importunities of my Friends and Schollars) then that I might thereby let the World know what Plants I could furnish to others, who are curious in this so useful a part of natural Philosophie, and what I could not; that so all who apply themselves to promote the Natural History with me, might be encouraged to assist me in so good a Design, by making Interchange of Plants, which They can spare and I want, with others which They want and I can spare. In this Catalogue I have made choice of the Latin Names given to the Plants, by the most approved Authors who Write in Latin, and of the English Names given to them by Gerard and Parkinson. The Plants used in Medecine in this Place, I have marked thus (Offic.) Such as are annual thus (Ann) And those that are Native to Scotland, or ordinarily

## To the Reader, &c.

*ly cultivate in the Fields, with the Letter (S) on the Margent. I have added in the end a large Alphabetical English Index, the first number whereof signifies the Page, the second the Plant of that Page. The Explication of the rest of the Abbreviations used in this Catalogue, follows after the Latin Advertisement to the Reader.*

---

LEC.

# LECTORI.

**Q**uæ me præcipuè movent ad Catalogum hunc evulgandum breviter hæc sunt; tum ut Discipulorum meorum Votis obtemperem qui nonnullum exinde Fructum collecturos se existimant, tum etiam ut omnes qui se Botanicæ promovendæ ubivis addixerè facilius resciscant quarum apud nos Plantarum sit penus, quarumve penuria. Universos autem harum rerum curiosos nobis tam æquos fore confidimus, ut quas Horto nostro Plantas hæctenus ignotas apud se colant, eas nobis sint subministraturi, aut justo pretio, aut permutatione redemptas. Quo autem melius constaret quænam sint Plantæ quas colo, non alia quam probatissimis authoribus Latinis familiaria nomina, nec etiam alia quàm a *Gerardo* aut *Parkinsono* (qui Botanicorum Anglicè scribentium etiam probatissimi sunt) usurpata adjeci.

# EXPLICATIO

*Nominum Abbreviatorum.*

**A** *Br. Munting* Waare Oeffening der Planten door Abrahamus Munting.  
*Baptist. Ferr. descri.* Joh. Baptistæ Ferrarij descriptionis.

*B P* & quandoque *P B* Caspari Bauhini Pinax.

*B P app.* Bauhinus in Pinacis appendice.

*B. Prodrum*, Caspari Bauhini Prodromus.

*C. B. in Theatr.* Casparus Bauhinus in Theatro.

*Boccon. Icones & Descriptiones Plantarum* a Paulo Boccone.

*Cæsalpin* Andreas Cæsalpinus.

*Cam. Joachimi* Camerarij Hortus Medicus.

*Clus. Caroli* Clusij Historia rariorum Plantarum.

*Col. Fabius* Columna.

*Cornut. Jacobus* Cornutus de plantis Canadensibus.

*Dod. Dodonæi* Pemptades.

*Dod. descr.* Dodonæi descriptionis.

*Fuchs. Fuchsj* Historia.

*Ger: Joh.* Gerardus emaculatus a Johnsono. *Gerards Herbal corrected by Johnson.*

*Ger. in app.* Joh: Gerardus in appendice Gerard in his Appendix. *Gesn.*

*Gesn.* **Gesneri Historia Plantarum.**

*Gesn. col.* **Gesnerus de stirpium collectione.**

*Gesn. hort* **Gesnerus de Hortis Germaniæ.**

*Hist. Lugd. vel Lugd.* **Historia Lugdunensis.**

*Hist. Oxon.* **Plantarum Historiæ Universalis Oxoniensis Pars secunda. D. Morisoni**

*Hort. Eyst.* **Hortus Eystetensis.**

*Hort. Farnes.* **Hortus Farnesianus.**

*Hort. Reg. Bles.* **Hortus Regius Blesensis auctus D. Morisoni.**

*I B. Johannis Bauhini* **Plantarum Historia Universalis.**

*J. Raij* **Catalogus Plantarum Angliæ & Insularum adjacentium Operâ Johannis Raij.**

*Joh. Rea Flor.* **Flora seu De Florum Cultura by John Rea.**

*Lob.* **Lobelius in Observationibus.**

*Lob Adv. vel Adv. Lob. vel Adv.* **Adversaria Penæ & Lobelij.**

*D. Magnol.* **Botanicum Monspeliense, sive Plantarum circa Monspelium nascentium Index, Authore Petro Magnol.**

*Matth. & Matth. ed. Bauh.* **Matthiolus editionis Bauhini.**

*D. Morison Sect. de Plant. Umbellif.* **Plantarum Umbelliferarum Distributio nova D. Morisoni.**

*Offic.* **Officinarum, vel Planta Officinalis.**

*Park.*



**Park.** Theatrum Botanicum. *The Theatre of Plants* by *John Parkinson*.

**Park. app.** Theatro Botanico appendix. *An Appendix to the Theatre of Plants* by *John Parkinson*.

**Park. descript.** Descriptionis Parkinsoni. *A Plant described by Parkinson*.

**Park. Parad:** Parkinsoni Paradisus. *John Parkinson his Garden of Flowers*.

**P. Br.** Phytologia Britannica.

**Prosp. Alp. Ægypt.** Prosper Alpinus de Plantis Ægypti.

**Prosp. Alp. de Exot.** Prosper Alpinus de Exoticis.

**Spigel. isagog.** Spigelij Isagoge in rem herbariam.

**Stapel. in Theophr.** Stapelius in Theophrastum.

**Swert.** Swertij Florilegium.

**Tab.** Jacobus Theodorus Tabernamontanus.

**Thal.** Johannis Thalij Sylva Harcinia.

**Trag.** Hieronymi Tragi Historia.


**Veslingij Obs. in Prosp. Alpin.** Veslingij Observationes in Prosperum Alpinum.

**Zanon.** Historia Botanica di Giacomo Zanoni.

**Ann.** in fine, Plantam denotat Annuam.

**S. Litera** in Margine posita indicat Plantas illas quibus præfigitur aut Scotiæ Indigenas esse, aut in Agris passim cultas,

Abies



A

S. **A**BIES alba five foemina B. P.  
foemina, five Ελάτη θηλεία. I. B.  
Abies. Ger: *Park: The Five-*  
*tree. Offic.*

**ABROTANUM** mas angustifolium  
majus B. P. mas vulgare *Park: vulga-*  
*re I. B. mas Ger: Common Southern-*  
*wood Offic.*

**Abrotanum** mas angustifolium ma-  
ximum B. P. magnum camphoratum,  
quibusdam Incensaria, *Cam: majus*  
*Park: Great Southernwood.*

**Abrotanum** foemina foliis teretibus  
B. P. foemina *Ger: foemina vulgare*  
*Park: Chamæcyparissus I. B. Laven-*  
*der Cotton. Offic:*

**Abrotanum** foemina foliis Ericæ B. P.  
*Park: Chamæcyparissus unguentaria*  
*I. B. Fine Lavender Cotton, with Heath*  
*leaves.*

**Abrotanum** foemina foliis Rorisma-  
B rini

rini majus *B. P. Park: Rosemary leaved  
Lavender. Cotton.*

Abrotanum campestre *B. P. Ger:  
Park: Artemisia tenuifolia five lep-  
tophyllus aliis Abrotanum silvestre  
I. B. Wilde Southernwood.*

- S.** ABSINTHIUM. Ponticum seu Ro-  
manum Officinarum seu Dioscoridis  
*B. P. vulgare Park: vulgare majus I. B.  
latifolium five Ponticum Ger: Common  
Wormwood. Offic:*

Absinthium insipidum *I. B. insipi-  
dum Absinthio vulgari simile B. P.  
inodorum Ger: Park: Unsavory Worm-  
wood.*

Absinthium Ponticum tenuifolium  
incanum *B. P. Ponticum vulgare folio  
inferius albo I. B. Ponticum Galeni  
Ger: Ponticum five Romanum Park:  
Romane Wormwood. Offic:*

- S.** Absinthium Seriphium Belgicum *B. P:  
I. B. marinum album Ger: Seriphium  
five marinum album Park: English  
sea Wormwood. Offic.*

Absinthium Ponticum tenuifolium  
Au-

**Austriacum** *B. P.* **Austriacum tenuifolium** *I. B.* **tenuifolium Austriacum**  
*Ger : Park: Fine leaved Wormwood of Austria.*

**Abfinthium maritimum** **Lavendulæ folio** *B. P.* **Park: maritimum latifolium** *sive Matthioli I. B.* **Artemisia marina** *Ger : Lavender leaved sea Wormwood : or sea Mugwort.*

**Abfinthium umbelliferum latifolium** *B. P.* **album** *Ger : album sive umbelliferum Park : albis floribus capitulis squarrosis I. B.* **White tufted Wormwood.**

**ACACIA Americana Robini Cornut:**  
**Pseudo-acacia Americana Robini Park:**  
*Robinus , his false Acacia of America.*

**Acacia foliis Scorpioidis leguminosa** *B. P.* **Dioscoridis** *Ger : vera I. B.*  
*vera sive Spina Ægyptiaca Park : Ægyptiaca Hist: Lugd : The Ægyptian thorn : or Binding beantree. Offic :*

**Acacia trifolia** *B. P.* **altera trifolia**  
*Ger : secunda sive altera Dioscoridis*  
*B 2 Park :*

*Park*: Aspalathus secunda trifolia, quæ  
*Acacia* secunda *Matthiolo* trifolia.  
*I. B.* The true second *Acacia* of *Diosco-*  
*rides*.

*P* *ACANTHIUM*. vulgare *Park*: al-  
*bum Ger*: Spina alba tomentosa lati-  
 folia silvestris *B. P.* alba silvestris  
*Fuchſio I. B.* Common Cotton thistle.  
*Ann*:

*P* *Acanthium* Illyricum *Park*: Illyri-  
 cum purpureum *Ger*: Spina tomento-  
 ſa altera spinosior *B. P.* Carduus qui-  
 buſdam dictus *Acanthium* Illyricum  
 aliis *Onopordon I. B.* The greatest  
 Cotton thistle: or Cotton thistle of *Illyria*.  
*Ann*:

*P* *Acanthium* ex Alepo caule alato  
 flore magno cæruleo *Cinaræ* inſtar  
 welſed Cotton thistle of Alepo with great  
 flowers like an *Artichock*. *Ann*.

*P* *ACANTHUS* ſativus vel mollis *Virgi-*  
*lij B. P.* ſativus *Ger*: *Park*: Carduus  
*Acanthus* ſive *Branca urſina I. B.* *Branke*  
*urſine*: or Bears breech. *Offic*:

*P* *Acanthus* aculeatus *B. P.* ſilveſtris  
*Park*:



*Park*: filvestris aculeatus *Ger*: *Carduus Acanthus* five *Branca ursina spinosa* *I. B.* *Prickly Bears breech.*

*ACARNA* flore purpuro-rubente patulo *B. P.* *Park*: *Acanthoides parva* *Apula Col*: *Fish thistle with broad reddish flowers.* *Ann.*

*Acarna major caule folioso B. P.* *Park*: *Acarnæ* similis flore purpureo *Chamæleon Salmanticensis Clusio I. B.* *Clusius*, his *Chamæleon thistle of Salamanca.* *Ann.*

S. *ACER majus Ger*: *majus latifolium*, *Sycomorus falso dictum Park*: *majus*, multis falso *Platanus I. B.* *montanum candidum B. P.* *The great Maple, commonly, yet falsely the Sycomore and plain tree.*

*Acer majus foliis eleganter variegatis*, *The great Maple with fine strip't leaves.*

*Acer montanum tenuissimis & acutis foliis, B. P.* *Aceris majoris varietas altera I. B.* *The great Maple with sharp pointed and small cut leaves.*

*P* *Acer* campestre & minus *B. P.* minus *Ger*: minus & vulgare *Park*: vulgare minori folio, *I. B.* *The lesser Maple.*

*S* *Acetosa* pratensis, *B. P.* vulgaris *Park*: *Oxalis* vulgaris folio longo *J. B.* *Oxalis* five *Acetosa*, *Ger*: *Common Sorrel.* *Offic*:

*P* *Acetosa* montana maxima *B. P.* maxima *Germanica* *Park*: maxima *Broccenburgenfis* *Thal*: *Oxalis* maxima silvatica *I. B.* *Great German Sorrel.*

*P* *Acetosa* Moschovitica sterilis *Hist*: *Oxon*: *Barren Sorrel* of *Moscovie*, commonly called *Lazie Sorrel.*

*P* *Acetosa* Americana foliis longissimis pediculis donatis, *Hist*: *Oxon*: *B. P.* vesicaria Americana *Park*: vesicaria peregrina, *Hort*: *Eyst*: *Indian Sorrel* with swollen husks. *Ann*:

*P* *Acetosa* vesicaria Tingitana perennis repens, foliis longis sinuatis *Hist*: *Oxon*: perennis Tingitana major dentata: *Zanon*: *Great creeping bladder bearing Sorrel* of *Tangiers* with dented leaves. *Aceto*:

Acetosa Ocymi facie Neapolitana,  
*B. P. Hist: Oxon: Neapolitana Ocymi-*  
*folia Park: Ocymi facie Neapolitana*  
*Βικισφαδνήφορα Col: Strange Sorrel of Naples*  
*with seed vessels representing an Ox head.*  
*Ann.*

S Acetosa arvensis lanceolata *Hist: Oxon:*  
*B. P. minor lanceolata Park: Oxalis*  
*tenuifolia Ger: parva auriculata repens*  
*I. B. Sheeps Sorrel.*

Acetosa rotundifolia Franca sive  
 Romana *Hist: Oxon: rotundifolia*  
*hortensis B. P. Oxalis Franca seu Ro-*  
*mana Ger: sativa Franca sive Romana*  
*rotundifolia Park: folio rotundiore*  
*repens, I. B. French or round leaved Sor-*  
*rel. Offic:*

S. Acetosa rotundifolia repens Ebo-  
 racensis, folio in medio deliquium  
 patiente, *Hist: Oxon: Round leaved*  
*creeping Yorkshyre; and also Scots*  
*Sorrel.*

ACONITUM unifolium luteum bul-  
 bosum, *B. P. hiemale Ger: Park:*  
*hiemale Belgarum Lob: Ranunculus*  
 B 4 cum

cum flore in medio folio ; radice tuberofa *I. B. Winter Aconite : or Wolvesbane.*

*Aconitum lycoctonum luteum B. P. luteum Ponticum ferotinum Park. luteum Ponticum Ger : folio Platani flore luteo pallescente I. B. Great yellow Wolvesbane.*

*Aconitum cæruleum* five *Napellus*, primus *B. P. magnum purpureo flore vulgo Napellus I. B. Napellus verus flore cæruleo Park. Napellus verus cæruleus Ger : Great blew Monks-hood, or Helmet-flower.*

*Aconitum* five *Napellus flore variegato, Hort : Eyst : Party coloured Monks-hood.*

*Aconitum salutiferum* five *Anthora B. P. Antithora flore luteo Aconiti I. B. Anthora. Park : Anthora five Aconitum salutiferum Ger : The wholesome Hemlock-flower. Offic.*

*Aconitum racemosum*, an *Actæa* *Plinij lib: 27: cap: 27: B. P. racemosum, Actæa quibusdam I. B. Christophoriana*

phorianâ , *Ger: vulgaris Park: vul-*  
*garis nostras racemosa & ramosa Hist:*  
*Oxon: Herb Christopher; or Berrybear-*  
*ing Aconite.*

*Acorus verus, five Calamus Aro-*  
*maticus Officinarum, B. P. verus five*  
*Calamus Officinarum, Park: verus,*  
*officinis falso Calamus Ger: Calamus*  
*Aromaticus vulgaris, multis Acorum*  
*I. B. sweet smelling Flagg. Offic:*

S: *ADIANTHUM. ἀνθίσχυον seu furcatum*  
*Thalij Filix saxatilis Tragi, I. B. Park:*  
*saxatilis corniculata, B. P. Muscus*  
*corniculatus, Tab: Ger: Horned Maiden*  
*hair.*

S. *Adiantum album, Tab: Ruta mu-*  
*raria, B P. I. B. Ger: muraria five*  
*Salvia vitæ, Park: Wall-rue. Offic:*

S. *Adiantum album folio filicis, I. B.*  
*album Plinij Lob: Dryopteris alba*  
*Dodonæi Ger: alba: Park: Filicula*  
*fontana major five Adiantum album*  
*filicis folio B. P. White stone fern, or*  
*Maiden-hair.*

S. *Adiantum nigrum officinarum, I. B.*  
 ni-



nigrum vulgare *Park*: foliis longioribus pulverulentis pediculis nigris, *B. P.* *Onopteris mas*, *Ger*: *Common black Maiden hair*. *Offic*:

✓ S. *Adiantum aureum majus*, *Ger*: *Polytrichum aureum majus*, *B. P.* *Park*: *Polytrichum Apuleij majus* quibusdam *I. B.* *Great golden Maiden hair*, or *Goldilocks*. *Offic*:

S. *Adiantum aureum minus*, *Tab*: *Polytrichum aureum minus*, *B. P.* *Park*: *Polytrichum Apuleij minus* quibusdam, *I. B.* *Muscus capillaris* sive *Adiantum aureum minus*, *Ger*: *Little Goldilocks*, or *Golden Maiden-hair*.

S. *Adiantum aureum humilius* foliis latis subrotundis, *I.* *Raij Dwarf broad leaved Goldilocks*, or *Golden Maiden hair*.

*Adonis filvestris* flore phæniceo ejusq; foliis longioribus *B. P.* *Flos Adonis Park*: *Flos Adonis flore rubro*, *Ger*: *Flos Adonis vulgo aliis Eranthemum* *I. B.* *Adonis Flower*. *Ann*:

*Ægilops Narbonensis Lob*: *Festuca*

ca five *Ægilops Narbonensis Park:*  
*Festuca Italica Ger :* *Festuca altera ca-*  
*pitulis duris B. P. French Haver-grass.*  
*Ann :*

*ÆTHIOPIS Gr :* *Æthiopis multis*  
*I. B. foliis sinuosis B. P. Sclarea Æthi-*  
*opica, five Æthiopis foliis laciniatis*  
*Park: Jagged Ethiopian Clary Ann :*

*AGERATUM. foliis serratis B. P. vul-*  
*gare five Costus hortorum minor Park:*  
*Ageratum plerisque, Herba Julia qui-*  
*busdam I. B. Balsamita foemina five A-*  
*geratum Ger : Sweet Maudlin commonly*  
*Apothecaries shope. Offic :*

*ALATERNUS prima Clus : major seu*  
*prior Park: Philyca elatior B. P. Spi-*  
*na burgi Monspeliensium I. B. Ever-*  
*green Privet.*

S. *ALCÆA vulgaris I. B. vulgaris ma-*  
*ior B. P. vulgaris five Malva verben-*  
*cea Park: Malva verbenacea Ger : Ver-*  
*vain-mallow. Offic :*

*Alcæa vulgaris flore albo White flow-*  
*red Vervain-mallow.*

*Alcæa vulgaris seminum involucris*  
*hir*

hirsutis *Vervain-mallow with rough husks.*

*Alcæa frutex Syriaca Hist: Oxon: arborescens Syriaca B. P. Althæa frutex secunda Clus Althæa frutex flore albo vel purpureo Park: Parad: Shrub Mallow with white or purple flowers.*

*Alcæa vesicaria B. P. vesicaria sive Veneta Park: peregrina Ger: Althæa vesicaria Veneta Hist: Oxon: Venice mallow or Good night at noon. Ann: Alcæa vesicaria capitis Bonæ spei Hort: Reg: Blas: Althæa vesicaria Indica seu capitis Bonæ spei semine minore Hist: Oxon: A kind of the Venice-mallow from the Cape of good hope. Ann:*

*ALCEA Ægyptiaca villosa B. P. Alcea Ægyptia Ger: Ægyptiaca vulgaris Park: Bamia I. B. Bamia moschata Vestlingij Obs: in Prosp: Alpen: Althæa Ægyptia moschata Abelmosch dicta Hist: Oxon: Egyptian mallow. Ann.*

*Alcea hirsuta B. P. villosa I. B. villosa seu hirsuta Hist: Oxon: minor villosa Park: Small hairie rough Vervain mallow. Ann: Al-*

*Alcea major* flore dilute purpureo  
*Great Vervaine mallow with pale purple*  
*flowres.*

S. *ALCHIMILLA* Ger: vulgaris B. P.  
*major vulgaris Park: perennis viridis*  
*major foliis ex luteo virentibus Hist:*  
*Oxon: Pes leonis sive Alchimilla l. B.*  
*Ladies mantle. Offic:*

S. *Alchimilla perennis incana, argen-*  
*tea seu sericea sativum provocans Hist:*  
*Oxon: Alchimillæ genus alterum Casal-*  
*pin: Tormentilla argentea Park: Tor-*  
*mentilla Alpina folio sericeo B. P. Pen-*  
*taphyllum petrosum Ger: Pentaphyl-*  
*lum seu potius heptaphyllum argente-*  
*um flore muscoso l. B. Silver-leaved Tor-*  
*mentill or rather Satine-leaved Cinque-*  
*foil-Ladies mantle.*

S. *Alchimilla annua minima hirsuta fo-*  
*liis inferne albicantibus Hist: Oxon: mi-*  
*nima montana Col: Percepier Anglo-*  
*rum quibusdam l. B. Polygonum Seli-*  
*noides Park: Chærophyllon nonnihil simi-*  
*lis B. P. Parsly-piert, or Parsly-break-*  
*stone. Offic: Ann:*

Alli-

✓ S. *ALLIARIA* B. P. I. B. Ger: Park: *Hesperis sepiaria Allium redolens Hist: Oxon: Sauce-alone: or Jack by the hedge. Offic: Ann:*

*ALLIUM* sativum B. P. sativum seu vulgare *Hist: Oxon: vulgare & sativum I. B. Allium Ger: Park: Common garden Garlick. Offic:*

*Allium* sativum alterum five *Allioprasum* caulis summo circumvoluto B. P. *Hist: Oxon: Ophioscordon Ger: Allii genus Ophioscordon dictum quibusdam I. B. Scorodoprasum alterum convoluto capite Park: Vipers Garlick.*

*Allium* maximum multis porraceis foliis latoribus sphærico capite ex floribus albis conflato *Hist: Oxon: Allio-porrum five scorodoprasum B. P. Scorodoprasum I. B. Ger: Park: Great Turkey Garlick:*

✓ S. *Allium* latifolium palustre *Hist: Oxon: silvestre latifolium B. P. ursinum Ger: Park: ursinum bifolium vernum silvaticum I. B. Ramsens.*

*Allium*



- S. *Allium campestre juncifolium capitatum purpurascens majus* B. P. *silvestre* Ger: *Park: Crow-garlick.*

*Allium montanum bicorné an Ampeloprassum* I: *Ratj Mountain Garlick, and perhaps Vine-leek.*

*Allium montanum bicorné angustifolium flore purpurascente* B: P. *Hist. Oxon. silvestre bicorné purpureum proliferum* I. B. *Moly montanum secundum Clusij* Ger. *montanum Pannonicum bulbiferum secundum Park. parad The second mountain Moly.*

- S. *ALNUS* Ger: *vulgaris* Park: I. B. *rotundifolia glutinosa viridis* B. P. *Common Alder, or Aller.*

*Alnus nigra baccifera* B. P. I. B. *nigra sive Frangula* Ger: *Frangula sive Alnus nigra baccifera* Park: *The black Alder. Offic.*

- S. *Alni effigie lanato folio major* B. P. *Aria Theophrasti* Ger. *Sorbus Alpina* I. B. *Sorbus silvestris, Aria Theophrasti dicta* Park. *The White-beam tree.*

*ALOE folio in oblongum aculeum abe-*  
nute

unte B. P. *Hist.* Oxon: folio mucronato  
*Ger.* Americana *Park.* Americana muri-  
 cata I. B. *Herb Aloes of America.*

S. *ALSINE* altissima nemorum *Hist.*  
*Oxon:* B. P. major *Ger.* *Park.* major  
 repens perennis I: B. *Great Chick-*  
*weed.*

✓ S. *Alfne* media B. P. *Hist.* Oxon: mi-  
 nor five media *Ger.* *Park:* vulgaris five  
*Morsus gallinae* I: B: *Common Chick-*  
*weed.* *Offic.* *Ann.*

✓ S. *Alfne* longifolia uliginosis locis prove-  
 niens I. B. *Long-leaved water Chick-*  
*weed.*

✓ S. *Alfne* Plantaginis folio I. B. *Plantain*  
*leaved-Chickweed.*

✓ S. *Alfne* arvensis hirsuta magno flore B. P.  
 major foliis subrotundis dilute viren-  
 tibus *Hist.* Oxon. *Auricula muris* quo-  
 rundum parvo flore vasculo tenui longo  
 I. B. *Moufear Chickweed.* *Ann.*

✓ S. *Alfne* hirsuta altera viscosa B. P. spu-  
 ria quarta *Dod.* *Broader leaved Mouf-*  
*ear Chickweed.* *Ann.*

✓ S. *Alfne* palustris minor folio oblongo  
 B.

*B. P. rotundifolia*, five *Portulaca aquatica* Ger : *aquatica minor folio oblongo*, five *Portulaca aquatica* Park : *Water Purslane*.

S. *Alfne palustris Portulacæ aquaticæ similis*, I: *Raij*: *Alfne aquaticæ surrectiori* I: B: *similis*, si non eadem. An *Alfne palustris minor serpyllifolia*? Ger: Park: *Small water Chickweed*, by some called *Blinks*.

S. *Alfne minor multicaulis* B: P: *Hist*: Oxon: *minima*, I: B: Ger: *Dod*: *Fine Chickweed*. Ann:

S. *Alfne Spergula dicta major*, B: P: *Hist*: Oxon: *Spergula* I: B: *Saginæ spergula* Ger: *Saginæ spergula major*, Park: *Spurrey*. Ann:

S. *Alfne Spergulæ facie minor* five *Spergula minor flore subcæruleo*, B: P: *Hist*: Oxon: *Spergula purpurea*, I: B: *alfneformis* Ger: *Saginæ spergula minima*, Park: *Purple Chickweed-spurrey*. Ann:

S. *Alfne spergulæ facie media* B: P: *Alfne Spergula major maritima perennis*  
 C flore

flore violaceo *Hist* : *Oxon* : *Spergula marina nostras*, *I. B. marina Dalechampij* *Ger* : *Sea Spurrey*.

*Alfine baccifera Ger* : *scandens baccifera B. P. repens baccifera Park* : *Cucubulum quibusdam*, vel *Alfine baccifera I. B.* Recentiorum planta, *Alfines facie*, *baccis Solani*, *Lob* : *Hist* : *Oxon* : *Berry-bearing Chickweed*.

✓ S. *Alfine Hederulæ folio B. P. Hederulæ folio minor Park* : *Hederacea Ger* : *Alfines genus Fuchsis folio Hederulæ hirsuto I. B. Veronica Hederulæ folio Hist* : *Oxon* : *Ivy-leaved Chickweed. Ann.*

✓ S. *Alfine foliis Trifaginis Ger* : *Park* : *chamædrifolia flosculis pediculis oblongis infidentibus B. P. Alfine serrato folio glabro I. B. Veronica flosculis oblongis pediculis infidentibus Chamædryos folio Hist* : *Oxon* : *Germander Chickweed. Ann.*

✓ S. *Alfine Veronicæ foliis flosculis cauliculis adhærentibus B. P. foliis Veronicæ Ger* : *foliis subrotundis Veronicæ Park* : *serrato folio hirsutiore, floribus*  
&

& loculis cauliculis adhærentibus, *I. B.*  
*Veronica flosculis cauliculis adhærenti-*  
*bus Hist: Oxon: Speedwell-Chickweed.*  
*Ann:*

*Alfine affinis, Androsace dicta major*  
*B. P. Androsace Matthioli altera I. B.*  
*Androsace altera major Matthioli Park:*  
*spuria annua Ger: One summers Navel-*  
*woort. Ann:*

*Althæa Dioscoridis & Plinii B. P.*  
*vulgaris Park: Althæa five Bismal-*  
*va I. B. Althæa Ibisus Ger: Mal-*  
*va silvestris vel palustris aut Ibisus,*  
*Hist: Oxon: Common Marsh-mallow.*  
*Offic.*

*Althæa folio rotundiori, five minus*  
*acuminato, Rounder leaved Marsh-mal-*  
*low.*

*Althæa frutescens folio acuto par-*  
*vo flore B. P. arborescens provincialis*  
*Park: arborea Olbiæ, Iob: Malva fru-*  
*tescens folio acuto auriculato Hederæ*  
*instar, Hist: Oxon:*

*Althæa Theophrasti flore luteo B. P.*  
*lutea five Abutilon Avicennæ putatum*



*Park:* lutea *Ger:* Theophrasti flore luteo, quibusdam *Abutilon* *I: B:* flore luteo *Hist:* *Oxon:* *Abutilon* *Avicennæ Hort:* *Eyst:* Yellow Marshmallow. *Ann:*

*P* **ALYSSON** verticillatum foliis profunde incis. *B: P:* Alyssum *Galen* *Ger:* Alyssum *Galen* *Clusio* *Park:* *Galen* his *Madwoort.* *Ann:*

*P* **AMARANTHUS** maximus *B: P:* purpureus major panniculis sparsis *Park:* *parad:* panniculis propendentibus semine albo seu *Quinoa* *Hist:* *Oxon:* *Blitum* maximum sive *Amaranthus* major semine albo *I: B:* *Great Floumour, or purple Flower-gentle.* *Ann:*

*P* *Amaranthus* panniculis propendentibus semine rubro, flore serotino elegantis coccinei coloris *Hist:* *Oxon:* *Great scarlet Flower-gentle, with red seed.* *Ann:*

*Amaranthus* simplici spica *B: P:* major panniculis surrectis coccineis *Hist:* *Oxon:* coccineus *Ger:* *Scarlet Flower-gentle, with upright spikes.* *Ann:*

*Amaranthus* major panniculis surrectis

etis rubris, *Hist: Oxon: Red Flower-gentle, with upright pannicles. Ann:*

Amaranthus major panniculis erectis viridibus, *Hist: Oxon: Green Flower-gentle, with upright pannicles. Ann:*

Amaranthus minor panniculis surrectis luteis, luteo pallidis aut stramineis, spicatis, glomeratis & cristatis, *Hist: Oxon: pannicula incurvâ B: P: holosericus, Lob: cristatus Cam: Lesser Flower-gentle, with spiked, round and crested pannicles. Ann:*

Amaranthus flore variegato *B: P: tricolor Park: parad: Ger: foliis variegatis seu tricoloribus seu foliis varie coloratis Psittaci plumas referentibus, Hist: Oxon: Symphonia Dalechampsio five Amaranthus tricolor I: B: Variable Flower-gentle. Ann:*

S. **AMBROSIA** campestris repens *B: P: Coronopus Ruellij Ger: Coronopus recta vel repens Ruellij Park: Coronopus Ruellij five Nasturtium verrucosum I: B: verrucosum, capsula bivalvi aspera seu hirsuta, Hist: Oxon: Swines cresses. Ann:*

*Ami māius* B. P. vulgare Ger: vulgatus *Park*: vulgare majus, latioribus foliis, semine minus odorato I. B. *Common Bishops-weed*. Ann:

*Ammi alterum* semine *Apij* B. P. *Ammi Creticum* *Park*: *Creticum aromaticum* Lob: *Bishops-weed of Candy*. Offic. Ann.

*AMYGDALUS* Ger. *Park*. *fativa* B. P. *dulcis & amara* I. B. *The Almond tree*. Offic.

*Amygdalus pumila* Hort. Reg. Bles. *The dwarf Almond*.

S. *ANAGALLIS* flore phœniceo B. P. *Hist. Oxon* *Park*. *mas* Ger. *phœnicea mas* I. B. *Male Pimpernell*. Offic. Ann.

*Annagallis* flore cæruleo B. P. *Hist. Oxon*. *Park*. *foemina* Ger: *cærulea foemina* I. B. *Female Pimpernell*. Offic. Ann.

*Anagallis foemina* flore albo, *Female Pimpernell with white flowers*. Ann.

*Angulis foemina* flore ferrugineo, *Female Pimpernell with iron coloured flowers* Ann.

S. *Anagallis lutea nemorum* B. P. *Hist. Oxon*.

*Oxon*: lutea *Nummulariæ foliis* *I. B.*  
 lutea *Ger*: flore luteo *Park*: Yellow  
*Pimpernell*.

S. *Anagallis aquatica major folio oblongo* *B. P.* *aquatica flore cæruleo folio oblongo major* *I. B.* *aquatica major*,  
*Ger*: *aquatica folio oblongo crenato*,  
*Park*: *Veronica aquatica major folio oblongo* *Hist*: *Oxon*: *The greater long leaved Brooklime*.

S. *Anagallis aquatica minor folio subrotundo*, *B. P.* *aquatica flore cæruleo folio rotundiore* *I. B.* *aquatica vulgaris*, sive *Becabunga* *Park*. *Anagallis* sive *Becabunga*, *Ger*: *Veronica aquatica minor folio subrotundo* *Hist*: *Oxon*: *Common Brooklime, falsely called Water Purpy*. *Offic*:

S. *Anagallis aquatica rotundifolia* *Ger*: *aquatica folio rotundo non crenato* *B. P.* *aquatica tertia Lobelij folio subrotundo non crenato* *Park*: *Samolus Valerandi* *I. B.* *Veronica aquatica folio subrotundo non crenato* *Hist*. *Oxon*: *Round leaved water Pimpernell*.

**S.** *Anagallis aquatica angustifolia* I: **B:** aquatica angustifolia scutellata **B:** **P:** *Veronica angustifolia aquatica minor* **Polygoni instar** *Hist: Oxon: Narrow leaved Brooklime.*

**ANAGYRIS** foetida **B:** **P:** *Park: Ger vera foetida* I: **B:** *Stinking Bean-treefoil.*

*Anagyris* **Ger:** non foetida major vel *Alpina* **B:** **P:** non foetida sive *Laburnum majus* **Park:** *Laburnum, arbor trifolia, Anagyridi similis* I: **B:** *Bean-treefoil, or the Peascod tree.*

*Anagyris* non foetens minor **B:** **P:** *Laburnum minus, Park: The lesser Bean-treefoil.*

**ANCHUSA** angustifolia **B:** **P:** *lignosior angustifolia* **Park:** *minor lignosior,* I: **B:** *Woodie Alkanet.*

*Anchusa lutea* I: **B:** *Ger: major floribus luteis* **B:** **P:** *lutea major* **Park:** *The greater yellow Alkanet. Offic.*

*Anchusa puniceis floribus* **B:** **P:** *Anchusa Monspeliaca,* I: **B:** *Anchusa Alciadiadion, Ger: minor purpurea, Park: Small Alkanet with purple flowers.*



**Anchusa altera procumbens** flore a-  
tropurpureo *Park: Small bowing Alka-*  
*net, with dark purple flowers. Ann:*

- S. **Anchusa degener** facie *Milij Solis Ger.*  
**Lithospermum arvense** radice rubrâ  
*B. P. arvense radice rubente Park: ni-*  
*grum flore albo, semine Echij. I. B.*  
*Bastard Alkanet, or bastard Gromill.*  
*Ann:*

**ANDROSÆMUM** maximum frutescens  
*B. P. maximum ( quasi frutescens )*  
*bacciferum Hist: Oxon: vulgare Park:*  
*Siciliana, aliis Cæciliana & Androsæ-*  
*mun I. B. Clymenum Italorum Ger:*  
*Tutsan, or Parkleaves.*

- S. **Androsæmum Campoclarense** *Col:*  
*bifolium glabrum perfoliatum non per-*  
*foratum Hist. Oxon: Androsæmum*  
*Matthioli Park: Ascyrum five Hype-*  
*ricum glabrum bifolium non perfora-*  
*tum B. P. Hypericum elegantissimum*  
*non ramosum folio lato I. B. Matthi-*  
*olus His Tutsan, or Elegant St. John's-*  
*woort, not perforate.*

**Androsæmum alterum Apulum Col.**  
*perfoliatum & perforatum B. P. Hist:*  
*Oxon:* alterum Apulum Park: *Tutsan*  
*of Naples.*

S. **Androsæmum alterum hirsutum Col.**  
*hirsutum B. P. Androsæmum Ascyrum di-*  
*ctum caule rotundo hirsuto Hist: Oxon:*  
*Hairy Tutsan.*

**Androsæmum foetidum Park:** foeti-  
 dum capitulis longissimis filamentis do-  
 natis *B. P. Hist. Oxon.* Ruta hyperi-  
 coides quibusdam, Sicilianæ affinis sive  
*Traglum I. B. Stinking Tutsan.*

**ANEMONE** latifolia & tenuifolia  
 flore simplici, & pleno variarum spe-  
 cierum & colorum, *Broad and narrow*  
*leaved Anemonies*, with single and  
 double flowers of several kinds and co-  
 lours.

**Anemone sylvestris alba major B. P.**  
*Hist: Oxon.* magna, alba, plurima par-  
 te anni florens, *I. B. sylvestris latifo-*  
*lia alba sive tertia Matthioli Park:*  
*parad: Anemone Matthioli Ger: Mat-*  
*thiolus,*

*thiolus his white flowered wild Anemone.*

**Anemone trifolia** Dod. *Ger : Hist. Oxon. sylvestris trifolia Dodonæi Park: parad trifolia flore albo I. B. The three leaved wilde Wind-flower.*

**S: Anemone nemorum** *Ger : nemorosa flore majore B. P. Ranunculus nemorosus albus simplex Park: nemorosus flore majore Hist. Oxon. Ranunculus Phragmites albus vernus J. B. White flowered wood Anemone.*

**Anemone nemorum flore carneo** *Blush flowered wood Anemone.*

**ANETHUM I. B. Ger: hortense B. P. hortense live vulgare Park: Dill. Offic. Ann :**

**ANGELICA fativa B. P. I. B. Ger: Park: Garden Angelica. Offic Ann:**

**Angelica sylvestris Ger : Park: major sylvestris B. P. sylvestris magna vulgatio I. B. Wilde Angelica. Ann :**

*Angelica sylvestris montana* B. P.  
*Archangelica*, I. B. *Ger*: *Park*: *Great wild Angelica*. *Ann*.

*Angelica lucida Canadensis* *Cornut*:  
*Panax alterum Americanum* splendente folio, *Laserpitium creditum* quibusdam *Park*: *Shining Angelica of Canada*.  
*Ann*:

- S. *Angelica sylvestris minor* sive *erratica* B. P. *sylvestris repens*, I. B. *Herba Gerardi* *Ger*: *Podagraria vulgaris* *Park*: *Herbe Gerard*, *Goutwoort*, or *Ash-weed*.

*ANISUM* *Ger*: *Park*: I. B. *Anisum herbariis* B. P. *Anise*. *Offic*: *Ann*:

- S. *ANONIS spinis carens purpurea* B. P. *non spinosa purpurea* *Ger*: *non spinosa flore purpureo* I. B. *Park*: *non spinosa repens* *Hist*: *Oxon*: *Purple Restharrow without prickles*. *Offic*:

- S. *Anonis non spinosa flore albo*, *White flowered Restharrow without prickles*.

- S. *Anonis spinosa flore purpureo* B. P. *Park*: *Anonis*, sive *Resta bovis* *Ger*:  
*Ano-*

**Anonis**, five **Resta bovis** vulgò, purpurea & alba spinosa *I. B.* vulgaris spinosa, flore purpureo filiquis erectis lentiformibus, *Hist: Oxon: Prickly Restharrow, or Cammock.*

**Anonis annua** ramosa foliis rotundis ferratis *Annual branched Restharrow with round snipped leaves. Ann:*

**Anonis viscosa** spinis carens lutea major, *B: P: lutea perennis major, Natrrix dicta, Hist: Oxon: lutea non spinosa, Dalechamptio Natrrix, I. B: Natrrix Plinij, five Anonis non spinosa lutea major, Park: The greater yellow gentle Restharrow.*

**Anonis lutea annua** recta, hirsuta, viscosa, filiquis hirsutis brevioribus *Hist: Oxon: Yellow annual Upright, rough, clammy Restharrow, with short rough codds. Ann:*

**Anonis purpurea perennis** foliis latioribus, rotundioribus, profundè ferratis, *Hist: Oxon: Cicer sylvestre triphyllum, B. P. Park: sylvestre*



*Astre latifolium* Ger : sylvestre multifo-  
lium, radice crassa, & folliculis brevi-  
bus, ventricosus, hirsutis I. B. *Three*  
*leaved wild Cicers.*

*Anonis purpurea verna* seu præ-  
cox, perennis, frutescens, flore ru-  
bro amplo *Hist. Oxon.* Cicer sylve-  
stre alterum triphyllum *Park* : ar-  
boreum Indicum perenne *Zanon* :  
*Great red flowered shrubbie* *Rest-har-*  
*row.*

*ANTHYLLIS* maritima lentifolia  
B. P. lentifolia *Peplios effigie mari-*  
*tima* I. B. lentifolia sive *Alsine cru-*  
*ciata marina* Ger : *Sea Pimper-*  
*nell.*

*ANTIRRHINUM* majus longiore fo-  
lio *Hist* : *Oxon* : majus alterum lon-  
giore folio, B : P : vulgare I. B.  
*purpureum* Ger : *Purple Snapdragon.*  
*Ann.*

*Antirrhinum majus* flore albo, *White-*  
*flowered Snapdragon.* *Ann.*

*Antirrhinum majus* flore carneo *Flesh-*  
*coloured Snapdragon.* *Ann.*

*Antirrhinum arvense majus* B. P.  
*sylvestre medium* Park: minus Ger:  
*arvense minus* Hist: Oxon: angu-  
*stifolium sylvestre* L. B. *The great-*  
*er wilde Snapdragon, or Calves-snout.*  
*Ann.*

*Antirrhinum arvense minus* B. P.  
*minimum* L. B. *minimum repens* Ger:  
*sylvestre minimum* Park: *Linaria mi-*  
*nima foliis hirsutis floribus obsoleti*  
*fusci coloris, Hist: Oxon: The smal-*  
*lest wild Snapdragon, or Calves-snout.*  
*Ann.*

S. *APARINE* L. B. Ger: *vulgare* B.  
 P. Park: *Common Clivers, or Goose*  
*grass.*

*Aparine levis* Park: *Goose grass with*  
*Smooth seed. Ann:*

*Aparine semine Coriandri faccharati*  
 Park: *Goose grass with seed like a Corian-*  
*der Comfit. Ann.*

*APIUM hortense* five *Petroseli-*  
*num vulgo, B: P: hortense mul-*  
*tis, quod vulgo Petroselinum,*  
*I: B: hortense Ger: Petroseli-*  
*num*

num vulgare *Park: Garden Parsley. Offic:*

*Ann:*

*Apium hortense maximum B: Prodr:*

*Apium sive Petroselinum Virginianum,*

*Ger: Petroselinum majus sive Virginia-*  
*num, Park: Great Virginian Parsley.*

*Ann:*

*Apium vel Petroselinum crispum, B.*

*P. Petroselinum crispum Park: I. B. Cur-*  
*led Parsley. Ann:*

*Apium peregrinum longifolium ,*  
*Long leaved Strange Parsley. Ann:*

*Apium palustre sive Officinarum,*  
*B. P. palustre , seu Eleoselinum ve-*

*teribus; I. B. vulgare , sive palustre*  
*Park: Eleoselinum sive Paludapi-*

*um, Ger: Common Smallage. Offic:*  
*Ann:*

*Apium sive Selinum dulce Park: Sweet*  
*Smallage, or Selerie. Ann:*

*Apocynum folio oblongo B. P. an-*  
*gustifolium sive repens, Park: Apocy-*

*num sive Periploca scandens folio longo,*  
*flore purpurante I. B. Climbing Dogs-*

*bane.*

**AQUILEGIA** silvestris B: P. vulgaris simplex. *Park*: flore simplici *I. B.* flore cæruleo *Ger. Common single Columbines*: *Offic*: colorum magna varietas.

*Aquilegia hortensis* multiplex flore magno B. P. vulgaris flore pleno *Ger*: *Park*: flore pleno sive multiplici *I. B. Double Columbines*. Hujus etiam in colore maxima varietas.

*Aquilegia* flore pleno versicolori, *Hort*: *Reg*: *Bles*: *Double stript Columbines*.

*Aquilegia* flore roseo multiplici, B. P. rosea *Ger*: *Park*: stellata *Hort*: *Eyst*: flore simplici & pleno non corniculato *I. B. Rose-Columbine, double and single of many colours*.

**ARBOR. JUDÆ** *Ger*: *Park*: Judæica arbor *I. B. Siliqua sylvestris rotundifolia. B. P. Judas-Tree*.

**ARBUTUS** *Ger*: *Park*: *Arbutus folio serrato B. P. Arbutus, Comarus Theophrasti I. B. The Strawberry tree*.

**ARGEMONE** capitulo longiore *B:*  
*P:* capitulo longiore spinoso *I. B.* ca-  
 pitulo tenuiore longiore hirsuto, *Hist:*  
*Oxon: Long rough-headed Bastard Poppy.*  
*Ann:*

**Argemone** capitulo brevior, *B. P.*  
 breviori hispido *I: B:* capitulo rotun-  
 diore *Park:* capitulo torulo *Ger:* capi-  
 tulo hirsuto, rotundo torulis canalicu-  
 lato *Hist: Oxon: Round rough headed*  
*Bastard Poppy.*

**Argemone** Cambro-britannica lu-  
 tea *Park:* **Argemone** Cambro-britanni-  
 ca lutea, capite longiore glabro, paucis  
 spinulis ad loculamentorum juncturas  
 ornato *Hist: Oxon: Yellow wild Bastard*  
*Poppy.*

**ARISARUM** latifolium *Ger: Park:*  
 latifolium alterum *B: P:* latifolium  
 quibusdam, *I. B. Broad leav'd Friers*  
*Cowle.*

**ARISTOLOCHIA** rotunda *I: B: Ger:*  
 rotunda vulgatio, *Park:* rotunda flore  
 ex purpurâ nigro *B: P: Round-rooted*  
*Birthevoort. Offic.*



*Aristolochia clematitis* Park: clematitidis recta B: P: clematidis vulgaris, I. B. *Aristolochia Saracenicæ* Ger: *The running-rooted Birthwort.* Offic.

*Aristolochia polyrrhizos* I. B. *Aristolochia Pistolochia dicta* B: P: *Pistolochia*, Ger: *Pistolochia vulgati-or*; Park: *The bushie-rooted Birthwort.*

*Aristolochia, Pistolochia altera*, I: B: *Pistolochia Cretica* B. P. *Cretica semper virens* Park: *Cretica sive Virginiana* Ger: *Ever-green bushie-rooted Birthwort, or Virginian Snake-root.*

S. *ARTEMISIA vulgaris* I. B. Park: *vulgaris major* B: P: *Artemisia mater herbarum* Ger: *Common Mugwort.* Offic.

S. *ARUM* I: B: *vulgare* Ger: *vulgare non maculatum* B: P: Park: *Cuckompint*, or *Wake-Robin.* Offic.

*Arum maculatum maculis nigris* B. P. *nigricantibus lituris signatum* Dod. *Spotted Wake-Robin, with black spots.*

*Arum venis albis B. P. magnum rotundiore folio Park: Round-leaved Wake-Robin.*

*Arum minus B. P. Lugd: Tab: The lesser Wake-Robin.*

S. *ARUNDO vulgaris*, five *phragmites Dioscoridis B. P. vulgaris palustris I. B. vallatoria Ger: Harundo vulgaris*, five *vallatoria park: The Common Reed. Offic:*

*Arundo Indica latifolia flore luteo punctato, B. P. I. B. Canna Indica flore flavo punctato Park: Yellow spotted Indian Reed. Ann:*

*ASARUM B. P. I. B. Ger: vulgare Park: Asarabacca. Offic:*

*ASCLEPIAS flore albo B. P. Ger: Park: Asclepias five Vincetoxicum multis, floribus albicantibus I. B. White Swallow-woort. Offic:*

*Asclepias nigro flore B. P. Park: flore nigro quorundam I. B. Black Swallow-woort.*

*Asclepias flore flavescente, Swallow-woort with yellowish flowers.*

**ASPARAGUS** *Park.* sativus *B. P.*

*Ger:* hortensis *I. B.* domesticus *Eyst.*

*Hist:* *Oxon.* Garden *Asparagus.*

*Offic:* *anis. erul.*

*Asparagus marinus I. B.* marinus crassiflore folio *Park:* maritimus crassiflore folio *B. P.* palustris *Ger:* Marsh *Sperage,* or *Asparagus.*

*Asparagus foliis acutis B. P.* *Hist: Oxon.* petræus, five *Corruda Ger:* petræus, five *Corruda aculeata Park:* *Corruda I. B.* Prickly Rock-*Asparagus.*

**S. ASPERULA** *Ger:* *Asperula*, five *Rubeola montana odora B. P.* *Asperula* aut *Aspergula odorata Park:* *Rubiis accedens, Asperula quibusdam, aut Hepatica stellaris, I. B.* White flowered Wood-roof. *Offic:*

*Asperula cærulea arvensis B. P.* flore cæruleo, *Ger:* *Park:* *Rubia cærulea erectior, elatiorve I. B.* Blue flowered Wood-roof. *Ann.*

*Asperula arvensis, five annua flore albo, White flowered Wood-roof. Ann:*

**ASPHODELUS** albus ramosus  
 mas B: P: major ramosus flore albo,  
 I: B: major albus ramosus *Park:*  
 ramosus, *Ger:* foliis latis seu por-  
 raceis albus ramosus major *Hist: Ox-*  
*on: The white branched Asphodill.*  
*Offic:*

**Asphodelus luteus** I: B: *Ger:* luteus  
 minor *Park:* luteus & flore & radi-  
 ce B: P: folio fistuloso striato  
 non ramosus luteus & flore & ra-  
 dice, *Hist: Oxon: The yellow Asphodill.*  
*Offic:*

**Asphodelus foliis fistulosis** B: P: mi-  
 nor albus foliis fistulosis *Park: parad:*  
 minor foliis fistulosis, I: B: folio fi-  
 stuloso plano minor, ramosus flore al-  
 bo *Hist: Oxon: Phalangium Cretæ*  
*Salonenfis, Ger. Small hollow leaved*  
*Asphodill. Ann:*

S. **Asphodelus minimus** luteus palu-  
 stris Acori folio *Lob: Hist: Oxon: As-*  
*phodelus Lancastriæ, Ger: luteus aco-*  
*rifolius palustris Anglicus Lobellij, I:*  
*B: Pseudoasphodelus major sive palu-*  
*stris*

*stris Park: palustris Anglicus B: P: Lancashire Asphodill, or Bastard Asphodill.*

**ASPLENIUM**, five *Ceterach I: B: Ger: Park: Asplenium; five Scolopendra, Ceterach officinarum, B. P. Spleenwoort, or Milt-waste. Offic.*

**ASTER** *Atticus cæruleus vulgaris B. P. Atticus purpureo & albo flore, I. B. Atticus Italorum flore purpureo Park: Aster Italorum Lob: Ger: Purple Italian Starwoort.*

*Aster montanus cæruleus magno flore foliis oblongis B. P. purpureus montanus I. B. Alpinus cæruleo magno flore Park: septimus Clusij Ger: Great blew Starwoort of the Alps.*

*Aster flore Tripolij latifolius, Hort: Reg: Bles: Broad leaved Starwoort, with flowers like Sea-starwoort.*

*Aster Virgineus angustifolius serotinus flore parvo albente Park: The narrow-leaved late-flowering Starwoort of Virginia.*



*Aster supinus* Park: luteus supinus  
*Clusij* Ger: luteus supinus B. P. Low yellow  
*Starwort.*

*Aster montanus luteus* Salicis glabro  
 folio B. P. montanus foliis Salicis Ger:  
 Park: Conyza media Monspeliensis,  
 quibusdam Asteris Attici genus folio  
 glabro rigido I. B. Willow-leaved Star-  
 wort.

*Aster Virgineus luteus latifolius* re-  
 pens Park: Yellow creeping Starwort of  
 Virginia.

✓ S. *ASTRAGALUS* silvaticus Ger: sil-  
 vaticus foliis oblongis glabris B. P. A-  
 stragaloides, sive *Astragalus silvati-*  
*cus*, *Astragalo* magno *Fuchsj*, vel  
*Chamæ-balano* leguminosæ affinis  
 planta I. B. *Lathyrus silvestris* lignosi-  
 or Park: *Orobis silvaticus* nostras pe-  
 rennis filiquis propendentibus, radice  
 tuberosâ, Hist: Oxon: Wood-pease, or  
 Heath-pease.

*Astragalus Africanus luteus odoratus*  
 D. Magnol. perennis foliis hirsutis cau-  
 le recto aphylo flore ochroleuco  
 odo-

odoratissimo *Hist: Oxon: Sweet smelling yellow flowered African Hatchet-Vetch.*

ATRACYLIS *Ger: Lob: lutea B: P: flore luteo Park: vera flore luteo, I: B: The yellow Distaffe-thistle.*

*Ann:*

ATRIPLEX *hortensis alba five pal- lide virens B. P. Hist: Oxon: alba hortensis I. B. sativa alba, Ger: Park: White Garden Arrach. Offic: Ann:*

*Atriplex hortensis rubra B: P: Hist: Oxon: I: B: sativa purpurea Ger: Park: Red Garden Arrach.*

*Ann:*

S. *Atriplex silvestris latifolia, B: P: Hist: Oxon: latifolia, five Pes anserinus, Ger. Park: Atriplex dicta Pes anserinus I: B: Goose-foot, or Sow-bane.*

*Ann:*

S. *Atriplex silvestris latifolia acutior folio, B. P. Hist: Oxon: silvestris latifolia altera Ger: Atriplex dicta Pes anserinus alter, five ramosior I. B. The other Goose-foot, or Arrach. Ann.*

*Atri-*

*Atriplex sylvestris folio sinuato can-  
dicante B : P : Hist : Oxon : sylve-  
stris I. B. sylvestris vulgaris, Ger : syl-  
vestris vulgatio sinuata major Park :  
Common wild Arrach. Ann.*

*Atriplex sylvestris altera B. P. Ger :  
sylvestris altera folio sinuato satu-  
ratè virente, spicâ subrubrâ, Hist.  
Oxon. The lesser wilde Arrach.  
Ann.*

*Atriplex foetida B. P. Hist : Oxon :  
I. B. olida Ger. olida, sive sylvestris  
foetida Park : pusilla olida hircina, Vul-  
varia vocata, Garum olens Lob. Stink-  
ing Arrach. Offic. Ann.*

*Atriplex Mori fructu major, seu  
fragifera major Hist : Oxon : Spina-  
chia fragifera, Hort : Farnes, Great  
Berry-bearing Arrach, or Berry-bearing  
Spinach. Ann.*

*Atriplex Mori fructu minor seu fra-  
gifera minor, Hist : Oxon : sylvestris  
Mori fructu B. P. baccifera Ger : bac-  
cifera*

cifera rubra *Park: Common, or the lesser Berry-bearing Arrach. Ann:*

- S. *Atriplex sylvestris angusto oblongo folio, B. P. Hist. Oxon. sylvestris angustifolia Ger: Park: sylvestris Polygoni, aut Helxines folio Lob: vulgaris angustifolia cum folliculis, l. B. Narrow-leaved, wild Arrach. Ann.*

- S. *Atriplex maritima, Gras l. Raj, English Sea-Arrach. Ann:*

- S. *AVENA alba l. B. vulgaris, five alba B. P. vesca Ger: Park: White Oats. Offic. Ann:*

- S. *Avena nigra B. P. l. B. Black Oats. Ann:*

*Avena nuda B. P. Ger: Park: Naked Oats. Ann:*

*AURICULA muris Camerarij l. B. Anthyllis leguminosa marina Bætica, vel Cretica, five Auricula muris Camerarij Park: Loto affinis filiquis hirsutis circinatis, B. P. Hist. Oxon. Sea Kidney-vetch of Spain, or Candy. Ann:*

Au.

S. Auricula muris pulchro flore albo,  
 I. B. Lychnis caulibus ad genicula fo-  
 liosis, *Hist. Oxon: Mousear with a large*  
*white flower.*

✓ S. Auricula muris pulchro flore albo fo-  
 lio tenuissimo I. B. Lychnis minima  
 foliis Laricis, seu tenuissime divisis  
*Hist. Oxon: Caryophyllus saxifragus*  
*foliis tenuissimis pulchro flore albo,*  
*D. Magnol: Fair flowered Mousear with*  
*very narrow leaves.*

## B.

**B**ALSAMINA mas *Ger :*  
*Park: rotundifolia repens, si-*  
*ve mas B: P: Balsamina cucu-*  
*merina I: B: Cucumis puniceus*  
*Cordi Hist. Oxon. The male Balsom-apple.*

*Ann: 1701*

Balsamina foemina *B. P. Park: pa-*  
*rad: Ger. foemina persicifolia, vel sali-*  
 cis



cis folio *I: B:* Herba impatiens seu Noli me tangere , flore patulo eleganter dilute rubente , *Hist : Oxon : The female Balsom-apple. Ann:*

Balsamina lutea , sive Noli me tangere , *B. P. Noli me tangere I: B:* persicaria filiquosa *Ger : Mercurialis sylvestris , Noli me tangere dicta , sive Persicaria filiquosa Park:* Impatiens herba , Noli me tangere dicta, flore patulo luteo , *Hist: Oxon: Coded Arsmart, Quick in hand, Touch me not. Ann:*

*S.* BARBA capra floribus compactis, *B: P: Ulmaria I: B: vulgaris Park: Regina prati Ger : Meadow-sweet, or Queen of the Meadow. Offic:*

Barba caprae floribus oblongis, Melandryon Plinij , *B: P: Barba capri, I: B: Ger: Ulmaria major , sive altera Park: The greater Meadow-sweet.*

BARBA Jovis frutex *B. P. Park: Clus: Jovis barba pulchre lucens, I. B. The Silver Bush.*

✓ S. **BELLIS** major *I. B. Ger: major vulgaris, five sylvestris Park: major sylvestris caule folioso, B. P. The greater wild white Daisie, Offic.*

*Bellis latioribus serratis foliis radice repente, Hort. Reg. Bles. Great Daisie, with broader snipt leaves and a running root.*

*Bellis Tanaceti folio major. Tanacetum inodorum flore majore B. P. The greater Daisie with the Tansie leaf, or Unsavory Tansie.*

*Bellis Tanaceti folio minor. Tanacetum inodorum Park: non odorum Ger. montanum inodorum minore flore B. P. album I. B. The lesser Daisie with the Tansie leaf, or Unsavory Tansie.*

✓ S. *Bellis minor sylvestris simplex Park. sylvestris minor B. P. minor sylvestris spontanea I. B. minor sylvestris; & etiam media sylvestris Ger: Common small wild Daisie. Offic.*

Bel.

S. *Bellis pratensis duplici florum serie Hort. Reg. Bles : Field Daisie with two ranges of leaves.*

S. *Bellis minor sylvestris flore pleno, Small wild Daisie, with double flowers,*

S. *Bellis minor sylvestris flore cæruleo, Small wild Daisie with blue flowers.*

*Bellis minor hortensis flore pleno rubro, Double red Garden Daisie.*

*Bellis minor hortensis flore pleno albo, Double white Garden Daisie.*

*Bellis minor hortensis flore pleno variegato, Double party-coloured Garden Daisie.*

*Bellis hortensis prolifera B. P. minor hortensis prolifera, Park: parad: minor prolifera, Ger: Childing Daisie.*

*BERBERIS dumetorum B. P. Berberis Park. Berberis vulgo, quæ & Oxyacantha putata I. B. Spina acida, five Oxyacantha, Ger: The Barberry Bush. Offic.*

BER-

Berberis sine nucleo B: P: absque  
arillis, Park: *The Barberry without  
stones.*

BETA alba Ger: Park: alba, vel  
pallescent, quæ Cicla officinarum B P.  
Hist: Oxon: *The white Beet. Offic:*  
Ann:

Beta communis sive viridis, B: P:  
*The green Beet. Ann:*

Beta rubra vulgaris B. P. Hist:  
Oxon: Ger: Park: *Red Beet. Offic:*  
Ann:

Beta rubra radice Rapæ B. P. Hist:  
Oxon: rubra Romana Ger: Park: ra-  
dice rubrâ crassâ, I: B: *Red Roman  
Beet, or Betraw. Ann.*

Beta Sicula, costâ latâ albâ, luteâ,  
rubrâ, ruberrimâ, & aurantiacâ, Hist:  
Oxon: *Broad-ribbed Sicilian Beet.*  
Ann:

S: Beta silvestris maritima B: P: Park:  
spontanea maritima communis viri-  
dis, Hist: Oxon: *The sea Beet.*  
Ann:

Beta Cretica semine aculeato,

*B. prodr.* Cretica semine spinosa seu aculeato *Hist. Oxon.* Cretica spinosa *Park:* Cretica semine spinoso *I. B.* semine aculeato *Ger:* *Prickly Beet of Candy.*

S. **B E T O N I C A** *Ger:* purpurea *B. P.* vulgatiores flore purpureo *Park:* vulgaris purpurea *I. B.* *Common Betony Offic.*

*Betonica* flore albo *Ger:* *Park:* alba *B. P.* *White Betony.*

*Betonica* major *Danica Park:* *Great Betony of Denmark.*

S. **B E T U L A** *B. P.* *Park:* *Betula* *Plinij, & Ἰμυρδα Theophrasti I. B.* *The Birch-tree. Offic.*

S. **B I S T O R T A** major radice magis intortâ *B. P.* major radice magis intortâ, foliis rotundioribus rugosis *Hist:* *Oxon:* major *Ger:* major vulgaris *Park:* major rugosioribus foliis *I. B.* *Great Bistort, or Snake-weed. Offic.*

*Bistorta* major radice minus intortâ *B. P.* major radice minus intortâ



foliis angustioribus minus rugosis,  
*Hist: Oxon:* media folio minus rugoso *I. B.* *Great Snake-weed, with narrower leaves: and lesse wreathed roots.*

**S.** *Bistorta Alpina minima sobolifera*  
*Hist. Oxon. minima I. B. minor Ger: minor nostras Park: Small Bistort of our Countrey.*

**B L A T T A R I A** *lutea folio longo laciniato B. P. flore luteo Ger: lutea I. B. lutea minor seu vulgaris Park: flore minore luteo staminulis purpureis Hist: Oxon: Yellow Moth-mullen, with long cut leaves. Ann:*

*Blattaria alba B. P. Ger: Park: flore albo I. B. flore minore albo staminulis purpureis Hist: Oxon: White flowered Moth-mullen. Ann.*

*Blattaria flore purpureo I. B. purpurea B. P. Ger: Park: perennis flore violaceo Hist: Oxon: Purple Moth-mullen.*

*Blattaria flore obsoletè cæruleo Moth-mullen of an over-worn blew colour.*

*Blat:*

*Blattaria perennis* flore gilvo seu ob-  
soleti coloris *Hist: Oxon: Iron-coloured*  
*Moth-mullen.*

**B L I T U M** rubrum majus *B. P.*  
*Hist: Oxon: Ger: pulchrum, rectum,*  
*magnum rubrum I. B. The great red*  
*Blite. Offic: Ann:*

*Blitum rubrum minus B. P. Hist:*  
*Oxon: Ger: I. B. minus sylvestre*  
*rubrum Park: The small red Blite.*  
*Ann:*

§. *Blitum polyspermon, a seminis co-*  
*piâ B. P. Hist: Oxon: polyspermon*  
*Park: erectius five tertium Tragi I:*  
*B: Atriplex sylvestris, five polysper-*  
*mon Ger: Upright Blite, or All-seed.*  
*Ann:*

*Blitum spinosum Americanum Prick-*  
*ly Blite of America.*

**B O T R Y S** *Ger: vulgaris Park: am-*  
*brosioides vulgaris B: P: Botrys*  
*plerumq; Botanicis I. B. Atriplex odo-*  
*ra, five suave-olens Hist: Oxon. Oak of*  
*Jerusalem. Offic: Ann:*

**Botrys Ambrosioides Mexiocana** *B.*  
*P. app:* Americana *Park*: **Atriplex** odo-  
 ra five suave-olens Americana, Mexio-  
 canavè *Hist*: *Oxon*: *Indian Oake of Je-*  
*rusalem. Ann:*

**BRASSICA** capitata alba *B. P.*  
*Ger: Park: I. B.* capitata seu clausa pe-  
 nitus capite simplice albo *Hist*: *Oxon*.  
*White Cabbage. Ann:*

**Brassica rubra capitata** *B. P.* *Ger:*  
*Park: I. B.* capitata seu clausa penitus  
 capite simplice rubro *Hist. Oxon: Red*  
*Cabbage. Ann.*

**Brassica capitata polycephalos** *Hist*:  
*Ludg:* ex pluribus capitulis conglo-  
 bata *B. P.* capitata seu clausa penitus  
 capite multiplici *Hist: Oxon: Cabbage*  
*with many heads. Ann:*

**Brassica alba capite oblongo non**  
 penitus clauso *B. P:* capitata seu clau-  
 sa non penitus, Sabauda, Hyberna  
*Hist: Oxon: Brassica Sabauda Ger: Ita-*  
*lica tenerrima, glomerosa, flore albo*  
*I. B. Savoy Cole. Ann.*

*Brassica alba crispa* *B. P.* capitata  
 seu clausa non penitus *Sabauda cris-*  
*pa Hist: Oxon: Sabauda rugosa I. B.*  
*Sabauda crispa Ger: Curled Savoy Cole.*  
*Ann:*

*Brassica alba vel viridis B. P.* alba  
 vulgaris *I. B.* vulgaris sativa *Ger: sa-*  
*tiva alba vel viridis vulgaris aperta*  
*lævis Hist: Oxon: Garden Colewoort.*  
*Ann.*

*Brassica rubra B. P.* *Ger: rubra*  
 vulgaris *I. B.* sativa rubra aperta læ-  
 vis *Hist: Oxon: Red Colewoorts. Offic.*  
*Ann.*

*Brassica fimbriata B. P.* *Hist: Oxon:*  
*tophosa Ger: I. B. Swollen Colewoorts.*  
*Ann.*

*Brassica fimbriata pumila B. P.* *Hist:*  
*Oxon: Anglica minima Adv: Lob: Small*  
*curled Cole. Ann:*

*Brassica cauliflora B. P.* multiflora  
*I. B. florida Ger: Park: cauliflora seu*  
*florida botrytis Hist. Oxon. Colie-flore.*  
*Ann.*

*Brassica asparagodes crispa B. P.* *Hist.*

*Oxon* : thyrsoides *I. B.* crispa prolifera *Tab. Curled Childing-Cole.*

*Brassica gongylodes B. P. Hist* :  
*Oxon* : *Brassica caulorapa I: B: Caulorapum rotundum Ger* : *Rapocaulis Park* : *parad: Colerape. Ann.*

*Brassica lato Apij folio B. P. Hist* :  
*Oxon* : *selinoides Ger* : *laciniata Park* :  
*Parsley Colewoort. Ann.*

*Brassica angusto Apij folio B: P: tenuifolia laciniata Lob: Small Parsley Colewoort. Ann.*

*S. Brassica maritima monospermos B. P. monospermos Anglica I. B. marina monospermos Park* : *marina Anglica Ger* : *maritima major repens multiflora alba monospermos Hist* : *Oxon* : *Sea Colewoort.*

*Brassica campestris perfoliata flore albo B. P. Hist* : *Oxon* : *Perfoliata filiquosa I: B: Ger* : *Perfoliata filiquosa vulgaris, vel Brassica campestris Park* : *Coddled Thorrow-wax. Ann.*

*Brassica sylvestris foliis circa radicem*



cem cichoraceis B. P. sylvestris foliis circa radicem cichoraceis asperis, caulibus autem adhærentibus planis seu glabris *Hist. Oxon.* Glastifolia cichoroides Joh. Bauhini & Turritis secunda da Clusio I. B. *Clusius his second Towers-mustard.*

Brassica sylvestris foliis integris & hispidis B. P. *Hist. Oxon.* Turritis Ger. vulgator I. B. *Park: Towers-mustard. Ann:*

S. BRUNELLA major folio non dissecto B. P. Prunella Ger. vulgaris *Park:* flore minore vulgaris I. B. *Common Self-heal. Offic:*

Brunella flore albo, *White flowered Self-heal.*

Brunella flore magno carneo *Self-heal with a large bluish flower.*

BRYONIA alba Ger. alba vulgaris *Park:* aspera sive alba baccis rubris B. P. aspera incana, sive alba baccis rubris *Hist: Oxon:* Vitis alba, sive Bryonia I. B. *White Bryonie. Offic:*

*Bryonia nigra* Ger : *Hist. Oxon.*  
*sylvestris nigra* Park : lævis five nigra  
*racemosa* B: P: *Vitis nigra* quibusdam,  
 five *Tamus* Plinij folio *Cyclamini* l. B.  
*Vitis sylvestris* , *Sigillum Beatæ Ma-*  
*riæ*, & *Tamus* Dod. *Black Bryonie.*  
*Offic.*

*Buglossum latifolium*, *Bor-*  
*rago* B: P: *Borrage* floribus cæru-  
 leis l. B. *hortensis* floribus cærule-  
 is Ger : Park: *Common Borrage.* *Offic.*  
*Ann.*

*Buglossum latifolium* five *Borrage*  
 flore albo , *White flowered Borrage.*  
*Ann.*

*Buglossum latifolium* semper virens  
 B. P. *Buglossum folio Borruginis His-*  
*panicum* l. B. *Borrage* semper vi-  
 rens Ger : Park: *Never-dying Bor-*  
*rage.*

*Buglossum angustifolium majus* B. P.  
*Buglossum vulgare* Ger : vulgare ma-  
 jus l. B. *Great Garden Buglosse.* *Offic.*  
*Ann.*

✓ S: *Buglossum sylvestre minus* B: P: Park:

Buglossa sylvestris minor Ger : E:  
chium Fuchsi, five Borrage sylve-  
stris I. B. *Wilde or Corne-Buglosse.*  
*Ann.*

Buglossum Creticum flore variega-  
to, odorato, *Sweet-smelling Buglosse*  
*of Candy, with stript, red, and white*  
*flowers. Ann.*

S. Buglossum sylvestre caulibus pro-  
cumbentibus B: P: Borrage minor  
sylvestris Col: Park: Cynoglossa fortè  
topiaria Plinio, Echium lappulatum  
quibusdam I. B. Alyssum Germani-  
cum Echioides Lob: Aparine ma-  
jor Plinij Ger: *Small wilde Buglosse,*  
*Great Goose-grasse, German Madwoort.*  
*Ann.*

S. BULBOCASTANON I. B. minus B. P.  
Ger: Nuculaterrestris minor Park: Com-  
mon *Earth-nut.*

BUPHTHALMUM vulgare  
Ger: Dioscordis B. P. Matthioli, fi-  
ve vulgare Millefolij foliis Park: Cha-  
mæmelum Chrysanthemum quorun-  
dam I: B: *Common Ox-eye. Offic. Ann.*  
Bup-

Buphthalmum Cotulæ folio B: P:  
alterum Cotulæ folio *Park*: tenuifolium  
folio Millefolij fere *I. B.* Chrysanthemum  
tenuifolium Bæticum Boelij *Ger*:  
*Camomile-leaved Ox-eye. Ann.*

Buphthalmum flore luteo subtus pur-  
purascente B. P. flore purpurascente  
*Park*: *Ox-eye with purplish flowers. Ann.*

- ✓ S. BURSA pastoris *I. B.* *Ger*: major vul-  
garis *Park*: major folio sinuato B: P: ma-  
jor capsulâ cordatâ foliis laciniatis *Hist.*  
*Oxon*: *Common Shepherds-purse. Offic.*  
*Ann.*

- ✓ S. Bursa pastoris minor *Park*: minor fo-  
liis incis, & Thalij *B. P.* Bursa pasto-  
ria minima *Ger*: parvo folio glabro spif-  
fo *I. B.* pastoris minor capsulâ brevi cor-  
datâ foliis sinuatis *Hist*: *Oxon*: *The lesser*  
*Shepherds-purse. Ann.*

- ✓ S. Bursa pastoris minor oculis oblongis  
*B. P.* *Hist*: *Oxon*: Bursa pastoria minima  
oblongis siliquis, five verna loculo ob-  
longo *I. B.* Paronychia vulgaris *Ger*: vul-  
garis alfinefolia *Park*: *Nailwoort, or*  
*Whitelow-grass. Ann.*

Bur-

S: *Bursæ pastoris* similis filiquosa major  
*B. P. Pilosella filiquata* major *Thal: Bur-*  
*sa pastoris*, five *Pilosella filiquosa I. B.*  
*Paronychia* major *Park: Drabæ filiquo-*  
*sæ similis*, planta præcox annua *Hist:*  
*Oxon: Great Nailmoort, or Coddled Mons-*  
*ear. Ann.*

*Bursæ pastoris* loculo oblongo affi-  
 nis pulchra planta *I. B. Bursa pastoris*  
 major folio non sinuato *B: P: Thlaspi*  
*Veronicæ folio Park: Great Shepherds-*  
*purse with long pouches. Ann.*

*Buxus I. B. Ger. arborescens B. P.*  
*arbor vulgaris Park: The Box-tree.*  
*Offic.*

*Buxus foliis rotundioribus B: P: Cha-*  
*mæ-buxus*, five *Chamæ-pyxos* quibus-  
 dam *I: B: Buxus humilis Ger: Chamæ-*  
*buxus minor Park: Dwarf-Box.*

*Buxus foliis aureis Hort. Reg. Bles.*  
*Guilded-Box.*

---



## C.

**C**ACHRYS ferulaceis foliis  
 semine fungoso lævi *Hort. Reg.*  
*Bles. Libanotis cachryfera, si-*  
*ve Cachrys vera Park. Liba-*  
*notis Galeni, Cachrys verior Ger. Li-*  
*banotis Ferulæ folio semine anguloso*  
*B. P. Libanotis Cachryphoros qui-*  
*busdam floribus luteis I. B. Fennel-*  
*leaved Herb-Frankincense.*

Cachrys Peucedani folio, semine fun-  
 goso sulcato lævi *Hort. Reg. Bles. Herbe*  
*Frankincense with Sow-fennel leaves, and*  
*smooth furrowed seed.*

CÆPA vulgaris B. P. *Hist. Oxon.*  
 alba & rubra *Tab. The common Onion.*  
*Offic.*

Cæpa Ascalonica *Matth. ed. Bauh:*  
*Hist: Oxon. sterilis B. P. Ascalonica si-*  
*ve fissilis I. B. Scallions, or Eschal-*  
*lots.*

**CALAMINTHA** vulgaris *Park*:  
vulgaris officinarum *Ger*: vulgaris vel  
officinarum Germaniæ B. P. flore mag-  
nò vulgaris I: B: *Common Calamint.*  
*Offici*

Calamintha altera gravi odore Pu-  
legij *Lob*: *Adv*: Pulegij odore, five  
Nepeta B. P. flore minore odore Pu-  
legij I. B. odore Pulegij *Ger*: altera  
odore Pulegij foliis maculosis *Park*:  
*Field-Calamint.*

8. **Calamintha** arvensis verticillata B.  
P. arvensis verticillata five aquati-  
ca Belgarum Lobelio *Park*: aquatica  
*Ger*: Mentha arvensis verticillata hirsu-  
ta I. B. *Water-Calamint with whorled*  
*coronets.*

**CALCEOLUS** Mariæ *Ger*. Hel-  
leborine flore rotundo, five Calceo-  
lus B. P. Elleborine major, five Cal-  
ceolus Mariæ *Park*. Damasonij species  
quibusdam, five Calceolus D. Mariæ I:  
B: *Ladies Slipper.*

**CALTHA** vulgaris B. P. flore  
simplici I. B. Calendula flore simplici *Ger*.  
*Park*.

*Park* : *Single Marie-gold. Offic. Ann.*  
*Eadem flore citrino.*

*Caltha polyanthos major B. P. flore pleno I. B. Calendula flore multiplici Ger. Park. Double Mariegold. Ann.*

*Caltha prolifera I. B. Ger. Childing Mariegold. Ann.*

*Caltha arvensis minima B. P. I. B. Small wild Mariegold. Ann.*

✓ S. *Caltha palustris I. B. palustris flore simplici B. P. palustris vulgaris simplex Park. palustris major Ger. Single Marsh-Mariegold.*

*Caltha palustris flore pleno Clus. palustris flore multiplici Ger. Park. Double Marsh-Mariegold.*

✓ S. *CAMPANULA rotundifolia Ger. minor sylvestris rotundifolia vulgaris B. P. parva, Anguillaræ Cantabrica. I. B. vulgaris minor, foliis imis rotundioribus sinuatis non ferratis Hist. Oxon. The lesser round-leaved Belflower.*

✓ S. *Campanula rotundifolia flore albo, The white round-leaved Belflower.*

*Came*

Campanula Persicifolia Ger: Park:  
 Hist: Oxon: angustifolia cærulea I: B:  
 Rapunculus Persicifolius magno flore  
 B. P. *Blew Peach-leaved Belflower.*

Campanula Persicifolia flore albo,  
*White Peach-leaved Belflower.*

Campanula hortensis folio & flore  
 oblongo B. P. Hist: Oxon: Viola Ma-  
 riana Dodonæi, quibusdam Medium  
 I: B: Viola Mariana flore purpureo  
 Ger: Park. *Purple Coventry-Belflower:*  
 Ann:

Campanula hortensis folio & flore ob-  
 longo, five Viola Mariana flore albo  
*White Coventry-Belflower.*

Campanula vulgatio foliis Urti-  
 cæ five major, & asperior B: P:  
 Hist: Oxon: major & asperior folio  
 Urticæ I: B: Trachelium majus Ger:  
 majus flore purpureo Park: *parad:*  
*Blew Canterbury-Bells.*

Campanula major foliis Urticæ, fi-  
 ve Trachelium flore albo *White Canter-*  
*Bury-bells.*

Cam-

**Campanula major** foliis *Urticæ*, five **Trachelium**, flore purpureo duplici.  
*Double Purple Canterbury-bells.*

**Campanula major** foliis *Urticæ*, five **Trachelium**, flore duplici albo *Double white Canterbury-bells.*

**Campanula hortensis** *Rapunculi* radice repente *Hist. Oxon.* *hortensis Rapunculi* radice *B. P.* repens flore minore cæruleo *I. B.* **Trachelium** in maritimis *Ad. Lob.* *Trachelij* genus mollioribus foliis *Clus. Garden Throatwoort*, with far creeping roots.

**S.** **Campanula pratensis** flore conglomerato *B. P.* **Trachelium** pratense flore conglomerato *Hist. Oxon.* **Trachelium minus** *Ger. Park.* minus multis *I. B.* *Little Throatwoort*, or *Canterbury-bells.*

**S.** **Campanula maxima** foliis latissimis *B. P.* *Hist. Oxon.* pulchra a Toffano Carolo missa *I. B.* **Trachelium majus** *Belgarum Park.* majus *Belgarum*, five *Giganteum Ger. Giant Throatwoort.*



S. **CANNABIS** sativa *B. P.* mas & foemina *I. B.* sativa mas & foemina *Park:* 1. seu mas & 2. seu foemina *Ger:* *Hemp male and female. Offic. Ann.*

S. **CARDUUS** vinearum repens folio Sonchi *B. P.* vulgatissimus viarum *Ger:* ceanothos, five viarum & vinearum repens *Park:* serpens laevicaulis *I. B.* *Common Way-thistle, or Creeping-thistle.*

S. **Carduus** viarum repens flore albo *Common Way-thistle, with a white flower.*

S. **Carduus** albis maculis notatus vulgaris *B. P.* lacteus *Matth:* **Carduus** Mariæ *Ger:* Mariæ vulgaris *Park:* Marianus, five lacteis maculis notatus *I. B.* *The Milkie-Thistle, or our Ladies-thistle. Offic. Ann:*

**Carduus** Mariæ non maculatus *Hort:* *Reg:* *Bles:* *Our Ladies-Thistle without spots. Ann:*

**Carduus** albis maculis notatus exoticus *B. P.* lacteus peregrinus *Camera-rij I. B.* **Silybum** minus *Bæticum*  
F *Park:*

*Park: The small Spanish Milk-Thistle.*  
*Ann.*

*Carduus sphærocephalus latifolius vulgaris B. P. sphærocephalus major*

*Park: globosus Ger: Echinopus major I. B. The greater Glob-Thistle*  
*Ann:*

*Carduus sphærocephalus minor B. P. globosus minor Ger. Park: Echinopus minor I: B: The lesser Glob-thistle.*

*Carduus capite rotundo tomentosus B: P: capite tomentoso I. B. tomentosus, Corona fratrum dictus Park: eriocephalus Ger: Woolly-headed Thistle, or Friars-crown. Ann:*

*S. Carduus nutans I. B. Cirsium tertium totâ suâ stirpe magis spinosum Dod: Carduus moschatus Ger: Thistle with a bending head. Ann:*

*✓ S. Carduus polyacanthus primus Ger: Aculeosa Gazæ Adv: Lob: Polyacantha Tab: Thistle upon Thistle. Ann.*

*Car.*

S. *Carduus polyacanthus secundus* Ger: *sylvestris tertius* Dod: *Polyacantha* Lob: *Wetted-Thistle with small flowers* Ann:

S. *Carduus palustris* B. P. Park: *caule crispo* I: B: *polyacanthos tertius* Ger: *The Marsh-Thistle.* Ann:

S. *Carduus palustris flore albo* Marsh *Thistle with white flowers* Ann.

S. *Carduus lanceatus* Ger: *lanceatus latifolius* B. P. *lanceatus latifolius*, five major Park: *lanceatus, five sylvestris* Dodonæi I. B. *The Spear-Thistle.* Ann.

*Carduus lanceatus ferocior* I: B: *Great Spear-Thistle with longer prickles.* Ann.

*Carduus pratensis latifolius* B. P. Park: *pratensis* Trag: *mollis* Lappa-  
thi folio I. B. *Broad leaved field-Thistle.*

*Carduus pratensis Asphodeli radice latifolius* B. P. *bulbosus Monspeliensis* Park: *bulbosus Monspeliensis, five Acanthus sylvestris quibusdam, foliis laciniatis* I. B. *The French bulbed Thistle.*

**Carduus stellatus** Ger: stellatus, five  
**Calcitrapa** I. B. stellatus folio Pappa-  
 veris erratici B: P: *The Star-Thistle.*  
*Ann.*

**Carduus stellatus luteus folio Cyani**  
 B: P: solstitialis Ger: Spina solstitia-  
 lis I: B: *Saint Barnabies Thistle.*  
*Ann:*

**Carduus solstitialis** capitulis minus  
 spinosis, Spina solstitialis mitior alte-  
 ra Apula Col: *Saint Barnabes Thistle*  
*with less prickly heads. Ann.*

**Carduus stellatus Leucoij foliis sub-**  
 tus incanis Hort. Reg. Bless. *Star-*  
*Thistle with Stock gill flower leaves. Ann.*

**CARLINA** acaulos magno flo-  
 re B: P: humilis Park. Carlina, five  
 Chamæleon albus Dioscoridis Ger: cau-  
 lifera & acaulis I: B. *The low Carlin*  
*Thistle.*

**Carlina caulescens** magno flore I: B:  
 Ger: caulescens Park: *Tall Carlin*  
*Thistle.*

**Carlina sylvestris** Ger. I: B: Park:  
*descript: Cnicus sylvestris spinosior* I. B.  
*The*

*The common wilde Carlin-Thistle.*

*Ann:*

CARPINUS *Dod:* Betulus, five Carpinus *Ger:* Ostrya, five Ostrya Ulmo similis fructu in umbilicis foliaceis *B. P.* Ostrya, five Ostrya Theophrasti *Park:* Fagus sepium *L. B. The Horn-beam tree.*

CARUM *Ger:* Park: Carum *L. B.* Cuminum pratense, Carvi officinarum *B. P. Caraway. Offic. Ann:*

S. CARYOPHYLLATA *Ger:* vulgaris *B. P. Hist. Oxon. Park.* flore parvo luteo *L. B. Avens, Herbe-Bennet. Offic.* ✓

S. Caryophyllata montana purpurea *Ger:* *Park:* aquatica nutante flore *B. P.* aquatica flore rubro striato *L. B.* aquatica nutante flore purpureo calathi effigie *Hist: Oxon: Purple Mountain-Avens.* ✓

S. Caryophyllata montana purpurea flore uno alteri innato, five duplici *Purple Mountain-Avens with Double flowers.*



Caryophyllata Alpina lutea *B. P.*  
 Alpina lutea major *Hist: Oxon: mon-*  
*tana Ger: Park: montana flore mag-*  
*no luteo I. B. Yellow Mountain-A-*  
*vens.*

Caryophyllata pentaphyllea *Ger:*  
 Alpina quinquefolia *B. P. Hist: Oxon:*  
*Cinque-foil Avens.*

CARYOPHYLLUS hortensis  
 multarum specierum & colorum *Garden*  
*Gillo-flowers of many kinds and colours.*  
*Offic:*

Caryophyllus sylvestris vulgatio  
*Lob: variarum specierum & colorum*  
*Garden Pinks of divers kinds and co-*  
*lours.*

S. Caryophyllus virgineus *Ger: sylve-*  
*stris humilis flore unico B. P. sylve-*  
*stris pusillus omnium minimus unico*  
*flore Hist: Oxon. Betonica corona-*  
*ria five Caryophyllea repens rubra*  
*I: B: Maiden Pinks.*

Caryophyllus prolifer *Park: sylve-*  
*stris prolifer B. P. barbatus sylvestris*  
*annuus latifolius multis capsulis simul*  
*jun-*

junctis donatus *Hist. Oxon*: Armeria  
 prolifera *Ger*: Betonica coronaria squam-  
 mosa sylvestris *I. B. Childing-Pinks.*  
*Ann.*

Caryophyllus barbatus hortensis la-  
 tifolius *B. P*: barbatus hortensis sim-  
 plex latifolius *Hist: Oxon*: Armeria  
 latifolia *Ger*: Park: Betonica corona-  
 ria latifolia petraea *I. B. Sweet Willi-*  
*ams, or Pride of London of several co-*  
*lours.*

Caryophyllus barbatus sylvestris *B. P*:  
 barbatus sylvestris annuus, angustifoli-  
 us perpaucis capitulis donatus *Hist*:  
*Oxon*: Caryophyllus pratensis *Ger*:  
 pratensis noster major & minor  
*Park*: Armeria sylvestris altera ca-  
 lyculo foliolis fastigiatis cincto *Lob*:  
 Viola barbata angustifolia Dale-  
 champij *I. B. Dept-ford-Pinke*:  
*Ann.*

*S.* Caryophyllus pratensis laciniato flo-  
 re simplici, sive Flos cuculi *B. P.* Lych-  
 nis pratensis flore laciniato simpli-

ci *Hist*: *Oxon*: plumaria sylvestris simplex *Park*: Armerius pratensis *Ger*: Flos cuculi, Odontis quibusdam *I. B.* *Meadow Pinks*, *Wild-Williams*, *Cuckow-flower*.

Caryophyllus holosteus tomentosus *I. B.* *Ger*: *Park*: holosteus tomentosus latifolius *B. P.* Lychnis maritima incana & tomentosa *Hist*: *Oxon*: *Hoary Pinke*.

✓ S. Caryophyllus arvensis glaber flore majore *B. P.* Lychnis arvensis glabra flore majore *Hist*: *Oxon*: Gramen leucanthemum *Ger*: *Park*: Gramen Fuchfij five leucanthemum *I. B.* *Stichwoort* *with large flowers*

S. Caryophyllus arvensis glaber flore minore *B. P.* Lychnis arvensis glabra flore minore *Hist*. *Oxon* Gramen leucanthemum alterum *Ger*: leucanthemum minus *Park*. Gramini Fuchfij leucanthemo affinis & similis herba *I. B.* *The lesser Stichwoort*.

✓ S. Caryophyllus minimus muscosus nostras *Park*: Saxifraga Anglicana alpine folia *Ger*: *Chickweed-Breakstone*. Ca-

- S. **Caryophyllus montanus minor B. P.**  
**marinus minimus Ger :** Caryophyllus  
 flos aphyllorcaulos, vel junceus minor  
**I. B. Gramen marinum minus Park :**  
*Thrift, or Sea Gillo-flower.*

**Caryophyllus marinus flore albo, Thrift**  
*with a white flower.*

**CASTANEA I B. Ger :** vulgaris  
**Park.** sylvestris quæ peculiariter Casta-  
 nea B. P. **Common Chesnut-tree. Offic:**

**Castanea folio multifido B. P. equi-**  
**na Ger :** **Park :** equina folio multifido  
**I. B. The Horse-Chestnut.**

- S. **CAUCALIS** semine aspero flos-  
 culis rubentibus **B. P. minor flosculis**  
**rubentibus Ger :** minor flore rubente  
**Park :** Anthriscus quorundam semine  
 aspero hispido **I. B. Hedge-Parsley.**  
**Ann:**

- S. **Caucalis** segetum minor Anthriscus  
 hispido similis **I. Raij. Small Corn-Par-**  
**sley. Ann :**

- S. **Caucalis Anglica flore rubente Park:**  
**Apij folio flore rubro Ger:** lato Apij  
 folio **B. P. Lappula Canaria latifolia,**  
 five

five *Caucalis* I: B: *Purple flowered great bastard-Parsley. Ann:*

- S. *Caucalis nodosa echinato femine* B: P: *Ger: Park: nodosa echinato femine Anthrisko hispidio affinis si non ejus varietas* I: B: *Knotted Hedge-Parsley.*

*Caucalis Daucoides Tingitana Carrot-like Parsley of Tangiers. Ann.*

*CEDRUS* conifera foliis Laricis B. P. *Cedrus Libani Ger: magna conifera Libani Park: magna five Libani conifera* I: B: *The great Cedar of Lebanon.*

*Cedrus folio Cupressi major fructu flavescente* B. P. *Phoenicea folio Cupressi Park: Lycia retusa Bellonio dicta* I. B. *Oxycedrus Lycia Ger: Cypressse like Cedar, or Berry-bearing Cedar.*

*CENTAURIUM* majus, folio in plures lacinias diviso B. P. majus vulgare *Park: majus Juglandis folio* I: B: *magnum Ger: The greater Centaury. Offic.*

Cen-



*Centaurium majus foliis Cinaræ Cornut: majus Pyrenæum Park: The Pyrenean great Centaury, or great Centaury with Artichoake leaves.*

*Centaurium minus B: P: minus vulgare Park: minus flore purpureo I: B: parvum Ger: Small Centaury Offic. Ann:*

*Centaurium minus flore albo, Small Centaury with white flowers. Ann.*

*CERASUS vulgaris Ger: Park: austera Matth. ed. Baub. fructu acidulo Dod: Cerasa acida rubella I. B. The common Cherry-tree. Offic:*

*Cerasus hortensis flore roseo B. P. rosea sterilis Park: flore pleno I. B. multiflora pauciores fructus edens Ger: Double-flowered Barren-Cherry.*

*Cerasus sylvestris fructu rubro I. B. Common wild Cherry.*

*Cerasus sylvestris fructu nigro I. B. major ac sylvestris fructu subdulci, nigro colore inficiente B. P. The common black Cherry. Offic:*

Ce-

S. *Cerasus racemosa* fructu non eduli B.  
*P. racemosa* quibusdam, aliis *Padus* I. B.  
*avium racemosa* *Park*: *avium nigra* &  
*racemosa* *Ger. Birds Cherry*.

*Cerasus sylvestris septentrionalis* fru-  
 ctu parvo ferotino I. *Raij. The wild*  
*Northern Cherry-tree with small late*  
*fruit.*

*Cerasus folio Laurino* B: P: *Lauro-*  
*cerasus* I. B. *Ger. Park: The Cherry*  
*Bay.*

C E R I N T H E asperior flore fla-  
 vo *Ger*: major flavo flore asperior B. P.  
*Cerinthe* quorundam major spinoso fo-  
 lio, flavo flore I. B. *Yellow-flowered*  
*Honeywoort. Ann:*

*Cerinthe* major *Ger*: major flore lu-  
 teo & rubro *Park*: quorundam major,  
 versicolore flore I. B. *Cerinthe*, seu  
*Cynoglossum montanum majus* B: P:  
*Great Honeywoort. Ann:*

C H Æ R O P H Y L L U M fativum  
 B. P. *Chærophyllo* I. B. *Myrrhis fa-*  
*tiva*, sive *Cerifolium vulgare fativum*  
*Ger. Park: Common Chervil. Offic. Ann:*  
 Che-

5. *Chærophylum sylvestre* B: P: *Cerefolium sylvestre* Ger: *Anthriscus Plinij* quibudam, femine longo *Cicutariæ* aut *Chærophylli*. I. B. *Common wild Chervil.*

*CHAMÆCERASUS* Alpina fructu nigro gemino B. P. *Periclymenum rectum* fructu nigro Park: rectum fructu nigro gemino I. B: *Black-berried Upright H:ny-suckle.*

*Chamecerasus dumetorum* fructu gemino rubro B. P. *Periclymenum rectum* fructu rubro I: B: Park: rectum *Germanicum* Ger: *Red-berried Upright Honey-suckle.*

5. *CHAMÆCISTUS* vulgaris flore luteo B: P: *Helianthemum vulgare* Park: vulgare flore luteo I. B. Anglicum luteum Ger. *Dwarfe Cistus, or little Sun flower.*

*Chamæcistus* vulgaris flore albo *Dwarfe Cistus with a white flower.*

*CHAMÆDRYS* vulgaris Park: minor Ger: minor repens B: P: *Chamedrys*, vulgò vera existimata I. B. *Common Germander. offic.*

*Chamædrys laciniatis foliis Park :*  
*Chamæpitys foemina Ger: Botrys Chamædroides B: P: Botrys verticillata I: B: Cut-leaved Germander. Ann.*

✓ S. *Chamædrys sylvestris Ger: spuria sylvestris Park: spuria latifolia, five foemina I: B: spuria minor rotundifolia B. P. Veronica minor foliis imis rotundioribus Hist: Oxon: Wild Germander.*

*Chamædrys spuria foliis pediculis oblongis infidentibus I: Raij: Chamædry spuriae affinis, rotundifolia scutellata B. P. Alyssum montanum Park: Dioscoridis montanum Col: Veronica rotundifolia scutellata aut biscutata Hederæ folio Hist: Oxon: Wild Germander with leaves standing on long foot stalks, or Mountain Madwoort of Columna.*

*CHAMÆIRIS variegata B. P: cæruleo & violaceo colore Hort: Eyst: The blew variable Dwarfe Flower-de-luce.*

Cha-

**Chamæiris flore albo** *The white Dwarfse Flower-de-luce.*

**CHAMÆMELUM** vulgare *Ger: Park: odoratissimum repens flore simplici I: B: vulgare leucanthemum Dioscoridis B. P. Common Cammomile. Offic:*

**Chamæmelum flore pleno** *Ger: Park: nobile flore multiplici B. P. repens odoratissimum perenne flore multiplici I. B: Double-flowered Cammomile.*

**Chamæmelum humile**, five sterile, *Dwarfse, or Barren Cammomile.*

**Chamæmelum folio Agerati.** *Cammomile with sweet-Mandlin-leaves.*

*Ann.*

S. **Chamæmelum inodorum** *B: P: inodorum, five non foetidum I: B: Cotula non foetida Ger: Park: May-weed, or Dogs Cammomile. Offic. Ann:* ✓

S. **Chamæmelum inodorum**, five *Cotula non foetida flore pleno Double flowered May-weed. Ann.*

S. **Chamæmelum foetidum** *B: P: foetidum, five* ✓



five *Cotula foetida* *I. B.* *Cotula foetida* *Ger: Park: Stinking May-weed.*  
*Ann:*

*CHAMÆMESPILUS* *Ger:*  
*Cotoneaster* *Gesneri I. B. Park: Coto-*  
*naster folio rotundo non serrato, & Cha-*  
*mæmespilus Cordi B. P. Epimelis Lugd.*  
*Dwarfe Medlar.*

*Chamæmespilus I. B. Cotoneaster*  
*folio oblongo serrato B. P: Cotonaster*  
*Gesneri Ger: in app: Gesner his wilde*  
*Quince.*

*S* *CHAMÆMORUS* *Ger: Anglica*  
*Park: foliis Ribes, Anglica B. P. Ru-*  
*bo Ideo minori affinis, Chamæmorus*  
*I. B. Knot-berry, Knout-berry, or Cloud-*  
*berry.*

*CHAMÆPITYS* *vulgaris Park:*  
*vulgaris odorata flore luteo I. B. lutea*  
*vulgaris five folio trifido B. P. mas Ger.*  
*Iva arthritica Offic. Common Ground-*  
*pine. Ann. Offic.*

*CHELIDONIUM* *majus Ger:*  
*majus vulgare B. P. Park. majus nostras*  
*vulgare Hist. Oxon. Chelidonia I. B. The*  
*great-*

*The greater Cellandine: Offic :*

Chelidonium majus foliis tenuissime dissectis, Fumariæ Myconis instar  
*Hist: Oxon: The greater Cellandine with fine cut leaves.*

S. Chelidonium minus *Ger: Park:* Chelidonia rotundifolia minor *B. P.* Scrophularia minor, five Chelidonium minus vulgo dictum *I. B.* Ranunculus præcox rotundifolius granulata radice *Hist: Oxon: Pilewoort, or lesser Cellandine. Offic.*

Chelidonium minus flore pleno  
*Park: Double-flowered lesser Cellandine.*

CHONDRILLA viscosa humilis  
*B: P: Ger: Park: Dwarfse Gum-Succory Ann.*

Chondrilla cærulea altera Cichorij sylvestris folio *B. P.* cærulea *Ger.* cærulea five purpurea *Park: Chondrille, vel Chondrilla cærulea I: B: Blew Gum-Succory.*

Chondrilla verrucaria foliis Intuba-  
 ceis viridibus *B: P: Cichorium ver-*  
 G rucarium

ru carium Ger. Cichorium verrucosum  
 five Zazinta Hieraciis adnumerandum  
 I. B. Zacynta, five Cichorium verru-  
 carium Park: *Warted-Cichory. Ann.*

Chondrilla viminea I. B. viminalibus  
 virgis Park: juncea Ger: juncea vis-  
 cosa arvensis quæ prima Dioscoridis  
 B. P. *Gum-Succory with twig-like bran-  
 ches.*

Chondrilla cærulea Cyani capitulis  
 B. P. Chondrilla Sesamoides dicta  
 Park: Sesamoides parvum Matthioli  
 Ger: Catanance Dalechampi flore Cyani  
 folio Coronopi I. B. *Strange Gum-Succory.*

Chondrilla foliis laciniatis ferratis, pur-  
 purascente flore B: P: rara purpurea,  
 Crupina Belgarum dicta Park: rara pur-  
 pureo flore semine nitido deciduo Lob:  
 Hispanica Ger: Cyanus pulchro semi-  
 ne Centaurij majoris I. B. *The Bearded  
 Creeper. Ann:*

✓ S. CHRYSANTHEMUM segetum  
 Ger: segetum nostras, Park: folio mi-  
 nus secto glauco I: B: Bellis lutea foliis  
 profunde incisfis major B: P: *Corn-Marie-  
 gold. Ann:* Chry-

*Chrysanthemum Creticum* I. B. *Ger:*  
*Park* : majus folio in minores lacinias di-  
 viso B. P. *Candy Corn-Mariegold.*  
*Ann.*

*Chrysanthemum* flore partim candi-  
 do, partim luteo B. P. *Creticum mix-*  
*tum Hort: Eyst: Party coloured Candy*  
*Corn-Mariegold. Ann.*

*Chrysanthemum Valentinum Clusij*  
*Ger: Park:* *Buphthalmum lanuginosis*  
*foliis Millefolij B: P: Clusius his Corn-*  
*Mariegold of Valentia. Ann.*

*Chrysanthemum latifolium Tingita-*  
*num Broad-leaved Corn-Marie-gold of*  
*Tangiers. Ann.*

*Chrysanthemum Africanum procum-*  
*bens, flore cernuo, nudo, luteo, Low*  
*naked Corn-Mariegold of Africa. Ann:*

C I C E R fativum B. P. *Hist: Oxon:*  
*Ger: arietinum I: B: fativum five arie-*  
*tinum, rubrum, nigrum vel album*  
*Park: Chitch-Pease, or Cicers. Offic:*  
*Ann.*

S: *Ciceri sylvestri minori affinis si*  
 G 2 non

non idem *B. P. Glaux Dioscoridis Ger:*  
*Hispanica I. B. Hispanica Clusij Hist:*  
*Oxon: Park: Clusius his Spanish Milk-*  
*woort.*

*CICHORIUM* fativum *B: P: I.*  
*B. fativum flore cæruleo Ger: Park:*  
*Garden Succory. Offic. Ann:*

*Cichorium fativum flore albo White*  
*flowered Garden Succory. Offic. Ann:*

*Cichorium pratense luteum hirsutius*  
*asperum, vel Hieracium hirsutum foliis*  
*caulem ambientibus B: P: pratense*  
*luteum asperum Park: Hieracium aspe-*  
*rum Ger: asperum majore flore in agro-*  
*rum limitibus I: B: Yellow Succory, or*  
*Rough Hawk-weed with a large flower.*

*S. Cichorium pratense luteum lævius*  
*B: P: Park: Hieracium luteum glabrum*  
*sive minus hirsutum I: B: I: B: Hiera-*  
*cium aphacoides Ger: Smooth Succory-*  
*Hawk-weed.*

*S. C I C U T A Ger: major B: P: vul-*  
*garis major Park: Cituta Veteribus &*  
*Neotericis I: B: Common Hemlock:*  
*Offic. Ann:*

*Cicu-*



S. *Cicuta minor* *Petroselinio* similis *B:*  
*P:* minor five fatua *Park:* *Cicutaria* te-  
 nuifolia *Ger:* *Cicutaria* *Apij* folio *I: B:*  
*The lesser Hemlock, or Fools-Parsley.*  
*Ann.*

*Cicutaria latifolia foetida B: P:* lati-  
 folia foetidissima *Oer:* *Cicuta maxima*  
*Park:* *Seseli Peloponense* *Matthioli* fi-  
 ve *Cicutaria* quorundam *I: B:* *The great-*  
*est Hemlock, or Hartwoort of Pelopo-*  
*nesus.*

*CINARA* *hortensis* foliis non acu-  
 leatis *B: P:* non aculeata *Dodonæi Hist:*  
*Lugd: The Common Artichock. Offic:*

*Cinara maxima Anglica Ger:* *The*  
*great English Artichock.*

*Cinara spinosa* cujus pediculi esitan-  
 tur *B: P:* *Prickly Artichock, or Char-*  
*don.*

*CIRSIIUM* maximum *Asphodeli*  
 radice *B: P:* *Ger:* maximum montanum  
*Park:* maximum foliis carnosis bulbosâ  
 radice, forte *Lutetianum I: B:* *The great-*  
*mountain melancholy-Thistle.*

S. *Cirsium majus* singulari capitulo  
 G 3 mag-

magno vel incanum varie dissectum *B.*  
*P.* Anglicum *Ger* : Anglicum primum  
*Park* : Anglicum, radice Hellebori nigri modo fibrosa, folio longo *I. B.* *The English Soft or Gentle Thistle.*

**CISTUS** mas folio oblongo incano *B. P.* folio oblongo albido *I. B.* mas cum Hypocistide *Ger* : mas vulgaris *Park* : *Ordinary Male-Cistus*, *Offic.*

*Cistus* mas angustifolius *B. P.* *Ger* : *Park* : mas secundus folio longiore *I. B.* *Narrow-leaved Male-Cistus.*

*Cistus* folio Salicis *B. P.* annuus *Ger* : annuus folio Salicis *Park* : *Willow-leaved annual Cistus.* *Ann* :

*Cistus* folio Rorismarini *Cistus* with *Rosemary-leaves.*

**CLEMATIS** sylvestris latifolia *B. P.* : *Clematis* sylvestris latifolia sive Viorna *Park* : latifolia dentata *I. B.* : Viorna *Ger* : *Travellers Joy.*

*Clematis* caerulea vel purpurea repens

pens *B. P.* Clematis five Flammula, flore cæruleo & purpureo, scandens *I. B.* Clematis peregrina flore purpureo simplici *Park*: pe egrina cærulea *Ger*: *Single blew Ladies-Bower*.

Clematis Pannonica *Ger*: Pannonica cærulea *Park*: Pannonica cærulea surrecta *I. B.* Clematis cærulea erecta *B. P.* *The Hungarian Climmer*.

Clematis five Flammula surrecta alba *I. B.* Clematis five Flammula recta *B. P.* Flammula Jovis surrecta *Ger*: *Park*: *Upright Virgins-Bower*.

Clematis Daphnoides major *B. P.* major flore cæruleo & albo *I. B.* Daphnoides five Pervinca major *Ger*: Daphnoides latifolia, five Vinca pervinca major *Park*: *Great Perewinkle*.

Clematis Daphnoides minor *B. P. I. B.* Vinca pervinca *Officin* minor *Ger*: vulgaris *Park*: *Small Perewinkle*. *Offic*:

Clematis Daphnoides minor flore albo *Small Perewinkle with a white flower*.

Clematis Daphnoides minor flore saturate purpureo duplici *The lesser Perewinkle with deep - purple double flowers.*

Clematis Daphnoides minor foliis maculosis *Small Perewinkle with spotted leaves.*

*V* S. CLINOPODIUM Origano simile *B: P: quorundam Origani facie I: B: majus Park: Acinos Ger: Great wild Basil.*

Clinopodium Origano simile flore albo *Great wild Basil with white flowers.*

Clinopodium arvense Ocymi facie *B: P: minus sive vulgare Park: Ocimum sylvestre Ger: Acinos multis I: B: Small wild Basil. Ann:*

CNICUS sativus sive Carthamum Officinarum *B: P: Cnicus sive Carthamus sativus Park: Carthamus sive Cnicus I: B: Ger: Bastard Saffron: Ann: Offic.*

Cnicus cæruleus asperior *B: P: alter cæruleus Ger: alter perennis Clusij Park: Carthamus sive Cnicus flore cæruleo*

ruleo *I. B. Clusius his everlasting Bastard-Saffron.*

*Cnicus sylvestris hirsutior*, five **Carduus benedictus** *B. P. Carduus benedictus I. B. Ger. Park: The Blessed Thistle. Offic. Ann:*

**COCHLEARIA** folio sinuato *B: P: vulgaris Park: Britannica Ger: Britannica folio sinuato Hist: Oxon: Common, or English Sea Scurvy-Grasse. Offic.*

*S. Cochlearia folio subrotundo B. P. rotundifolia Ger: major rotundifolia five Batavorum Park: Cochlearia I. B. major Batavica subrotundo folio Hist. Oxon. Dutch Scurvy-grass. Offic: Ann:*

*S. Cochlearia minor rotundifolia The lesser round-leaved Scurvy-grass. Ann:*

**COLCHICUM** *I. B. commune B: P: Hist: Oxon: Anglicum purpureum Ger: Park: Purple Meadow-Saffron.*

*Colchicum Anglicum album Ger: Park: candido flore Anglicum I. B. Anglicum candidum angustifolium B. P.*



**B. P.** *White English Meadow-Saffron.*

Colchicum ex albo & purpurascen-  
te varium **B. P.** *versicolor Park: parad:*  
*ποικιλανθές*, five versicolore flore **I. B.** *The*  
*party-coloured Meadow-Saffron.*

Colchicum pleno flore **B. P.** **I. B.**  
*Ger: Park: parad: Double-flowered Mea-*  
*dow Saffron.*

Colchicum pleno flore variegatum  
**B. P.** *Park: parad: The party-coloured*  
*Double Meadow-Saffron.*

Colchicum Chioense floribus Frit-  
tillariæ instar tessulatis, toliis undula-  
tis *Hist: Oxon: Frittillaricum Chien-*  
*se Park: parad: variegatum Meleagridis*  
*facie Cornut: The checkered Meadow-*  
*Saffron of Chio, or Sio.*

Colchicum pumilum Croci foliis **B.**  
**P.** *Hist: Oxon: minimum tenuifolium*  
*Gallæcium I. B. Small Meadow-Saffron*  
*with true Saffron-leaves.*

Colchicum vernum *Ger: Park: ver-*  
*num Helveticum B. P. vernum Came-*  
*rarij I. B. Spring Meadow-Saffron.*

Col-

*Colchicum luteum majus* B: P: flore luteo quorundam I. B: *Colchiconarcissus autumnalis major* Hist: Oxon: *Narcissus autumnalis major* Ger: Park: *parad: The greater Autumn, or winter Daffodil.*

*COLUTEA vesicaria* B: P: I. B. *vesicaria vulgaris* Park: *Colutea* Ger: *Common Bastard-Senna.*

*Colutea scorpioides* Ger: I. B. *scorpioides major* Park: *filiquosa sive scorpioides major* B: P: *Scorpion-codded Bastard-Senna.*

*Colutea scorpioides odorata* Prosp: Alp: *in Exot: Sweet-smelling Bastard-Senna.*

*Colutea flore rubello*, promontorij Bonæ spei *Red flowered Bastard-Senna from the Cape of good Hope.*

S. *CONSOLIDA media pratensis cærulea* B: P: *media*, quibusdam *Bugula* I. B. *Bugula* Ger. *vulgaris* Park: *Common Bugle. Offic.*

*Consolida media pratensis flore albo.*  
*Bugle with white flowers.*

*Consolida regalis hortensis*, sive  
Del-

Delphinium variorum colorum *Larks-  
heels of several colours Ann:*

CONVOLVULUS major albus  
*B. P. Park:* major *I. B.* vulgaris ma-  
jor albus seu flore majore albo *Hist:*  
*Oxon:* *Smilax lævis* major *Ger:* *Great  
white Binde-weed.*

S. Convolvulus minor arvensis *B: P:*  
minor vulgaris *Park:* vulgaris flore mi-  
nore albo vel purpureo *Hist:* *Oxon:*  
*Helxine cissampelos* multis, five Con-  
volvulus minor *I:* *Smilax lævis* minor  
*Ger:* *Small Binde weed.*

S. Convolvulus minor femine trian-  
gulo *B. P. niger Park:* Volubilis ni-  
gra *Ger:* *Helxine femine triangulo I:*  
*B:* Frumentum Saracenicum alterum  
Convolvuli modo scandens, femine tri-  
angulo minore nigro *Hist. Oxon. Black  
Binde-weed. Ann:*

Convolvulus peregrinus cæruleus  
folio oblongo *B. P. peregrinus cæru-  
leus folio oblongo, flore peramæno tri-  
plici colore insignito Hist: Oxon: cæ-  
ruleus minor folio oblongo Ger: minor*  
*cæ-*

cæruleus Hispanicus Park: *Small long-leaved Binde-weed. Ann:*

Convolvulus Siculus minor flore parvo auriculato Boccon: Siculus annuus cæruleus, minimus capsulâ floris binis foliolis cinctâ Hist: Oxon: Sicilian Binde-weed with very small blew flowers. Ann:

Convolvulus cæruleus hederaceo anguloso folio B. P. cæruleus Ger: cæruleus hederaceus seu trifolius Park: parad: Hist: Oxon: Nil Arabum quibuldam, sive Convolvulus cæruleus I. B. *Great blew Binde-weed with cornered leaves. Ann:*

Convolvulus Althææ folio Park: argenteus Althææ folio B. P. Hist: Oxon: Ger: peregrinus pulcher Betonicæ folio I. B. *Binde-weed with Marsh-mallow leaves.*

C O N Y Z A mas Theophrasti, major Dioscordis B. P. major verior Dioscordis Park: major Monspeliensis odorata I. B. odorata Ger: *The truest great Fleabane.*

*Conyza minor vera* I: B: *Ger: minor vera* Ponæ *Park: foemina* Theophrasti, minor *Dioscoridis* B: P: *The truest small Flea-bane.*

*Conyza major vulgaris* B: P: major *Matthioli*, *Baccharis quibusdam* I: B: *Baccharis Monspeliensium* *Ger: Park. Great Fleabane, or Ladies-gloves.*

*Conyza media* *Asteris flore luteo*, vel *tertia Dioscoridis* B: P: *media Ger: media Matthioli flore magno luteo*, humidis locis proveniens I. B. *Milde-Fleabane.*

*Conyza cærulea acris* B: P: *Ger. odorata cærulea Park: Senecio*, five *Erigeron cæruleus*, aliis *Conyza cærulea* I. B. *Blew flowered Flea-bane, or sweet purple Fleabane.*

**CORIANDRUM** I: B: *Ger: vulgare Park: majus* B. P. *Common Coriander. Offic. Ann.*

*Cornus hortensis mas* B. P. *mas Ger. mas fructu rubro Park: fativa* five *domestica* I: B: *The male red Cornel-tree. Offic.*

Cor-



S. *Cornus foemina* B. P. Ger: *Park: foemina*, putata *Virga sanguinea*, I: B. *The Female Cornel, or Dog-berry-tree.*

S. *CORONOPUS sylvestris hirsutior* B. P. vulgaris five *Cornu cervinum* Park: *Cornu cervinum* Ger: *Coronopus*, five *Cornu cervinum* vulgò, *spicâ Plantaginis* I: B: *Buck-horn Plantain.* Offic. Ann:

*CORYLUS sativa* I. B. *sativa* fructu albo minore, five vulgaris B. P. *Nux avellana*, five *Corylus* Ger: *The Filberd-nut.* Offic.

S. *Corylus sylvestris* B. P. Ger: *Corylus*, five *Nux avellana sylvestris* I: B: *Park: Common Hazel-nut.* Offic:

S. *COTYLEDON hirsuta* I. Raij: *Hairie Kidney-woort.*

*Cotyledon major.* B: P: vera radice tuberosâ I. B. *Umbilicus Veneris* Ger: *Veneris vulgaris* Park: *Wal-penny-woort, Navel-woort, or Kidney-woort.* Offic:

S. *CRITHMUM marinum* Ger. *marinum vulgare* Park: *Crithmum multis*, five

five *Foeniculum marinum* I. B. *Crith-*  
*num* five *Foeniculum marinum* minus  
 — B. P. *Sampire* *Offic.*

• *Crithmum chrysanthemum* Ger :  
*Park* : *maritimum flore Asteris Attici*  
 B. P. *marinum tertium Marthiolo flore*  
*luteo Buphthalmi* I. B. *Golden-flowered*  
*Sampire.*

*Crocus* I. B. *fativus* B. P. *verus*  
*fativus autumnalis* *Park* : *autumnalis fa-*  
*tivus, seu hortensis* *Hist* : *Oxon* : *Common*  
*Saffron. Offic.*

*Crocus vernus albus striatus* *Park* : *pa-*  
*rad* : *White stript Spring-Saffron-flower.*

*Crocus vernus albus fundo purpureo*  
*Park. parad* : *White Spring-Saffron with a*  
*purple bottom.*

*Crocus vernus flavus striatus* *Park* :  
*parad* : *Yellow stript Spring-Saffron.*

*Crocus vernus flore aureo* *Park* : *pa-*  
*rad* : *Gold-yellow Spring-Saffron.*

*Crocus vernus purpureus maximus*  
*Park* : *parad* : *Great purple Spring-Saffron:*

*Crocus vernus purpureus minor* *Park* :  
*parad* : *Small purple Spring-Saffron.*

*Cro-*

**Crocus vernus striatus Turcicus** *Park.*  
*parad: Turkey Stript Spring-Saffron.*

**Crocus vernus Neapolitanus** *Park:*  
*parad: Blew Spring-Saffron of Naples.*

**Crocus vernus purpureus striatus**  
*Park: parad: Stript purple Spring-Saffron.*

S. **CRUCIATA** *Ger: vulgaris Park:*  
*hirsuta B: P: Galium latifolium, Cru-*  
*ciata quibusdam, flore luteo I: B: Cross-*  
*wort. Offic*

**CUCUMIS** *fativus vulgaris B: P:*  
*Hist: Oxon: vulgaris viridis & albus*  
*I: B: vulgaris Ger: fativus Park: Com-*  
*mon Cucumbers. Offic, Ann:*

**Cucumis asininus** *Ger: Hist: Oxon:*  
*agrestis five asininus Park: sylvestris*  
*asininus dictus B: P: sylvestris asininus*  
*I: B: Wild, or squirting Cucumber Offic:*

**CUCURBITA** *lagenaria I. B.*  
*lagenaria major Park: iagenaria sylve-*  
*stris Ger: lagenaria flore albo, folio mol-*  
*li B. P. Hist. Oxon. Great Bottle-Gourd.*  
*Offic: Ann.*

**CUMINUM** *semine longiore B:*

H

P: vul-

*P. vulgare* Park: *fativum* Ger: *Cuminum* five *Cuminum fativum* L. B. *Ordinary Cumin.* *Offic: Ann:*

*CUPRESSUS* L. B. *Dod: fativa vulgaris* Park: *fativa & sylvestris* Ger: *Common Cypresse-tree.*

*CYANUS* major Ger. *major vulgaris* Park: *Alpinus radice perpetua* L. B. *montanus latifolius, vel Verbasculum cyanoides* B. P. *Great B'ew bottle.* *Offic.*

*Cyanus floridus odoratus Turcicus, five Orientalis* Park: *Great Oriental-Bottles, or Sultan flower.* *Ann,*

*Cyanus Orientalis flore albo* *White coloured Sultan flower.* *Ann:*

*Cyanus Orientalis flore luteo* *Yellow-coloured Sultan-flower.* *Ann:*

S. *Cyanus l: B: minor vulgaris* Ger: *Park: fegetum* B: P: *Common Blew-bottle or Corn-flower.* *Offic. Ann.*

*Cyanus minor hortensis flore albo* *White-coloured small Bottle-flower.*

*Idem flore carneo, rubro, purpureo, albo & cæruleo mixto.*

**C**YCLAMEN orbiculato folio inferius purpurascens *B. P.* orbiculato folio *Ger.*: autumnale vulgare folio rotundo *Park.*: *parad.*: Cyclaminus folio rotundiore elatior *I. B.* *Common Sow-bread* *Offic.*:

Cyclamen autumnale vulgare flore albo *Common Sow-bread with white flowers.*

Cyclamen folio anguloso *B. P.* vernum *Lob.*: *Ger.*: vernum flore purpureo *Park.*: *parad.*: Purple flowered Sow-bread of the Spring.

Cyclamen Hederæ folio *B. P.* *Lob.*: *Ger.*: autumnale folio Hederæ *Park.*: *parad.*: Cyclaminus folio anguloso *I. B.* *Ivie-leaved Sow-bread.*

Cyclamen autumnale Hederæ folio, flore albo *Park.*: *parad.*: *Ivie-leaved Sow-bread with white flowers.*

Cyclamen oblongo radice *I. B.* *Long-rooted Sow-bread.*

S. **C**YNOGLOSSUM majus vulgare *B. P.*: *Ger.*: *Park.*: vulgare *I. B.* *Common Hounds-tongue.* *Offic.* *Ann.*



S. *Cynoglossum majus* flore albo *White flowered Hounds tongue. Ann :*

*Cynoglossum semper virens* B. P. *Park :* minus folio virenti *Ger :* *Cynoglossa* folio virenti I. B. *Ever. green Hounds-tongue. Ann.*

*Cynoglossum minus* B. P. I. B. minus flore cæruleo *Park :* *Small Hounds-tongue with blew flowers. Ann.*

*Cynoglossum Creticum* angusto argenteo folio B: P: *Creticum angustifolium* *Park :* *Creticum primum* *Ger.* *Creticum primum Clusij* I B. *Narrow-leaved Hounds Tongue of Candy. Ann.*

*CYTISUS* *Ger :* glaber foliis subrotundis pediculis brevissimis B: P glaber filiquâ latâ I: B: *Pseudo-cytisus* foliis subrotundis *Park :* *Shrub-Trefoil.*

*Cytisus incanus* filiquis falcatis I. B. *Cytisus Maranthæ* Matthiolo *Lob.* filiquâ incurvâ folio candicante I: B: cornutus *Ger :* *Cytisus Galeni* creditus *Maranthæ*, cornutus *Park :* *Horned Shrub-Trefoil.*

Cytisus foliis incanis angustis quasi complicatis *L. B.* Hispanicus Clusij secundus *I. B.* Pseudo-cytisus Hispanicus secundus *Park : The second Spanish base-Trefoil.*

---

## D.

**D**AUCUS montanus Apij folio major *B. P.* selinoides major *Park*; Saxifraga Venetorum *Adv.* Libanotis altera quorundam, aliis dicta Cervaria nigra *I. B.* Libanotis *Theophrasti nigra Ger : Black Herb-Frankincence, or Venetian Saxifrage.*

**DENS CANIS** latiore rotundioreque folio *B. P.* latiore rotundioreque folio, flore purpurascente *Hist : Oxon:* caninus flore purpureo *Ger:* caninus flore purpurascente *Park; parad:* Satyrium quorundam Eythronium, bifolium flore unico radiato albo &  
H 3
pur-

purpureo I: B: *Purple Dog-tooth-Violet.*

Dens canis angustiore longiore folio  
B. P. angustiore longiore folio flore  
albo *Hist: Oxon: caninus flore albo*  
*Ger Park. parad: White Dog-tooth-*  
*Violet.*

✓ S. DENS LEONIS *Ger: vulga-*  
*ris Park: latiore folio B: P: Hedypnois*  
*sive Dens leonis Fuchsj I. B. Dandely-*  
*on. Offic.*

Dens leonis Asphodeli bulbulis B: P:  
Monspeliensium, sive Asphodeli bul-  
bulis *Park: bulbosus Ger: Knotty-root-*  
*ed Dandelyon.*

DENTARIA heptaphyllos B: P:  
*Hist: Oxon: Park: heptaphyllos Clu-*  
*sij Ger: Colloides altera, sive septifo-*  
*lia I: B: Set-foil-Tooth-wort, or Coral-*  
*wort. Offic.*

Dentaria pentaphyllos B. P. *Hist:*  
*Oxon: Park: pentaphyllos Clusij Ger:*  
*quinquefolia I. B. Five-leaved-Tooth-*  
*wort, or Coralwort.*

Dentaria major Matthiolo *Ger: Oro-*  
*banche*

banche radice dentatâ major *B. P.* radice dentata, five *Dentaria major Matthioli Park.* Anblatum Cordi five *Aphyllon I: B: The greater Toothwort.*

*Dentariæ affinis.* Echij flore capsulâ rotundâ *Hort R g: B: s: Bastard Toothwort with Vipers- u gloss flowers.*

S. *DIGITALIS* purpurea folio aspero *B: P: Hist: Oxon: purpurea I: B: Ger: purpurea vulgaris Park. Purple Fox-gloves, Offic.*

*Digitalis vulgaris* flore albo *White-flowered Fox-loves.*

*Digitalis vulgaris* flore carneo *Flesh-coloured Fox-gloves.*

*Digitalis latifolia* flore ferrugineo *Hist: Oxon: maxima ferruginea Park: parad: Broad-leaved Iron-coloured Fox-gloves.*

*Digitalis lutea* magno flore *B: P: Hist: Oxon. lutea folio latiore flore majore I: B: lutea flore amplo. Fox-gloves with large yellow flowers.*

Di-

*Digitalis lutea vel pallida parvo flore* B. P. *lutea minore flore* Hist: *Oxon:* *minor lutea vel pallida* Park: *parad:* *lutea* Ger: *flore minore sublutea, angustiore folio* I. B. *Small pale-yellow Fox-gloves.*

*Digitalis foliis maxime ferratis* Hort: *Reg: Bles: Galeata & verticillata Persicæ foliis*, *Digitalis æmula* Ejusd. m. in *plantarum non scriptarum delineatione* *Pseudo-digitalis purpurea* Boccon: *Bastard Fox-gloves, commonly Virginian Fox-gloves.*

*DIPSACUS* sativus B. P. I. B. *Ger: Park: Carduus fullonum* Lob: *Garden, or manured-Teasel.* *Offic: Ann.*

S. *Dipsacus sylvestris* Ger: *Park: sylvestris aut Vrga pastoris major* B. P. *sylvestris five Labrum Veneris* I. B. *The great wild Teasel, or Venus-bason.* *Offic:*

*Dipsacus folio laciniato* B. P. *sylvestris laciniatis foliis* Park: I. B. *Wild Teasel with jagged leaves.* *Ann:*

Dip-



*Dipsacus sylvestris* capitulo minore,  
 five *Virga pastoris minor* B. P. minor  
 five *Virga pastoris* Ger: *Virga pastoris*  
*Park*: *Virga pastoris vulgaris* l. B.  
*Shepherds-Rod*, or *small wild Teasel*.  
*Ann*:

*DORONICUM* radice scorpij  
 B: P: vulgare l: B: *Park*: majus officinarum  
 Ger: *Romanum* Hist. Lugd:  
*Great Leopards-bane*. *Offic*:

*Doronicum Plantaginis folio* B. P.  
*folio fere Plantaginis oblongo* l. B. minus  
*Park*: minus officinarum Ger: *The lesser*  
*Leopards-bane*.

*Doronicum Americanum* *Park*. A-  
 mericanum laciniato folio B. P. *Aconi-*  
*tum Helianthemum Canadense* *Cornut*:  
*Great American Leopards-bane*.

*Doronicum Americanum minus* foli-  
 is obscurius virentibus *Hort*: *Rig*: *Bles*:  
*Small American Leopards-bane with dark-*  
*green leaves*.

*D R A B A* alba filiquosa repens B. P.  
*Park*: altera repens Ger: filiquosa alba  
 perennis repens succulento folio *Hist*:  
*Oxon*.

*Oxon.* Hesperis Alpina seu muralis minor repens I: B: *The creeping-coddled Arabian-Mustard.*

*Draba lutea filiquis strictissimis B. P. Hist: Oxon: lutea Park: lutea quibusdam I. B. quarta Ger. Yellow Arabian-Mustard.*

*Draba umbellata vel Draba major capitulis donata B. P. filiculosa repens major, foliis magis incanis, spanospermus vulgaris Hist. Oxon: vulgaris Park: Dioscoridis Ger: Draba multis, flore albo I: B: Common Arabian-Mustard.*

*DRACUNCULUS hortensis B. P. hortensis sive Tarchon I. B. Draco herba Ger: Draco herba sive Tarchon, & Dracunculus hortensis Park: Tarra-*  
*gon.*

S. *Dracunculus pratensis ferrato folio B: P: Ptarmica Ger: vulgaris Park: vulgaris folio longo ferrato, flore albo I: B: Common Sneez-wort. Offic:*

*Dracunculus pratensis, sive Ptarmica flore pleno. Double-flowered Sneez-wort.*

*Dra-*

*Dracunculus polyphyllus* *B. P.* major vulgaris *I. B.* *Park.* *Dracontium majus* *Ger.* *Great Dragons.* *Offic.*

---

# E.

S. **E**CHIU M *scorpioides arvense* *B. P.* *scorpioides solissequum flore minore* *I. B.* *Myosotis scorpioides arvensis hirsuta* *Ger.* *scorpioides hirsuta* *Park.* *Mouſſear Scorpion-grafs.* *Ann.*

S. *Echium scorpioides minus floſculis luteis* *B. P.* *Myosotis scorpioides minor floſculis luteis* *Park.* *Small yellow-flowered Scorpion-grafs.*

• *Echium scorpioides paluſtre* *B. P.* *scorpioides ſolisſequum aliud, flore majore cæruleo & albo* *I. B.* *Myosotis scorpioides paluſtris* *Ger.* *scorpioides repens* *Park.* *Water Scorpion graſs.*

S. *Echium vulgare* *B. P.* *I. B.* *Ger.* *Park.* *Common Vipers-Bugloſs.* *Offic. Ann.* E-

✓ S. *Echium flore albo Vipers Buglosse with a white flower. Ann.*

*Echium Creticum latifolium rubrum B. P. Park: Echium Candiae flore pulchro rubente I B Reddish-flowered Vipers Buglosse of Candy. Ann:*

*Echium Creticum flore variegato Vipers-Buglosse of Candy with party coloured flowers. Ann.*

**E L A T I N E** folio acuminato, in basi auriculato, flore luteo *B. P. folio acuminato Park: foemina folio anguloso I. B. altera Ger: Linaria hirsuta folio acuminato, in basi auriculato Hist: Oxon: Sharp pointed Fluellen. Offic. Ann.*

*Elatine folio subrotundo, B: P: Park: mas folio subrotundo I. B. Veronica foemina Fuchsi; sive Elatine Ger: Linaria hirsuta folio subrotundo, flore ex herbido flavescente Hist: Oxon: Female Fluellen, or round-leaved Fluellen, or Speedwel. Ann.*

**E P I M E D I U M** *B: P. Ger: Park. Hist: Oxon: Epimedium quorundam I. B. Barren-wort. Equi-*

S. **EQUISETUM** arvense longioribus setis *B. P. Park:* segetale *Ger:* minus terrestre *I: B: Common Horse-tail. Offic.*

S. **Equisetum nudum** *Ger:* junceum si-  
ve nudum *Park :* foliis nudum non ra-  
mosum, siue junceum *B:P: Naked Horse-  
tail.*

S. **Equisetum sylvaticum tenuissimis setis** *B: P: sylvaticum Ger: omnium mi-  
nium tenuifolium Park: Equisetum si-  
ve Hippuris tenuissima, non aspera I. B:  
Wood-Horse-tail.*

S. **Equisetum palustre longioribus setis**  
*P. P. majus Ger: majus palustre Park:  
majus aquaticum I: B: The greater marsh-  
Horse-tail.*

S. **Equisetum palustre brevioribus foliis**  
*polypermon P. B. alterum breviori-  
bus foliis Park: Equiseti facie Polygo-  
num foemina I: B: Female Horse-tail.*

S. **Equisetum foetidum sub aqua repens**  
*P: B. I: B: Park: Ger: Stinking water-  
Horse-tail.*

S. **ERICA** baccifera procumbens ni-  
gra



gra *B. P.* baccifera procumbens *Ger* :  
baccifera *Matthioli I. B.* baccifera ni-  
gra *Park* : *Berry bearing Heath.*

*S.* *Erica vulgaris Ger* : *Park* : vulga-  
ris glabra *B. P.* vulgaris humilis sem-  
per virens flore purpureo & albo *I. B.*  
*Common Heath. Offic.*

*S.* *Erica Myricæ folio* , tomentosis, &  
incanis foliis *Clusio I. B.* *Myricæ folio*  
hirsuta *B. P.* vulgaris hirsuta *Ger* : vul-  
garis hirsutior *Park* : *Common rough-leav-  
ed Heath.*

*S.* *Erica humilis cortice cineritio*, *Ar-*  
buti flore *B. P.* tenuifolia *Ger* : virga-  
ta five sexta *Clusij Park* : ramulis ter-  
nis, floribus saturationibus purpureis  
*I. B. Fine-leaved Heath.*

*S.* *Erica ex rubro nigricans scoparia*  
*B. P.* major flore purpureo *Ger* : pu-  
mila altera *Belgarum Lob* : pumila  
*Belgarum Lobelij scoparia nostras*  
*Park* : *Brabantica folio Coridis hirsu-*  
*to quaterno I. B. Low-Dutch-Heath, or*  
*Broom-Heath.*

**ERUCA** latifolia alba sativa **B : P :**  
 major sativa annua flore albo striato  
**I. B. Hist: Oxon:** sativa **Ger:** alba **Park:**  
*Garden Rocket Offc. Ann:*

**Eruca** sativa foliis magis dissectis.  
*Garden Rocket with deeper-cut-leaves*  
*Ann.*

**Eruca** Chalepensi caulibus & filiquis  
 hirsutis, foliis inferioribus maculatis  
**Hist: Oxon:** *Rocket of Alepo with hairy*  
*stalks and cods, the lower leaves spotted.*  
*Ann.*

**Eruca** sylvestris major lutea caule  
 aspero **B : P :** sylvestris major vulgati-  
 or foetens **Hist: Oxon:** sylvestris **Ger:**  
 sylvestris vulgatiior **Park:** tenuifolia pe-  
 rennis flore luteo **I: B:** *Wild Rocket.*

**Eruca** Bellidis foliis **Hist: Oxon:**  
*Daisie leaved Rocket.*

**S. Eruca** lutea latifolia sive Barbarea  
**B. P.** latifolia lutea seu Barbarea major  
**Hist: Oxon:** Barbarea **I. B. Ger:** Barbarea  
 flore simplici **Park:** *Winter-Cresses, or*  
*Winter-Rocket.*

, **Eru-**

**Eruca latifolia lutea** seu **Barbarea** minor flore simplici *Hist: Oxon: The lesser single flowered Winter-Rocket, or Winter-Cresses.*

- S. **Eruca sylvestris** minor, luteo parvoque flore *I. B: sylvestris* seu *palustris* minor procumbens & repens, luteo parvoque flore. *Hist: Oxon: aquatica Ger: Park: Eruca* quibusdam *sylvestris* repens, flosculo parvo luteo *I. B. Small water-Rocket.*

**Eruca Monspeliaca** filiquâ quadratâ echinatâ *B: P: Hist: Oxon: Monspeliaca* filiquâ quadrangulâ *Park: Sinapi echinatum I. B. Prickly square-codded Rocket of Mompelzer. Ann:*

- S. **Eruca maritima** Halica filiquâ hastæ cuspidi simili *B. P. Hist: Oxon: marina Ger. marina Anglica Park: Cakile* quibusdam aliis *Eruca marina, & Raphanus marinus I. B. Sea-Rocket. Ann:*

- S. **ERYNGIUM** maritimum & *Gesn: hort: B: P: marinum I: B: Ger: Park: Sea-Holly, or Eringo. Offic.*

**Eryngium vulgare, & Camerarij**  
*I. B.*

**B. P.** vulgare **I:** **B:** mediterranneum  
*Ger:* mediterraneum sive campestre  
*Park:* *Mediterranean Eringo, or Sea-Holly.*

**Eryngium latifolium planum B: P:**  
 planum latifolium capitulo rotundo par-  
 vo **I: B:** cæruleum *Ger:* Pannonicum  
*Park:* *Mountain Eringo.*

**Eryngium montanum amethystinum**  
**B: P:** cæruleum **I. B.** *Blew Eringo.*

**S. ERYSIMUM** vulgare **B. P. Hist.** ✓  
*Oxon.* **Erysimum** Dioscoridis **Lob: Ger:**  
**Erysimum Tragi** flosculis luteis juxta  
 muros proveniens **I: B:** **Iris** sive **Erysi-**  
**num vulgare Park:** *Common-Hedge-*  
*Mustard or Bank-Cresses. Offic: Ann.*

**Erysimum latifolium majus glabrum**  
**B: P: Hist: Oxon:** latifolium Neapo-  
 litanum **Park:** *Broad-leaved Hedge-Mu-*  
*stard of Naples.*

**Erysimum angustifolium majus B.**  
**P. angustifolium Neapolitanum Park.**  
 montanum **Irionis vulgaris folio**  
 λεπτου καυκασίου **Hist: Oxon:** **Rapistrum**  
 I Iri.

*Trionis folio Col: Narrow-leaved Hedge-Mustard of Naples. Ann:*

*Erysimum polyceratium* five *corniculatum* B: P: *Hist. Oxon:* *Matthioli alterum Lob: alterum Italicum Ger: verum five montanum Park. alterum Matthioli filiquis parvis, quibusdam Dentaria I. B. True Hedge-Mustard, or Italian Banke-Cresses. Ann.*

- ✓ S. *Eryfimo* similis *hirsuta* non *laciniata* *alba* B: P: *Eryfimo* similis *hirsuta* *planta Park: Erysimum minimum annuum hirsutum Hist: Oxon. Barbarea muralis I. B. Hairy-Hedge-Mustard with uncut leaves, or Daisie-leaved Wall-Cresses. Ann.*

- ✓ S. *Euonymus* vulgaris *granis rubentibus* B. P. vulgaris *Park: Euonymus Theophrasti Ger: Euonymus multis, aliis Tetragonia I. B. The Spindle-tree.*

*Euonymo* similis *arbor Virginiana The Virginian Spindle-tree.*

- ✓ S. *EUPATORIUM* Veterum five *Agri- monia* B. P. *Eupatorium Veterum, si-*  
ve



ve Agrimonia inodora seu minus odora  
*Hist: Oxon: Agrimonia Ger. vulgaris*  
*Park: Agrimonia five Eupatorium I: B:*  
*Common Agrimony. Offic.*

Eupatorium odoratum *B. P.* alterum  
 odoratum & aromaticum *Col: maxime*  
 odoratum *Hist: Oxon: Agrimonia odo-*  
*rata Park: Sweet Agrimony.*

S. Eupatorium cannabinum *B: P: Park:*  
 cannabinum mas *Ger. adulterinum I: B:*  
 Eupatorium Avicennæ creditum *Cam:*  
*Common Hempe-like Agrimony. Offic:*

Eupatorium cannabinum America-  
 num latifolium *Park: Eupatoria foliis*  
*Enulæ Cornut: Broader-leaved Hempe-*  
*Agrimony of America.*

S. Eupatorium aquaticum folio integro  
*Park: Eupatorij cannabini foeminae va-*  
*rietas altera Ger: Cannabina aquatica*  
 folio non diviso *B: P: Verbesina pul-*  
 chriore flore luteo *I. B. Water-Agrimony*  
*with undivided leaves. Ann.*

S. Eupatorium cannabinum foemina  
*Ger: aquaticum duorum generum Park:*  
 I 2 Can-

Cannabina aquatica folio tripartito diviso *B. P.* Verbefina, five Cannabina aquatica flore minus pulchro, elatior & magis frequens *I. B.* *Water-Agrimony with divided leaves. Ann:*

*S.* EUPHRASIA *I. B.* *Ger:* vulgaris *Park:* officinarum *B. P.:* *Eye-bright. Offic: Ann:*

*S.* Euphrasia pratensis rubra *B. P.* parva purpurea *I. B.* Cratæogonon Euphrosines facie *Ger:* Euphrasia pratensis rubra major *Park:* *Eye-bright-Cow-wheat. Ann:*

## F.

**F** A B A compressa major seu hortensis major alba vel rubra *Hist: Oxon:* major hortensis *Ger. Park:* Faba, cyamos leguminosa *I. B.* Boona five Faselus major *Dod:* *Great Garden Beans, commonly called Turkey Beans. Ann.*

**Faba** minor siye equina **B. P.** rotunda oblonga seu cylindracea minor seu equina alba & nigra *Hist: Oxon:* minor silvestris *Park:* communis *Ger: Common or Field-Beans. Offic. Ann.*

**Faba** silvestris fructu rotundo atro **B. P.** silvestris *Ger:* silvestris *Græcorum,* siye **Faba Veterum** *Park:* **Arachus** fabaceus & **Faba Kayrina** cui semina minima **I. B.** **Vicia** Narbonensis maxima fructu rotundo atro, foliis ferratis & integris *Hist: Oxon: The Old Greekish-Bean. Ann.*

**S. FAGUS** **B. P.** *Ger: Park:* **Fagus** Latini-  
norum, **Oxya** *Græcorum* **I: B:** *The Beech-tree.*

**FERRUM EQUINUM** siliquâ singulari **B. P.** *Hist: Oxon:* equinum *Ger:* equinum majus *Park:* Solea equina **I. B.** *Great Horse-shoe-Vetch. Ann:*

**Ferrum equinum Gallicum** siliquis in summitate **B: P:** equinum Gallicum *Park:* Polygalon Cortusi **I: B:** Polygala enneaphyllos *Hist: Oxon: The French-Horse-shoe-Vetch.*

Ferrum equinum filiquâ multiplici  
*I. B. Hist: Oxon: equinum polycera-*  
*ton Park: Many-codded Horse-shoe-Vetch.*  
*Ann:*

Ferrum equinum Germanicum fili-  
 quis in summitate *B: P: equinum como-*  
*sum Park: equinum capitatum, seu co-*  
*mosum Col: Hist: Oxon.* Ornithopodio  
 affinis, vel potius Soleæ aut Ferro equi-  
 no, herba *I. B. Tufted Horse-shoe-Vetch.*

**F E G O P Y R U M** *Dod: Tragopy-*  
*ron Ger: Park: Fagotriticum I. B. Ery-*  
*simum cereale B. P. Polygonum he-*  
*deraceum sive Frumentum Sarace-*  
*nicum rectum Hist: Oxon: Buck-*  
*Wheat. Ann.*

**F E R U L A** Galbanifera *Lob: latio-*  
*re folio Park: folio glauco semine la-*  
*to oblongo, quibusdam Thapsia fe-*  
*rulacea I: B: Ferulago latiore folio*  
*B. P. The broader-leaved Fennel-Gyant.*  
*Offic.*

Ferula *Ger. foemina Plinij B: P: te-*  
*nuiore folio Park: folio Fœniculi semine*  
*la-*

latiore & rotundiore I: B: *Fine leaved Fennel-gyant.*

Eerula Tingitana folio latissimo lucido *Broad leaved shining Fennel-gyant of Tangiers.*

S. *FESTUCA* avenacea sterilis elatior B. P. Bromos herba sive Avena sterilis *Park: Bromos sterilis Ger: Ægilops Matthiolo forte I: B: Great wild Oat-Grass. Ann.*

S. *Festuca* avenacea hirsuta panniculis minus sparsis I: Raij: Gramini murali Dalechampij simile si non idem I. B. *Rough Oat-grass with more compacted panicles. Ann.*

S. *Festuca* altera Dod: graminea glumis hirsutis B. P. Gramen Gros Montbel-gardense I: B: *Drank, or Oat-grass with larger and more sparsed panicles. Ann.*

S. *Festuca* utriculis lanugine flavescen-tibus B. P. Ægilops bromoides Ger: Ægilops bromoides Belgarum *Park: Ægilops quibusdam aristis recurvis, sive Avena pilosa I. B: Bearded Wild-Oats, or Haver. Ann.*



- S. **F I C U S** *I. B.* *Ger:* vulgaris *Park:* communis *B. P.* *Common Fig-tree. Offic.*

*Ficus Indica folio spinoso fructu minore B. P. Indica spinosa minor Park : The lesser prickly Indian-Figg.*

- S. **F I L I P E N D U L A** *I. B.* *Ger:* vulgaris *Park:* vulgaris, an *Molon Plinij?* *I. B. Drop-wort. Offic.*

- S. **F I L I X** *ramosa non dentata florida B. P. floribus insignis I. B. florida five Osmunda regalis Ger: Osmunda regalis, five Filix florida Park: Flowering-Fern, or Osmund-Royal. Offic.*

- S. *Filix ramosa major pinnulis obtusis non dentatis B. P. major & prior Trago, five ramosa repens I: B: foemina Ger: foemina vulgaris Park: Female-Fern, or common Brakes. Offic.*

- S. *Filix non ramosa dentata B. P. mas Ger. mas vulgaris Park: vulgò mas dicta, five non ramosa I. B. Male-Fern. Offic.*

- S. *Filix mas ramosa pinnulis dentatis Ger: Branched Male-Fern with dented leaves. Fi-*

- S. **Filix mas non ramosa**, pinnulis angustis, raris, profunde dentatis **Ger:** mollis sive glabra, vulgari mari non ramosa accedens **I. B.** *Male-Fern with thin-set deeply-dented leaves.*
- S. **Filix mas non ramosa** pinnulis latis auriculatis spinosis **Ger:** Lonchitidi affinis **I. B.** mas aculeata major **B: P:** *Prickly Male-Fern.*
- S. **Filix palustris sive aquatica** **I:** *Raij:* minor non ramosa **I. B.** *Marsh, or water Male-Fern.*
- S. **Filix querna** **B: P:** *Dryopteris*, sive **Filix querna repens** **Park:** **Filix minor non ramosa** **I. B.** *Dryopteris* **Penæ & Lobelij** **Ger:** *True Oak-Fern.*
- S. **Filix saxatilis ramosa nigris maculis punctata** **B: P:** ramosa minor **I. B.** pumila saxatilis prima **Clusij** **Park:** *Dryopteris Tragi* **Ger:** *The lesser branched Female-Fern, or Stone-Fern.*
- S. **Filix saxatilis non ramosa nigris maculis punctata** **B. P.** pumila saxatilis altera **Clusij** **Park:** *Male Stone-Fern.*
- S. **Filix saxatilis caule tenui fragili** **I:** *Raij:*

*Raij: laxatilis crispa Park: Filicula Alpina crispa B: P: Fine-cut Stone-Fern with slender and brittle stalks.*

- S. *Filicula montana florida perelegans seu Adiantum album floridum I: Raij: Small flowering Rock-Fern.*

**F O E N I C U L U M** vulgare Germanicum *B: P: vulgare Ger: Park: vulgare minus, acriore & nigriore semine I. B. Common Fennel. Offic:*

*Fœniculum foliis atro-rubentibus Brown Fennel.*

*Fœniculum dulce B.P. Ger: Park: dulce majore & albo semine I. B. Sweet Fennel. Offic.*

*Fœniculum dulce Azoricum D. Morisoni Sect. de plant: umbellifer. Sweet Fennel from the Azores.*

**F O E N U M G R Æ C U M** *I. B. Ger: sativum B: P: Park: Trifolium Fœnum græcum dictum Hist: Oxon: Fœnugreek. Offic. Ann.*

- S. **F R A G A R I A** *Ger: vulgaris B. P. Hist: Oxon: Park. ferens fraga rubra I. B. Common Straw-berries. Offic.*

Fra-

*Fragaria fructu subalbido* *Ger: Park:*  
*White Straw-berries.*

*Fragaria fructu parvi Pruni magni-*  
*tudine* *B. P. Hist: Oxon:* *Fragaria Bo-*  
*hemica* *Park: Great white Straw-ber-*  
*ries.*

*Fragaria Virginiana fructu coccineo*  
*Hist: Oxon: Virginian Straw-berrie.*

S. *Fragaria sterilis* *B: P:* minime vesca  
*Park:* minime vesca five sterilis *Ger:*  
sterilis, seu minime vesca hirsuta mini-  
me incana *Hist: Oxon:* non fragifera,  
vel non vesca *I. B. Barren Straw-ber-*  
*ries.*

**F R A X I N E L L A** *Ger: Park:* *Di-*  
*ctamnus albus* vulgò, five *Fraxinella*  
*B. P. Fraxinella, Officinis Dictamnus*  
*I: B. Bastard Dittany, or Fraxinel. Offic:*  
*Fraxinella niveo flore* *Clus: flore al-*  
*bo* *Park: parad: White-flowered Bastard-*  
*Dittany.*

S. **F R A X I N U S** *Ger: vulgaris* *Park:*  
*excelsior* *B: P: Fraxinus vulgaris* *Melia*  
*Dioscoridis, Melias* genus excelsum &  
procerum *Theophrasto I: B: Common-*  
*Ash-tree. Offic:*

**FRIT-**

**F R I T T I L L A R I A** *Ger*: præcox  
 purpurea variegata *B*: *P*: *Hist*. *Oxon*:  
 vulgaris *Park*: *parad*: Meleagris five  
 Fritillaria saturatior & dilutior *I. B.*  
*The most common Fritillary, or Checker-*  
*ed Daffodil.*

Fritillaria præcox alba *B*: *P*: *Hist*:  
*Oxon*: *Ger*: alba *Park*: *parad*: alba al-  
 tera *I. B*: *The white Fritillary.*

Fritillaria Hispanica umbellifera *Park*:  
*parad*. *Ger*: *The Spanish Fritillary with*  
*the flowers standing as it were in an Um-*  
*bell.*

Fritillaria flore duplici albicante  
*Park*: *parad*: *The double bluish Fritillary.*

Fritillaria alba polyanthos *The white*  
*Fritillary with many flowers:*

Fritillaria serotina floribus ex flavo  
 virentibus *B. P. Hist*: *Oxon*: *Aquita-*  
*nica minor, flore luteo obsoleto* *Ger*:  
 Meleagris five Fritillaria Aquitanica re-  
 flexis oris *I. B*: *The lesser dark Fritillary.*

✓ *S.* **F U M A R I A** officinarum & Diosco-  
 ridis *B*: *P*: vulgaris *I. B.* *Park*: purpu-  
 rea *Ger*: vulgaris latifolia filiquis curtis  
 non



non bivalvibus *Hist : Oxon : Common Fumitory. Offic : Ann.*

S. *Fumaria major scandens flore pallidior* *I: Ratj: The greater ramping Fumitory. Ann:*

S. *Fumaria clavicularis donata* *B: P: Hist: Oxon: alba latifolia Park: alba latifolia claviculata Ger: Fumaria cum capreolis I: B: Climbing Fumitory. Ann.*

*Fumaria filiquosa semper virens Cornut: Hist: Oxon: Americana filiquosa semper virens Park: Indian Fumitory:*

*Fumaria bulbosa radice cavâ major B: P: radice cavâ flore purpureo I. B. tuberosa major radice cavâ Hist: Oxon: Radix cava major flore carneo Park: parad. Radix cava major purpurea Ger: Hollow-root with purple flowers.*

*Fumaria bulbosa radice cavâ flore albo I. B. Radix cava major alba Ger: major flore albo Park. parad: The white Hollow-root.*

## G.

**G**ALEGA I: B: *Ger. vulgaris B. P. Hist: Oxon: Park: Ruta capraria Gesn: Common Goats-rue. Offic.*

Galega flore albo *Hort: Eyst: White flowered Goats-rue.*

Galegæ affinis, *Sesban Prosp: Alp: Egypt: Galega Ægyptiaca filiquis articulatis B. P. Sesban, five Securidaca Ægyptiaca articulata Park: Hatchet-Vetch of Ægypt. with joynted coddcs. Ann:*

S. **G**ALLIUM album *I. B. Ger: palustre album B: P: Gallij albi five Molluginis vulgationis varietas major I: B: White Ladies-Bed-straw.*

S. **G**allium, five Mollugo montana minor Gallio albo *similis I: Raij: Small Mountain-Bastard-Madder.*

Gal-

- S. *Gallium luteum* *Ger: Park: B. P. verum Dioscoridis & Galeni I: B: Yellow Ladies-Bedstraw. Offic.*
- S. *GENISTA* spinosa major longioribus aculeis *B. P. spinosa vulgaris Ger: spinosa major vulgaris sive Scorpius Theophrasti, quem Gaza Nepam transtulit Park: Genistellæ spinosæ affinis, Nepa quibusdam I. B. Common Whins.*
- S. *Genista minor aspalathoides, seu Genista spinosa Anglica B: P: Genistella minor aspalathoides I: B Genista aculeata Ger: Genistella aculeata Park: Needle-Furze, or Pettie-Whin.*
- S. *Genista Ger: angulosa & scoparia B: P: vulgaris & scoparia Park: angulosa trifolia I. B. Common-Broom, Offic.*
- S. *Genista tinctoria Germanica B. P. tinctoria vulgaris Park: Genistella tinctoria Ger: Tinctorius flos I. B. Dyers-Broom, Green-weed, or Dyers-weed.*

*Genista tinctoria ramulis erectis Dyers Broom with Upright branches.*

**G E N T I A N A** Asclepiadis folio  
**B. P. Park:** folio Asclepiadis vulgo  
 creditæ **I: B:** major secunda cæruleo  
 flore **Clusij Ger:** *Swallow-wort-Gentian.*

**Gentiana cruciata P: B. Park:** minor  
 nor cruciata **Ger:** minor seu vulgi cru-  
 ciata **I: B:** *Cross-wort-Gentian.*

**Gentianella Alpina angustifolia** mag-  
 no flore **P. B. Alpina** magno flore **I:**  
**B:** verna major **Ger:** verna **Park:** *parad.*  
*Small Gentian of the Spring.*

- S. Gentianella autumnalis Centaurij**  
 minoris foliis **Park.** fugax minor **Ger:**  
 Gentianellæ species quibusdam, an **Cor-**  
**do Pneumonanthe** aut **Gentiana** fugax  
 altera **Clusij:** **I: B:** *Dwarfe Autumnal*  
*Gentian.*

- S. GERANIUM** batrachoides **Gratia**  
**Dei Germanorum Lobelio P. P.** ba-  
 trachoides **I: B:** **Ger:** batrachoides vio-  
 laceum **Hist: Oxon:** batrachoides flore  
 cæruleo **Park:** *parad:* *The blew Crow-*  
*foot Crans-bill.*

**Geranium batrachoides** flore albo  
**Park:** *parad:* *The white Crow-foot-Crans-*  
*bill.* **Ge.**

**Geranium batrachoides** flore albo  
& cæruleo vario *Park: parad: The*  
*party-coloured Crow-foot-Crans-bill.*

S. **Geranium batrachoides** folio **Aco-**  
**niti** B: P: *Hist: Oxon:* batrachoides ali-  
ud folio **Aconiti** nitente *Clusij. I: B:*  
batrachoides minus *Park: batrachoides*  
*alterum Ger: The lesser Crow-foot-Crans-*  
*bill.*

**Geranium annuum** minus batrachoi-  
des **Bohemicum** purpuroviolaceum  
*Hist: Oxon: The lesser annual purple*  
*flowered Crow-foot-Crans-bill of Bohemia.*  
*Ann:*

**Geranium batrachoides odoratum**  
*B. P. Hist. Oxon.* batrachoides longius  
radicatum *Ger: batrachoides alterum*  
longius radicatum *Lobelij Park: batra-*  
choides longius radicatum odoratum *I:*  
*B: Long-rooted Crans-bill.*

**Geranium montanum fuscum** *B. P.*  
phæum flore reflexo *I: B: phæum seu*  
fuscum petalis reflexis *Hist. Oxon. fuf-*  
cum five maculatum *Park: parad. Ger.*  
*Swart-tawney or spotted Crans-bill.*



✓ S. Geranium sanguineum maximo flore  
*B. P. Hist: Oxon: sanguinarium Ger :  
 hæmatodes Park: parad: sanguineum  
 five hæmatodes crassâ radice I: B: The  
 red Rose. Crans-bill.*

Geranium hæmatodes flore variegato  
*Stript Rose-Crans-bill.*

Geranium purpureum Moschoviticum  
*Park: Hist. Oxon: Purple Muscovy  
 Crans-bill.*

Geranium Romanum versicolor five  
 striatum *Park: parad: Hist: Oxon: The  
 variable stript Crans-bill.*

Geranium tuberosum majus *B. P. Hist:  
 Oxon: tuberosum Ger: I. B. tuberosum  
 vel bulbosum Park: parad. Bulbous, or  
 Knobbed Crans-bill.*

✓ S. Geranium lucidum saxatile *P. B.  
 saxatile Ger Park: lucidum I: B: annu-  
 um montanum rotundifolium saxatile  
 lucidum Hist: Oxon: Shining Rock-  
 Crans-bill. Ann.*

✓ S. Geranium folio Malvæ rotundo *P: B.  
 folio Malvæ rotundo majus Hist. Oxon:  
 columbinum Ger: columbinum vulgare  
 Park:*

*Park:* folio rotundo multum serrato,  
sive columbinum *I. B.* *Doves-foot*, or  
*Crans-bill.* *Offic:* *Ann:*

S. Geranium columbinum tenuius laci-  
niatum *B. P.* columbinum annuum mi-  
nus tenuius laciniatum *Hist:* *Oxon:* co-  
lumbinum magis dissectis foliis *Ger:*  
malacoides laciniatum sive columbinum  
alterum *Park:* *Doves-foot with deeply-*  
*cut-leaves.* *Ann.* ✓

S. Geranium malacoides flore albo *Hort.*  
*Reg: Bles.* *White flowered Doves-foot-Crans*  
*bill.* *Ann.*

S. Geranium columbinum majus flore  
minore cærulescente *I. Raij.* *Doves-foot*  
*with a blew flower.* *Ann.*

S. Geranium columbinum dissectis fo-  
liis pediculis florum longissimis *I. Raij.*  
columbinum annuum minus folio tenu-  
is laciniato flore pediculo longissimo in-  
sistente *Hist:* *Oxon:* *Jagged Doves-*  
*foot with flowers on long foot-stalks.*  
*Ann.*

Geranium *Altheæ* folio *B. P:* *Hist:*  
*Oxon:* *althæodes majus* *Park:* mala-  
coides

coides *Lob. Ger: malvaceum I: B: Crans-*  
*bill with Marsh-Mallow leaves. Ann.*

*Geranium pusillum supinum mariti-*  
*um Betonicæ folio I. Raij. minimum*  
*procumbens foliis Betonicæ Hist. Oxon:*  
*Small Sea-Crans-bill, or Betony-leaved*  
*Crans-bill. Ann:*

*Geranium latifolium acu longissimâ*  
*B. P. latifolium annuum cæruleo flore*  
*acu longissimâ Hist. Oxon. Creticum*  
*Ger: Park. speciosum annuum longif-*  
*simis rostris Creticum I: B: Candy-*  
*Crans-bill. Ann.*

*Geanium Cicutæ folio moschatum*  
*B. P. moschatum Hist. Oxon. Ger: Park.*  
*moschatum, folio ad Myrrhidem acce-*  
*dente, majus I. B. Musked-Crans-bill.*  
*Offic. Ann:*

V S. *Geranium Cicutæ folio inodorum*  
*B. P: annuum Cicutæ folio inodorum*  
*Hist: Oxon: Cicutæ folio minus & su-*  
*pinum Ger: moschatum inodorum*  
*Park: moschatum, folio ad Myrrhi-*  
*dem accedente minus I: B: Unsavory*  
*Crans-bill. Ann.*

Ge-

S. Geranium moschatum inodorum flore albo *Park*: arvense album *Tab. Unfavoury Crans-bill with white flowers. Ann.* ✓

S. Geranium Robertianum primum *B. P.* Robertianum flore dilute rubello *Hist. Oxon.* Robertianum *Ger*: Robertianum vulgare *Park.* Robertianum murale *I. B.* *Herbe-Robert. Offic. Ann:* ✓

S. Geranium Robertianum flore albo *Herbe-Robert with white flowers.* ✓

GINGIDIUM umbellâ oblongâ *B. P.* Gingidium Hispanicum *Ger*: Vifnaga *I. B.* Vifnaga, Gingidium appellatum *Park.* *Tooth-pick-Chervil. Ann:*

GLADIOLUS floribus uno versu dispositis major *B. P.* *Hist: Oxon.* Gladiolus sive Xiphion *I. B.* Narbonensis *Park. parad. Ger. The French Corn-Flagg.*

Gladiolus flore rubente *Park. parad. Blush Corn-Flagg.*

Gladiolus flore albo *Park. parad. White-flowered Corn-Flagg.*

Gladiolus floribus uno versu dispositis

tis minor *B: P: Hist: Oxon:* purpureus  
minor *Park: parad: Small purple Corn-*  
*Flagg.*

*Gladiolus major Bizantinus B. P.*  
*Hist: Oxon: Bizantinus Park. parad: Corn-*  
*Flag of Constantinople.*

- S. GLAUX* maritima *B: P:* exigua ma-  
ritima *I. B. Ger: Park: Sea Milk-wort,*  
*or black Salt-wort.*

*GLYCYRRHIZA* vera fili-  
quosa sive Germanica *B. P. Hist: Oxon:*  
vulgaris *Ger: vulgaris filiquosa Park:*  
radice repente vulgaris Germanica *I. B.*  
*Common Liquorice. Offic.*

- S. Glycyrrhiza sylvestris* floribus luteo-  
palescentibus *B. P. Glaux vulgaris le-*  
guminosa sive *Glycyrrhiza sylvestris*  
*Park: Fœnum græcum sylvestre sive*  
*Glycyrrhiza ylvestris quibusdam I. B:*  
*Hedysarum Glycyrrhizatum Ger: A-*  
*stragalus luteus perennis procum-*  
*bens vulgaris sive sylvestris. Hist:*  
*Oxon: Wild Liquorice, or Liquoricee-*  
*Verbe.*

*CNAPHALIUM latifolium*  
*Ame-*



Americanum *B. P.* Americanum *I. B.*  
*Ger: Park: Everlasting, or American*  
*Cud-weed.*

S. Gnaphalium vulgare majus *B. P.* minus five *Herba impia Park: Filago five*  
*Herba impia Ger: Gnaphalium Ger-*  
*manicum I. B: Common Cud-weed, or*  
*Herbe-impious. Ann.*

S. Gnaphalium majus angusto oblongo folio alterum *B: P: rectum I. B: Ang-*  
*glicum Ger: Anglicum vulgare ma-*  
*jus Park: Great English Cotton-weed.*  
*Ann:*

S. Gnaphalium medium *B. P.* vulgare five secundum *Ger: Gnaphalio vul-*  
*gari similis I. B. Filago minor Park:*  
*Middle or black-headed Cud-weed.*  
*Ann:*

S. Gnaphalium minus repens *B: P: mi-*  
*nimum I. B. minimum repens Park:*  
*Filago minor Ger. The least Cud-weed.*  
*Ann:*

Gnaphalium minus latioribus foliis  
*B: P: Park, Ger: Gnaphalium. unico*  
*cauliculo I. B: The lesser broad-leaved Cud-*  
*weed. Ann.*

Gnaphalium roseum sylvestre *B. P.* roseum *Park. parad.* umbellatum minimum *I. B.* *The Cotton-Rose, or Rose-Cottonweed.*

✓ S. Gnaphalium montanum flore rotundiore *B. P.* montanum album *Ger:* montanum sive *Pes Cati Park.* Pilosella minor quibusdam, aliis Gnaphalij genus *I. B.* *Mountain Cudweed, or Cats-foot. Offic.*

S. Gnaphalium montanum flore purpureo. *Purple-flowered mountain Cottonweed.*

✓ S. GRAMEN agrorum *Lob:* agrorum venti spicâ *Park.* arundinaceum *Ger:* agrorum Lobelij *I. B.* segetum paniculâ arundinaceâ *B. P.* *Corn-reed-grass, or Bent.*

✓ S. Gramen alopecuroides majus *Ger:* Alopecuro simile glabrum cum pilis longiusculis in spicâ, Onocordon mihi denominatum *I. B.* phalaroides majus Italicum *B. P.* phalaroides majus *Park:* *The most common Fox-tail-grass. Ann.*

Gra.

- S. Gramen alopecurinum minus *Ger* :  
 alopecuroides spicâ longâ majus & mi-  
 nus *Park*: typhoides spicâ angustiore  
*B: P.* cum caudâ muris purpurascente  
*I: B: The lesser Bastard Foxtail-grass.*  
*Ann.*

Gramen alopecuroides spicâ rotun-  
 diore *B. P.* Gramen Alopecuros spicâ  
 brevi *I: B: Alopecuros Ger: genuina Park.*  
*The true Fox-tail. Ann.*

Gramen alopecuroides maximum,  
 sive Alopecuros altera maxima paludo-  
 sa *I. B. Alopecuros maxima Anglica*  
*Park: altera maxima Anglica paludosa*  
*Ger: Great English Marsh Fox-tail. Ann:*

- S. Gramen aquaticum cum longissimâ  
 paniculâ *I. B. fluviatile Ger: Park:*  
 aquaticum fluitans multiplici spicâ *B: P:*  
*Flote-grass.*

- S. Gramen aquaticum geniculatum spi-  
 catum *B: P: fluviatile spicatum Ger:*  
 cum parvâ caudâ muris, radice non no-  
 dosâ repens *I. B. Spiked Flote-grass, or*  
*Water-grass.*

- S. Gramen aquaticum majus *Ger: pa-*  
 niculatum

niculatum aquaticum latifolium B. P.  
majus aquaticum Lobelij I. B: harun-  
dinaceum aquaticum Park: *Great water  
Reed-grass.*

S. Gramen asperum I. B. spicatum folio  
aspero B. P. pratense spicâ multiplici ru-  
brâ Park: *Rough-grass.*

S. Gramen avenaceum dumetorum spi-  
câ simplici I. Raij: *Single spiked Hedge-  
Oat-grass. Ann.*

S. Gramen avenaceum dumetorum  
paniculâ sparsâ I. Raij: *Hedge Oat-  
grass with a sparsed panicle. Ann:*

S. Gramen avenaceum procumbens pa-  
niculis non aristatis I. Raij. *Small Oat-  
grass without awns.*

S. Gramen avenaceum paniculâ flave-  
scente locustis parvis I. Raij. *Oat-grass  
with a yellow panicle.*

S. Gramen caninum arvense, sive Gra-  
men Dioscoridis B: P: caninum Ger: ca-  
ninum vulgatius Park: repens, Officina-  
rum forte, Triticeæ spicæ aliquatenus si-  
mile I: B: *Common Couch-grass or Dogs-  
grasse. Offic:*

Gra-

S. *Gramen caninum supinum paniculatum dulce* B: P: *I. B. exile tenuifolium canariæ simile, five Gramen dulce* Park: *Sweet Dog-grass.*

S. *Gramen caninum maritimum spicatum* B. P. *caninum marinum* Ger: *caninum geniculatum maritimum spicatum* Park: *Sea Dogs-grasse, or Couch-grasse.*

S. *Gramen caninum nodosum* Ger: *nodosum* I: B: *caninum nodosum bulbosum vulgare* Park: *nodosum avenaceâ paniculâ* B: P: *Knotted Dogs-grass.*

S. *Gramen cristatum* I: B: *cristatum Anglicum* Park: *cristatum Bauhini* Ger: *pratense cristatum, seu Gramen spicâ cristatâ leve* B: P: *Smooth Crested-grasse.*

S. *Gramen cyperoides majus latifolium* Park: *cyperoides* Ger: *cyperoides cum paniculis nigris* I: B: *cyperoides latifolium spicâ ruffâ five caule triangulo* B: P: *Great Vernal Cyperus-grasse.*

Gra-



✓ S. Gramen cyperoides majus angustifolium *Park*: cyperoides angustifolium spicâ spadiceo-viridi majus *B.P.* *The greater narrow-leaved Cyperus-grass.*

S. Gramen cyperoides ex monte *Ballon* spicâ divulsâ *I. B.* cyperoides palustre majus spicâ divisâ *B.P.* cyperoides palustre minus *Park*: *Marsh Cyperus-grass with a divided head.*

Gramen cyperoides palustre elatius spicâ longiore laxâ *I. Raj.* *Cyperus-grass with a loose spike.*

S. Gramen cyperoides filvarum tenuius spicatum *Park*: *Slender-leaved Wood-Cyperus-grass.*

Gramen cyperoides palustre majus spicâ compactâ *B. P.* palustre cyperoides triquetrum spicâ integrâ *I. B.* palustre cyperoides *Ger*: cyperoides palustre majus *Park* *The greater Marsh Cyperus-grass, or spiked Cyperus-grass.*

Gramen cyperoides spicâ pendulâ brevior *B. P.* cyperoides spicâ brevipendulâ *Park*: Graminis cyperoidis genus, Pseudo-cyperus *Lobellio* spicis vel

vel paniculis pendentibus ex longis pediculis I. B. *Pseudocyperus* Ger: *Bastard Cyperus with short pendulous heads.*

*Gramen cyperoides angustifolium paniculis plurimis sessilibus in foliorum alis* I. Raij. *Narrow-leaved Cyperus-grass with small panicles.*

S. *Gramen cyperoides pulicare* I. Raij. *Flea-grass.*

*Gramen exile duriusculum in muris & aridis proveniens* I. Raij. *minus duriusculum* Ger: *minimum* Monspeliense I. B. *Gramen paniculâ multiplici* B. P. *Park: Small hard-Grass. Ann.*

S. *Gramen nemorosum hirsutum* Ger: *nemorosum hirsutum majus* Park: *nemorosum hirsutum majus latifolium* B: P: *rore lucidum nemorense sive Luzulæ* I. B. *Common hairy Wood-grass.*

S. *Gramen junceum aquaticum* Bauhini *Park: junceum folio articulato aquaticum* B: P: *Gramen aquaticum* Ger: *Juncus foliaceus capsulis triangulis* I. B. *Rush-grass with pointed leaves.*

Gra-

- S. Gramen junceum parvum five Holostium Matthioli, & Gramen bufonium Flandrorum *Park*. Gramen junceum *Ger*: nemorosum calyculis paleaceis *B. P.* Holostium Matthioli junceum *I. B.* *Toad-grasse*.
- S. Gramen junceum maritimum *Ger*: junceum foliis & spicâ Iunci *I. B.* junceum maritimum majus *Park*: Juncus parvus cum pericarpiis rotundis *I*: *B*: *Rush-grasse with round seed Vessels*.
- S. Gramen junceum spicatum seu triglochin *B. P.* triglochin *I. B.* triglochin Dalechampij *Park*: marinum spicatum *Ger*: *Arrow-headed-grass*.
- S. Gramen spicatum alterum *B. P.*: *Ger*: marinum spicatum alterum *Ger*: *Sea Spiked-grasse*.
- Gramen murorum spicâ longissimâ *Ger*: spicâ nutante longissimâ *Park*: *Capons-tail-grasse*.
- S. Gramen palustre echinatum *I. B.* *Ger*: aculeatum Germanicum *Park*: palustre aculeatum vel minus Germanicum *B. P.* *Hedge-hog-grasse*.

Gramen paniceum spicâ divisâ **B. P.**  
 Graminis genus quibusdam Gallis Dens  
 canis secundus, five Panicum sylvestre  
 spicâ divulsâ **I. B.** Panicum vulgare  
*Ger.* sylvestre herbariorum **Park:** *Grass*  
*with a divided Spike.*

**S.** Gramen pratense paniculatum majus  
**B. P.** pratense *Ger.* pratense vulgatus  
**Park:** *The greater Meadow-grasse.*

**S.** Gramen pratense paniculatum mi-  
 nus **B. P.** pratense minimum album  
**Park:** minimum album *Ger.* minus al-  
 bum & rubrum **I. B.** *The lesser Mea-  
 dow-grasse.*

**S.** Gramen pratense paniculâ sparsâ, ver-  
 sus unam partem duriore **I. Raij:** *Mea-  
 dow-grass, with harder sparsed panicles.*

**S.** Gramen pratense paniculatum molle  
**B. P.** **Park** lanatum Dalechampii **I. B.**  
 Gramen 6. cap. 22. lib. 1. *Ger.* *Soft-  
 tufted Meadow-grass.*

**S.** Gramen parvum præcox, spicâ laxâ  
 canescente **I. Raij:** *Vernal-grass with a  
 soft loose spike. Ann.*

Gra-

Gramen paniculatum folio variegato *B: P: Ger: Park: parad: striis pictum I. B. Painted-grasse, or Ladies-laces;*

S. Gramen Parnassi *Ger: Parnassi vulgare Park: Parnassi flore albo simplici B. P. Parnassi Dodonæi, quibusdam Hepaticus flos I: B: Grasse of Parnassus.*

S. Gramen secalinum *Ger: secalinum majus Park: Rie-grass. Ann.*

S. Gramen sparteum spicatum foliis mucronatis vel spicâ secalinâ *B. P. Spartum spicatum, pungens Oceanicum I: B: marinum nostras Park: Anglicanum Ger: English Sea-Matweed, or Marram.*

Gramen sparteum pennatum *B. P. pinnatum, alijs Spartum I. B. plumarium minus Park: parad: Spartum Austriacum Ger. Feather-grass.*

S. Gramen pratense tomentosum paniculâ sparsâ *B: P: tomentosum Ger: Gnaphalium Tragi, sive Juncus bombycinus I. B. Gramen juncoides lanatum, vel*



vel *Juncus bombycinus vulgaris Park*:  
*Cotton grasse.*

S. *Gramen tremulum I: B: tremulum majus B. P. Phalaris pratensis Ger*:  
*Gramen tremulum, seu Phalaris media Anglica prima Park: Quaking-grasse.*

*Gramen tremulum maximum B: P:*  
*1. B. tremulum maximum Hispanicum Park: Phalaris pratensis altera Ger*:  
*The greatest white Spanish Quakers, or Pearle-grasse. Ann:*

S. *Gramen typhoides maximum spicâ longissimâ B. P. typhinum majus Ger*:  
*maximum Park: Gramen cum caudâ muris majoris longâ, majus I: B: The greatest Cats-tail-grasse.*

*GRATIOLA Ger: vulgaris Park: centauroides B: P: Digitalis minima, Gratiola dicta Hist: Oxon: Hedge-Hyssop. Offic.*

*GROSSULARIA simplici acino vel spinosa sylvestris B: P: vulgaris Park: Uva crispa Ger: crispa sive Grossularia I: B: Common Goose-berries.*

L

Grof

Grossularia five Uva crispa alba maxima rotunda *The cristal round or Globe-Goof-berry.*

Grossularia maxima subflava oblonga *The great yellow long Goof-berry.*

Grossularia fructu quasi gemino sine acino *The square Goof-berry without a stone.*

Grossularia viridis hirsuta *Park: Small hairy or prickly Goof-berry.*

Grossularia rubra *Park: spinosa fructu obscure purpurascente I. B. spinosa sativa altera foliis latioribus B: P: Red Goof-berries.*

Grossularia multiplici acino five non spinosa hortensis rubra five Ribes Officinarum *B: P: Ribes vulgare fructu rubro Ger: Park: vulgaris acidus ruber I.B. Common red Currans, or Raspberries. Offic.*

Grossularia hortensis majore fructu rubro *B. P. Ribes fructu rubro majore Ger: Park: an Ribes flore rubente? I. B. The great red Curran.*

Grossularia hortensis fructu margaritis

tis simili B: P: Ribes fructu albo Ger:  
*Park:* vulgaris acidus albas buccas ferens  
 I: B: *White Curran.*

Grossularia non spinosa fructu nigro  
 B: P: Ribes fructu nigro Ger: *Park:* ni-  
 grum vulgo dictum, folio olente I: B:  
*Small black Curran.*

Grossularia non spinosa fructu nigro  
 majore *Great Black Curran.*

Grossularia, Ribes fructu rubro foliis  
 Uvæ cristæ Hort: Reg: Bles: *The red Cur-*  
*ran with the Goose-berry leaf.*

# H.

**H**ALIMUS five Portulaca  
 marina B: P: vulgaris five  
 Portulaca marina Ger: Por-  
 tulaca marina nostras *Park:*  
 marina fruticosa quæ Halimus secunda  
 Clusij I: B: Atriplex maritima angustif-  
 imo folio *Hist: Oxen: Common Sea-Par-*  
*slane.* L 2 Ha;

*Halimus latifolius* five *frutescens* B:  
P: *Halimus Clusij* I: B: *latifolius* five *Portulaca marina incana* major *Park*: *Atriplex latifolia* seu *Halimus fruticosus latifolius* *Hist: Oxon: The greater Out-landish: or hoary Sea-Purflane.*

S. *HEDERA* arborea B: P: corymbosa *Ger*: arborea, five scandens, & corymbosa nigra *Park*: communis major & minor I: B: *Berry-bearing Ivy. Offic.*

S. *Hedera major sterilis* B: P: helix *Ger*: *Park: Barren or creeping Ivy.*

S. *Hedera terrestris vulgaris* B: P: *Park: terrestris Ger: Chamæ-cissus, five Hedera terrestris, & Hedera sylvatica Romanorum* I: B: *Ground-Ivy. Offic:*

*Hedera trifolia Canadensis Cornut: trifolia Virginiana Park: Three-leaved Ivy of Virginia.*

*Hedera quinquefolia Canadensis Cornut: Virginiana quinquefolia Park: Virginiana Ger: Five-leaved Ivy of Virginia.*

*HEDYSARUM triphyllum Canadense Cornut: triphyllum Americanum Park: Onobrychis Canadensis triphyllos*

phyllos articulato semine triquetro  
*Hist: Oxon: American Trefoil-Hatchet-  
 Vetch.*

**H E L E N I U M** *Ger: vulgare B: P:*  
*Helenium sive Enula campana I: B:*  
*Park: Elecampane. Offic:*

*Helenium Indicum maximum I. B.*  
*Herba maxima I. B. Flos Solis major*  
*Ger: Park: parad: The great Sun-flower.*  
*Ann:*

*Helenium Indicum tuberosum Flos*  
*Solis pyramidalis Ger: Battatas de Ca-*  
*nadâ Park: Helianthemum Indicum tu-*  
*berosum B. P. French Potato's, or Je-*  
*rusalem- Artichocks.*

**H E L I C H R Y S U M** *sive Stæ-*  
*chas citrina angustifolia B. P. Stæchas*  
*citrina tenuifolia Narbonensis I: B:*  
*Stæchas citrina sive Amaranthus luteus*  
*Ger: Chrysocome, sive Coma aurea,*  
*& Stæchas citrina vulgaris Park: Golden*  
*Tufts, or golden Cassidony.*

**H E L I O T R O P I U M** *majus Dios-*  
*coridis B: P: majus Ger: Park: majus*  
*flore albo I: B: The greater Turn-sole.*  
*Ann.*



*Heliotropium tricocon* *B. P. I. B.*

*Ger. Park: The Colouring or dying Turnsole. Offic. Ann.*

*HELLEBORUS* niger flore roseo

*B. P. niger flore albo, interdum etiam valderubente I. B. niger verus Ger. Park.*

*True black Hellebore or Christmas-flower.*

*Offic.*

*S. Helleborus niger sylvestris adulterinus & jam hyeme virens I. B. Helleboraster maximus Ger. maximus five Confiligo Park: Great Bastard black Hellebore, or Bears foot.*

*Helleborus niger hortensis flore viridi B. P. niger vulgaris flore viridi vel herbaceo, radice diuturnâ I. B.*

*Helleborastrum Ger. Helleboraster minor flore viridante Park: Wild Bastard-black Hellebore.*

*Helleborus albus flore atrorubente*

*B. P. I. B. albus præcox Ger. albus præcox five atrorubente flore Park:*

*Early white Hellebore with dark red flowers.*

*Hel-*

Helleborus albus I: B: Ger. álbis vulgaris *Park: albus flore subviridi B: P: Common white Hellebore. Offic :*

- S. Helleborine Ger: minor flore albo latifolia montana B: P. Helleborine Dodonæi I. B. *Common Bastard, or wild white Hellebore.*

Helleborus niger Saniculæ folio major B: P: *Park: Sanicula foemina quibusdam, aliis Helleborus niger I. B. A- strantia nigra Lob: nigra, five Veratrum nigrum Dioscoridis Ger: The greater purging Sanicle-like-Hellebore.*

HESPERIS I. B. hortensis B. P. *Hist: Oxon: Viola matronalis flore purpureo Ger: Park. Purple flowered Dames Violet, or Queens-Gilloflower.*

Hesperis five Viola matronalis flore simplici albo, *Single white-flowered Dames Violet, or Queens-Gilloflower.*

Hesperis, five Viola matronalis flore pleno albo. Viola matronalis flore multiplici albo *Cornut: flore albo pleno Ger: Double white Dames-Violet, or Queens-Gilloflower.*

Hesperis, five Viola matronalis flore pleno purpureo. *Double purple Dames-Violet, or Queens Gilloflower.*

**HIERACIUM** majus folio Sonchi semine curvo *B. P.* Chondrillæ Creticæ nomine missa semine crispo *I: B:* Sonchus asper laciniatus *Creticus B. Prodr. Park: Prickly Sow-Thistle of Candy. Ann:*

Hieracium Apulum flore suaverubente *Col: Dentis leonis folio flore suaverubente B. P. Intubaceum flore carneo Park: Blush Garden-succory-like Hawk-weed. Ann.*

Hieracium Echioides capitulis Cardui Benedicti *B. P. maximum, Buglossum Echioides quibusdam I: B: Buglossum luteum Ger: Lingua Bovis Park: Yellow Bugloss, or Langue-de-boeuf. Ann:*

Hieracium Echioides capitulis Cardui Benedicti majus Arabicum folio sinuato *Great Arabian yellow Bugloss, or Lang-de-boeuf with cut leaves. Ann.*

Hieracium filiquâ falcatâ *B. P. falcatum*

tum Lobelij Ger : falcatum five stellatum *Park.* stellatum *I. B.* *Starry-headed Hawke-weed. Ann.*

Hieracium capitulum inclinans semine adunco *B. P.* florem inclinans *I. B.* folio Hedipnoidis *Park.* *Yellow succory-like Hawke-weed. Ann.*

Hieracium Dentis leonis folio monoclonon glabrum *B. P.* *Un-branched smooth Hawke-weed with Dandelyon-leaves.*

S. Hieracium Dentis leonis folio obtuso majus *B. P.* longius radicatatum *Ger. Park.* macrocaulon junceum five minus primum *Dodonæi I. B.* *Long-rooted Hawke-weed.*

S. Hieracium Chondrillæ folio radice succisâ majus *B. P.* minus præmorsâ radice *Park.* minus præmorsâ radice, five Fuchsi *I. B.* minus five leporinum *Ger.* *Yell w Divels-bit, or Hawke-weed with bitter-roots.*

Hieracium Castorei odore Monspe-liensium *I. Raij.* foliis Cichorei sylvestris villosis, odore Castorei *D. Magnol.* *Small rough Succory-leaved Hawke-weed,*

*weed, smelling of the Beaver-stones.*  
*Ann.*

Hieracium lepto-macro-caulon *Col:*  
*Long small stalked Hawkweed. Ann.*

*S.* Hieracium murorum folio pilosissimo *B: P:* murorum Bauhini, quod est Pulmonaria Gallorum Lobelij *Park.* Pulmonaria Gallica, five aurea latifolia *Ger:* Pilosella major quibusdam, aliis Pulmonaria flore luteo *I. B. French or Golden Lungwort.*

Hieracium murorum five Pulmonaria Gallorum, macrocaulon, *Long-stalked French Lungwort.*

*S.* Hieracium murorum laciniatum minus pilosum *B. P.* Pilosellæ majoris five Pulmonariæ luteæ species magis laciniata *I. B. French Lungwort with smoother and more cut leaves.*

Hieracium fruticosum latifolium foliis dentatis glabrum *B: P:* fruticosum latifolium glabrum *Park:* Hieracij Sabaudij varietas prima, Erinus quibusdam Matthioli dicta *I: B: The smoother broad-leaved bushy-Hawkweed.*

*Hie.*



**Hieracium fruticosum angustifolium majus** *B. P. Park. intybaceum* *Ger: rectum rigidum*, quibusdam *Sabaudum* *I. B. Narrow-leaved bushy-Hawkweed.*

**Hieracium fruticosum latifolium hirsutum** *B. P. Park: Hieracij Sabaudij* varietas altera *I. B. Bushy-Hawk-weed with rough broad leaves.*

*S.* **Hieracium fruticosum minus** *B. P. Park: The lesser bushy-Hawkweed.*

*S* **Hieracium minus folio subrotundo** *B. P. minimum Clusij Hyoseris Tabernamontani, & Gerardi Park. Hyoseris mascula* *Ger: Small Swines-Succory. Ann:*

*S.* **H O L O S T E O** affinis, Cauda muris *B. P. Holosteum Loniceri Cauda muris vocatum* *Park: Cauda muris* *Ger: Myosuros* *I. B. Mous-tail. Ann:*

*S.* **H O R D E U M** distichum *I. B. Ger: Park: distichum*, quod spica binos ordines habeat, *Plinio* *B. P. Common Barly. Offic. Ann.*

**Hordeum polystichon** *I. B. polystichum*

chum hybernum *B. P.* polyftichum vel  
hybernum *Park*: *Winter or Square-Barly*  
*or Bear-Barly. Ann*:

*Hordeum nudum Naked Barley.*  
*Ann.*

**H O R M I N U M** *Sclarea dictum*  
*B. P.* fativum vulgare five *Sclarea*  
*Park*. *Gallitrichum* five *Horminum Ger*:  
*Gallitrichum fativum I. B. Garden-Clary.*  
*Offic.*

*Horminum, Sclarea dicto congener*  
*flore albicante Whitish-flowered Clary,*  
*like Garden-Clary.*

*Horminum luteum glutinosum B. P.*  
*luteum, five Colus Jovis Park*: *Colus*  
*Jovis Ger.* *Galeopsis species lutea, vis-*  
*cida, odorata nemorensis I. B. Yellow*  
*Clary, or Jupiters-Distaffe.*

*Horminum sylvestre latifolium Tin-*  
*gitanum Broad-leaved wild Clary of Tan-*  
*gier.*

*Horminum sylvestre latifolium ver-*  
*ticillatum B : P :* *sylvestre latifoli-*  
*um Ger*: *Germanicum humile Park*:  
*Gallitricho affinis planta, Horminum*  
*fyl-*

sylvestre latifolium Clusio I. B. *Low-German-Clary.*

Horminum sylvestre Lavendulæ flore I: B: *Park.* Gallitrichis affinis, Marrubij si non genus aliquod, Sclarea Hispanica Tabernamontani I: B: *Clary with Lavender-like flowers.*

S. Horminum pratense foliis ferratis B: *P*: sylvestre *Ger*: sylvestre vulgare *Park.* Gallitrichum sylvestre vulgò, si-  
ve sylvestris Sclarea flore purpureo cæruleove magno I. B. *Common wild-Clary.*  
*Offic.*

Horminum folio Betonicæ *Clary with Betony-like leaves.*

Horminum sativum B: P: genuinum sativum Dioscoridis *Park.* sylvestre foliis purpureis *Ger*: Horminum comâ purpuroviolaceâ I. B. *Clary with purple leaves. Ann.*

HYACINTHUS comosus major purpureus B. P. *Park: parad: Hist: Oxon.* comosus maximus botryoides comâ cæruleâ I. B. *The great purple Fair-haired Jacinth.*

Hy-

*Hyacinthus comosus major flore albo* *The great white Fair-haired Jacinth.*

*Hyacinthus comosus paniculâ cæruleâ* *B. P. comosus Sanefius paniculâ violaceâ* *Hist: Oxon: Sanefius paniculofâ comâ* *Col: comosus ramosus elegantior* *Ger: pennatus, five comosus ramosus elegantior* *Park: parad, The fair Curled-hair Jacinth.*

*Hyacinthus comosus ramosus purpureus* *Ger: Park: parad: The Fair-haired branched Jacinth.*

*Hyacinthus racemosus cæruleus major* *B. P. racemosus major latifolius speciosior arbuteo flore cæruleo* *Hist: Oxon. botryoides cæruleus major* *Ger: botryoides cæruleus, amœnus* *Park: parad: botryoides vernus: minor, latifolius cæruleus, inodorus* *I: B: The Sky-coloured Grape-flower.*

*Hyacinthus racemosus albus* *B: P: botryoides albus* *I: B: botryoides flore albo* *Park: parad. The white Grape-flower.*

*Hy-*

*Hyacinthus racemosus cæruleus minor juncifolius* *B. P.* racemosus minor juncifolius *Hist: Oxon.* botryoides cæruleus *Ger:* botryoides minor cæruleus obscurus *Park: parad:* vernus botryoides minor cæruleus angustioribus foliis odoratus *I. B:* *The dark blew Grape-flower.*

*Hyacinthus racemosus moschatus* *B. P.* racemosus seu botryoides major, seu *Muscari majus* obsoleto flore *Hist: Oxon.* botryoides major moschatus, five *Muscari* flore cineritio *Park: parad:* odoratissimus dictus *Tibcadi* & *Muscari* *I. B:* *Muscari Clusij* *Ger:* *The Ash-coloured Grape-flower, or Muscari.*

S. *Hyacinthus oblongo flore cæruleus major* *B. P.* floribus oblongis pendulis major Anglicus seu Belgicus cæruleus *Hist: Oxon:* Anglicus *Ger:* Anglicus, five Belgicus *I. B:* Anglicus, Belgicus, vel Hispanicus, *Park: parad:* *English Hares-Bells, or Spanish Jacynth.*

Hy-



**S.** Hyacinthus Anglicus albus *Ger: White English Hares-bell.*

Hyacinthus Anglicus flore carneo,  
*Blush-flowered English Hares-bell.*

Hyacinthus Hispanicus major flore campanulæ instar *Park: parad: The greater Spanish Bell-flowered-Jacinth.*

Hyacinthus campanularis Hispanicus flore patentiore *Spanish bell-flowered Jacinth with wider flowers.*

Hyacinthus Orientalis purpureus  
*B. P. The purple Oriental Jacinth.*

Hyacinthus Orientalis pallide cæruleus *The pale-blew Oriental Jacinth.*

Hyacinthus Orientalis saturate cæruleus *The deep blew Oriental Jacinth.*

Hyacinthus Orientalis flore albo *The white Oriental Jacinth.*

Hyacinthus Orientalis flore carneo  
*The blush Oriental Jacinth.*

Hyacinthus Orientalis flore duplici  
*B. P. Park: parad: flore duplici seu altero alteri innato, ex colore albo & cæruleo ad pediculum parum virescenti*

*Hist:*

*Hist: Oxon: The black Oriental Jacinth once double.*

Hyacinthus Orientalis serotinus striatus P. B. *Hist: Oxon: Hispanicus minor Orientalis facie Park: parad: minor Hispanicus Ger: minimus serotinus flosculus Hyacinthi Orientalis I: B: The little summer Oriental Jacinth.*

Hyacinthus stellaris bifolius Germanicus P. B. stellaris Germanicus præcox bifolus, & Hyacinthus stellaris præcox trifolius *Hist: Oxon: stellatus Fuchsj Ger: stellatus vulgaris, sive bifolius Fuchsj Park. parad: stellatus bifolius & trifolius vernus dumetorum flore cæruleo & albo I. B. The common-blew Starry-Jacinth.*

Hyacinthus stellatus Martius sive præcox cæruleus *Park: parad: The early blew Starry-Jacinth.*

Hyacinthus stellatus præcox flore albo *The early white Starry-Jacinth.*

Hyacinthus stellaris spicatus cinereus B. P. stellaris spicatus seu fastigiatus latâ depressâ spicâ *Hist: Oxon: stellatus mul-*

M

tiflorus

tiflorus cineracei coloris *I. B.* stellatus Someri *Ger* : stellatus flore cinereo *Park: parad: The Ash-coloured Starry-Jacinth.*

**H**yacintus stellaris cæruleus amœnus *B. P.* stellaris caulibus pluribus ex eodem bulbo ortis, singulis pluribus floribus oneratis *Hist: Oxon: stellatus Bizantinus nigrâ radice Park: parad: stellatus Bizantinus nigrâ radice flore cæruleo Ger: stellaris Bizantinus alter elegantissimus serotinus bullatus Lob. I. B. The Starry-Jacinth of Turkey with the black-root.*

**H**yacintus stellatus monophyllus Lusitanicus *One-leaved Starry-Jacinth from Portugal.*

**H**yacintus Indicus bulbosus stellatus *B: P: Peruanus Ger: stellatus Bæticus major, vulgo Peruanus Park: parad: stellatus Peruvianus multiflorus floribus cæruleis aut albis in rotundam metam fastigiatis Hist: Oxon: The great Spanish Starry-Jacinth, or of Peru.*

**Hy.**

**Hyacinthus stellatus** foliis & radice  
**Lilij** B: *P: Hist: Oxon.* stellatus lilifolius  
*Ger: lilifolius stellatus I. B. stella-*  
*tus Lilij folio & radice cæruleus Park:*  
*parad: The blew Lilly-leaved starry Ja-*  
*cinth.*

**Hyacinthus stellatus Lilifolius albus**  
*Park: parad: The white Lil'y-leaved Ja-*  
*cinth.*

S. **HYOSCYAMUS** niger *Ger: vul-*  
*garis I. B. niger vel vulgaris B: P:*  
*Park: Common black Henbane, Offic:*  
*Ann.*

**Hyoscyamus albus** *I: B: Park: Ger:*  
*albus major B. P. White Henbane. Offic.*  
*Ann:*

**Hyoscyamus Creticus** *Park: Creti-*  
*ticus luteus major B. P. Yellow Henbane*  
*of Candy. Ann:*

**HYPERICUM** B: P: **Hypecoon**  
 filiquis erectis articulatis incurvis *Hist:*  
*Oxon. Hypecoon filiquosum I. B. Hy-*  
*pecoon legitimum Clusij Park: Cumi-*  
*num corniculatum five Hypecoon Clu-*  
*sij Ger: Horned wild Cumin. Ann.*

✓ S. **HYPERICUM** *Ger.* vulgare *B.*  
*P. Hist: Oxon: Park:* vulgare, five Her-  
 ba perforata caule rotundo, foliis gla-  
 bris *I. B. Common Saint-Johns-wort. Offic.*

✓ S. *Hypericum minus supinum, vel supi-*  
*num glabrum B. P. Hist: Oxon: supi-*  
*num glabrum Ger: minus supinum Park.*  
*minimum supinum I. B. Small creeping*  
*Saint-Johns-wort.*

*Hypericum supinum tomentosum mi-*  
*nus, vel Monspeliacum B. P. tomento-*  
*sum I. B: tomentosum Lobelij Ger: su-*  
*pinum tomentosum minus Park: Wool-*  
*ly Saint-Johns-wort.*

✓ S: *Hypericum minus erectum B. P. Park:*  
*minus erectum glabrum pulchrum Hist:*  
*Oxon. pulchrum Tragi I: B: Ger: Small*  
*upright Saint-Johns-wort.*

✓ S. *Hypericum Ascyrum dictum caule*  
*quadrangulo I. B. Ascyrum Ger: vulga-*  
*re Park: Androsæmum Ascyrum dictum*  
*caule quadrangulo glabro Hist: Oxon:*  
*Common Saint-Peters-wort.*

*Hypericum frutescens Americanum*  
*flore albo Park: Pruno sylvestri affinis*  
 Ca.



Canadensis B. P. app: *Tree or shrub-Saint-Johns wort.*

**H Y S S O P U S** vulgaris *Park:* Arabum *Ger:* officinarum cærulea five spicata *B. P.* vulgaris spicatus angustifolius flore cæruleo *I. B.* *Common blue-flowered Hyssope. Offic:*

*Hyssopus flore albo Ger:* Arabum flore albo *Park:* *White-flowered Hyssope.*

*Hyssopus Arabum flore rubro Ger:* *Park:* *Red-flowered Hyssope.*

*Hyssopus versicolor Ger:* versicolor foliis niveis *Park:* *Party-coloured Hyssope.*

*Hyssopus foliis hirsutis Hairy-Hyssope.*

*Hyssopus angustifolia spicata B: P:* *Park:* *Narrow-leaved spiked Hyssope.*

## J.

S. **J** A C E A nigra pratensis latifolia  
*B. P. nigra Ger: nigra vulgaris*  
*Park. nigra vulgaris capitata &*  
*squammosa I: B: Black Knap-*  
*weed.*

S. *Jacea pratensis latifolia flore al-*  
*bo Common Knap-weed with white-*  
*flowers.*

*Jacea Lusitanica semper virens Hist:*  
*Reg. Bles. Ever-green Knap-weed of Por-*  
*tugal.*

S. *Jacea nigra laciniata B. P. nigra*  
*vulgaris laciniata Park. major Ger:*  
*Centaureum collinum Gesneri flo-*  
*re purpureo I: B: Cut-leaved Knap-*  
*weed.*

*Jacea cyanoides echinato capite B: P:*  
*montana purpurea echinato capite*  
*Park:*

*Park. The purple Mountain Thorny-headed Knap-weed.*

*Jacea marina Bætica Park: The Spanish Sea-Knap weed.*

*Jacea lutea capite spinoso B. P. lutea capitulis spinosis Park: major lutea Ger: Centaurium collinum five Jacea spinosa flore luteo I. B. Yellow Knap-weed with prickly heads.*

*Jacea sphærocephala spinosa Tingitana Prickly glob-headed Knap-weed of Tangier.*

*Jacea incana Pini capite B: P: montana capite magno Strobili I. B. pumila Narbonensis Park: Pine-apple-headed Knap-weed.*

*Jacea Oleæ folio capitulis simplicibus B: P: Ptarmica Austriaca Ger: Ptarmica Austriaca Clusij Park: Xeranthemum aliud five Ptarmica quorundam I. B. Sneez-wort of Austria Ann.*

*Jacea Oleæ folio flore minore B. P. Ptarmica Imperati five minor Park:*

*Ptarmica Imperati* an *Ptarmicæ* *Austriacæ* species? *Ger*: *Xeranthemum* *I. B.* *Smaller Sneez-wort of Spain.*

*Ann*:

✓ S. *JACOBÆA* *Ger*: vulgaris *I: B*: vulgaris laciniata *B: P*: vulgaris major *Park*. *Common Saint-James-wort.*  
*Offic*:

✓ S. *Jacobæa Alpina* laciniata flore *Buphthalmi* *B. P.* *Pannonica latifolia* *I: B*: vulgaris minor *Park*: *Broad-leaved Ragwort.*

*Jacobæa Senecionis folio incano* perenne *I. Raij.* *Perennial Ragwort with Groundsel-leaves.*

*Jacobæa montana angustifolia lanuginosa non laciniata* *B. P.* *Pannonica folio non laciniato* *I. B.* *angustifolia* *Ger.* *angustifolia Pannonica non laciniata* *Park*: *Mountain-Rag-wort*:

*Jacobæa maritima* *B. P.* *marina* *Ger*: *marina*, five *Cineraria vulgaris* *Park*: *marina*, five *Cineraria* *I: B*: *Sea Ragwort*:

**J A S M I N U M** vulgatus flore albo *B. P.* album *Ger: Park:* Jasminum, five Gelseminum flore albo *I. B.* *Common white Fasmine. Offic:*

Jasminum luteum vulgo dictum baciferum *B. P.* Polemonium, five Trifolium fruticans *Ger:* Polemonium five Trifolium fruticans, vel Jasminum luteum vulgare *Park:* Trifolium fruticans quibusdam Polemonium flore luteo *I. B.* *Common yellow Fasmine.*

Jasminum Virginianum *Virginian Fasmine.*

Jasminum Persicum foliis lacinia-  
tis. Syringa Persica, five Lilac Persicum incisus foliis, Jasminum Persicum dictum *Park:* Agem Lilag Persarum *Cornut:* Ligustrum foliis lacinia-  
tatis *B. P:* nigrum *Prosp:* *Alpinide exot:* *The blew Persian-Fasmine, or Pipe-tree with cut-leaves.*

Jasminum Persicum foliis non  
la-



laciniatis *The blew Persian Jasmine with uncut-leaves.*

**Iberis** *I. B. latiore folio B: P. latiore folio ferrato Hist: Oxon: Iberis Cardamantica Lob: Ger: Sciatica-Cresses. Offic.*

**I L E X** aculeata cocciglandifera *B. P. coccigera I: B: Ger: aquifolia, five coccigera Park: The scarlet Holme-Oake, or Ever-green-Oake. Offic.*

**S.** **Ilex** aculeata baccifera folio sinuato *B. P. Agrifolium Ger: Agrifolium, five Aquifolium Park: Aquifolium, five Agrifolium vulgo I: B: The common Holly-Tree.*

**Ilex** aculeata baccifera folio sinuato, five **Agrifolium** foliis variegatis *Guilded, or stript Holly.*

**IMPERATORIA** *I: B: Ger: major B. P. Imperatoria, five Atrantia vulgaris Park: Master-wort, or Bastard Pellitory of Spain. Offic.*

**INTYBUS** *fativa Ger: fativa*  
la-

latifolia five Endivia vulgaris B: P:  
 Intybum sativum latifolium I: B. En-  
 divia sativa *Park: Garden Endive. Offic.*  
*Ann.*

Intybus crispa B: P: Intybum sativ-  
 um crispum I: B: Endivia crispa *Ger :*  
*Park : Curled Endive. Ann:*

**I R I S** vulgaris Germanica, si-  
 ve sylvestris B: P: *Hist: Oxon:* vul-  
 garis *Ger :* purpurea five vulgaris  
*Park.* vulgaris violacea five purpu-  
 rea hortensis & sylvestris I: B: *The*  
*Common Flag-Flour-de-luce. Offic.*

Iris alba Florentina B: P: *Hist. Oxon.*  
*Park : parad :* Florentina *Ger :* flore  
 albo 1. B. *The white flowered, or Floren-*  
*tine Flour-de-luce. Offic.*

Iris Susiana flore maximo ex albo  
 nigricante B. P. *Hist: Oxon :* latifo-  
 lia major Susiana, vel Chalcedo-  
 nica flore majore variegato, Clu-  
 sio prima I. B. Chalcedonica *Ger :*  
 Chalcedonica five Susiana major  
*Park :*

**Park :** *parad :* *The great Turkey Flour-de-luce.*

**Iris Dalmatica major B. P** *Park :* *parad. Ger: Dalmatica major flore vulgari minus violaceo I. B. The great Dalmatian Flour-de-luce.*

**Iris lutea variegata Camerarij B. P.** *lutea variegata Ger: Park: parad : lutea, foliis florum repandis variegatis I. B. Yellow variable Flour-de-luce.*

**Iris lutea variegata Lobelij B: P:** *lutea variegata Lob; Ludg. Lobels yellow variable flour-de-luce.*

**Iris media longissimis foliis lutea B. P.** *angustifolia Tripolitana aurea Park: parad : Tripolitana foliis longissimis flore aureo I. B. Tripolitana media inter latifolias & angustifolias Clus: The yellow Flour-de-luce of Tripoly.*

**s. Iris palustris lutea sive Acorus adulterinus I. B. Hist: Oxon. palustris lutea Ger. Acorus adulterinus B: P: Acorus palustris , sive Pseudoiris , & Iris**

*Iris lutea palustris* Park: *Yellow Water-Flag, or Flour-de-luce.* Offic:

*Iris pratensis angustifolia* non foetida altior B. P. *Hist: Oxon: angustifolia minor Pannonica; sive versicolor Clusij Park: parad: sylvestris Bizantina Ger: tenuifolia major flore cæruleo & striato I. B: The small variable Hungarian Flour-de-luce of Clusius.*

*Iris angustifolia prunum redolens, minor B. P: graminea cui pereunt quotannis folia I: B: Chamæiris angustifolia minor Park: parad: tenuifolia Ger: The lesser Grasse Flour-de-luce.*

*Iris tuberosa folio anguloso B. P. tuberosa radice pendulâ folio anguloso, flore obscure viridi Hist. Oxon: tuberosa Ger. Park: parad. tuberosa Belgarum I. B. Velvet Flour-de-luce.*

*Iris bulbosa Persica Park: parad: bulbosa præcox minus odora Persica variegata Hist: Oxon: Persica præcox*

variegata *Baptist: Ferr: descr. The Persian Bulbous Flour-de-luce.*

*Iuris bulbosa latifolia caule donata B. P. bulbosa latifolia serotina caule donata Hist: Oxon: bulbosa major five Anglica cærulea Park: parad: bulbosa Anglica Ger: The blew English Bulbous Flour-de-luce.*

*Iris Bulbosa latifolia candida B: P: bulbosa latifolia serotina caule donata Anglica flore albo Hist: Oxon: bulbosa major, five latifolia alba Park: parad. The great white bulbous Flour-de-luce.*

*Iris bulbosa major flore cæruleo, variegata, five Chamoletta Joh. Rea de florum culturâ The blew striped Flour-de-luce, or the Chamolet Flour-de-luce.*

*Iris bulbosa major flore purpureo varicolor Joh. Rea de florum culturâ The great purple variable bulbous Flour-de-luce, or the brown purpur Chamolet.*



*Iris bulbosa minor sive angustifolia alba* Park: *parad*: *The Smaller white narrow-leaved bulbous Flour-de-luce.*

*Iris bulbosa angustifolia tota aurea* *The gold-yellow narrow-leaved bulbous Flour-de-luce.*

*Iris bulbosa angustifolia lutea, Common-yellow narrow-leaved bulbous Flour-de-luce.*

*Iris bulbosa angustifolia labris luteis maculâ aureâ, bifidis & erectis pallide cæruleis* *Narrow-leaved bulbous Iris, with yellow falls, with a golden spot, arches and uprights pale blew.*

*Iris bulbosa angustifolia labris virescentibus maculâ aureâ, bifidis pallide cæruleis, erectis saturate cæruleis.* *Narrow-leaved bulbous Flour-de-luce with greenish falls, with a yellow spot, the arches pale, and uprights deep blew.*

*Iris bulbosa angustifolia labris cæruleis maculâ aureâ bifidis & ere-*

erectis cæruleis *Narrow-leaved bulbous Flour-de-luce, with blew falls with a golden spot, arches and uprights pure-blew.*

*Iris bulbosa angustifolia labris albis maculâ luteâ, bifidis pallide cæruleis, erectis cæruleis amœnis. Narrow-leaved bulbous Flour-de-luce with white falls, with a golden spot, arches pale, and uprights bright blew:*

*ISATIS* fativa vel latifolia, *B: P: Hist: Oxon: Isatis sive Glastrum sativum I. B. Glastrum sativum Ger: Park: Woad. Offic. Ann.*

*S. Juncus lævis paniculâ sparsâ major B. P. Park. lævis Ger: lævis paniculâ arundinaceâ I: B: Common soft-Rush.*

*S. Juncus acutus paniculâ sparsâ B. P. acutus Ger: acutus vulgaris Park. Common hard Rush.*

*S. Juncus maximus & Scirpus major B. P. aquaticus maximus Ger: lævis maximus Park: maximus holoschoenos*

*I: B: Bul-Rush, or great Water-Rush.*

- S. *Juncus aquaticus minor capitulis Equiseti Ger: Park: capitulis Equiseti major B: P: capitulis longis, sive clavatus I. B. Club-Rush, or Aglet-headed-Rush*

- S. *JUNIPERUS Ger: vulgaris seu minor Park: vulgaris baccis parvis purpureis I B. vulgaris fruticosa B: P. Common Juniper. Offic:*

*Juniperus minor montana folio latiore fructuque angustiore B: P: Alpina I. B. Park. Alpina minor Ger. Low Mountain-Juniper.*

---

N

K.

## K.

**K** A L I semper virens grandius perpetuum *B Prodr:* geniculatum majus *I: B: Evergreen Glaswort.*

*Kali geniculatum majus B.P. Hist: Oxon: Cali geniculatum five Salicornia I: B: Salicornia, five Kali geniculatum Ger: Park: Glaswort, or Saltwort. Offic. Ann:*

*Kali majus semine cochleato B: P: Ger: majus cochleatum Park: vulgare I.B. Great Glaswort. Ann.*

*Kali minus album semine splendente B. P. Hist: Oxon: minus Ger: minus album Park. minus, five Sedum minus arborescens vermiculatum I: B: White Glaswort. Ann.*

*Kali spinosum cochleatum B: P: Ka  
li*

li affinis spinosa planta *Hist: Oxon:* Tragus, five Tragum Matthioli *Park:* Tragum Matthioli seu potius Tragus improbus Matthioli *Ger:* Tragus spinosus Matthioli, five Kali spinosum *I. B. Prickly Glass-wort. Ann.*

---

## L.

**L**ACTUCA fativa *B: P:*  
*Ger: Park:* fativa vulgaris capitata & non capitata *I. B. Garden Lettuce. Offic. Ann:*

Lactuca maculosa *B: P:* rubra *I. B. Red Lettuce. Ann:*

Lactuca folio obscurius virente semine nigro *B. P. Romana longa dulcis I: B: Romane Lettuce. Ann.*

Lactuca capitata *B: P:* *Ger:* capitata vulgaris *Park: Common Cabbage-Lettuce. Ann:*



*Lactuca foliis Endiviæ* B. P. Intybacea Ger: *Lumbard-Lettuce.* Ann.

*Lactuca crispa* B. P: Ger: *Curled-Lettuce.* Ann:

*Lactuca crispa altera* B. P: Intybacea *crispa* Tab: *Curled Endive-Lettuce.* Ann:

S. *Lactuca sylvestris costâ spinosâ* B. P. *sylvestris laciniata* Park: *sylvestris foliis dissectis* Ger: *sylvestris, five Endivia multis dicta folio laciniato, dorso spinoso* I. B: *Cut-leaved wild Lettuce.* Ann.

S. *Lactuca sylvestris odore viroso* B: P: *sylvestris Endiviæ foliis, odore viroso* Park: *sylvestris lato folio, succo viroso* I. B. *sylvestris major odore Opii* Ger: *Strong-sented wild Lettuce.* Ann:

*Lactuca montana purpuro-cerulea major* B. P. *sylvatica purpurea* I: B: *sylvestris flore purpureo* Park. *Sonchus sylvaticus* Ger: *Mountain Lettuce with purple flowers.*

S. *LAMIUM* album non foetens folio

lio oblongo B: P: album *Ger: vulgare album, five Archangelica flore albo Park: Galeopsis five Urtica iners floribus albis I: B: White Archangel. Offic.*

Lamium album Parietariæ facie *Hort: Reg: Bles: White Archangel with leaves like Pellitory of the wall.*

Lamium maculatum & albâ lineâ notatum B. P. foliis maculatis *Park: Galeopsis foliis maculatis I. B. Archangel with spotted leaves.*

Lamium folio oblongo luteum B. P. luteum *Ger. Park. Galeopsis five Urtica iners flore luteo I: B: Yellow Archangel.*

Lamium luteum foliis maculatis *Yellow Archangel with spotted leaves.*

S. Lamium purpureum foetidum folio subrotundo, five Galeopsis Dioscoridis B. P. rubrum *Ger: vulgare folio subrotundo flore rubro Park: Galeopsis five Urtica iners folio & flore minore I. B. Red Archangel. Offic: Ann:*

✓ S. *Lamium folio caulem ambiente majus* B: P: *Galeopsis* five *Urtia iners* folio caulem ambiente I B. *Alfine Hederula folio major* Park: *Alfine hederula altera* Ger: *Great Hen-bit. Ann.*

✓ S. *Lamium maximum sylvaticum* B. P. *Galeopsis vera* Ger: *legitima Dioscoridis* Park: *Galeopsis* five *Urtica iners magna foetidissima* I: B: *Hedge-Nettle.*

*Lamium maximum sylvaticum alterum* B: P: *Pannonicum* Ger: *Galeopsis Panonica Clusij* Park: *Hungarian Dead-Nettle.*

*Lamium peregrinum* five *Scutellaria* B. P. *peregrinum Scutellaria dictum* Park: *Castida* Col: *Strange Archangel.*

L A P P A T H U M præstantissimum *Rhabarbarum officinarum dictum.* H st: Oxon: *Rhaponticum folio Lapathi majoris glabro, Rha & Rheum Dioscoridis* B: P. *Rhaponticum* Prosp: Alp: *de plantis exoticis* Rha verum Antiquorum Ger: *Hippolapathum maximum rotundifolium exoticum* five Rha-

Rhaponticum Thracicum, sed verius  
Rhabarbarum verum *Park. English*  
*Rhuebarb. Offic.*

Lapathum hortense rotundifolium si-  
vemontanum *B. P.* folio rotundo Alpi-  
num *I. B. Hist: Oxon.* Hippolapathum  
rotundifolium *Ger: Park. Bastard-Rhue-*  
*barb. or Monks-Rhuebarb. Offic:*

Lapathum hortense folio oblongo si-  
ve secundum Dioscoridis *B: P: Hist:*  
*Oxon:* sativum seu Patientia *Park:* Hip-  
polapathum sativum *Ger: Patience, or*  
*great Garden-Dock. Offic:*

S. Lapathum folio acuto plano *B. P.*  
acutum *Ger: Hist: Oxon:* acutum sive  
Oxylapathum *I. B.* acutum majus *Park:*  
*Sharp-pointed Dock. Offic:*

S. Lapathum folio acuto crispo *B. P.*  
*Hist: Oxon:* acutum crispum *I: B:* acu-  
tum minus *Park:* Lapathi acuti varie-  
tas folio crispo *Ger: Sharp-pointed-Dock*  
*with curled leaves.*

Lapathum folio acuto rubente *B. P. Hist:*  
*Oxon:* sanguineum, sive Sanguis Draconis  
herba *I. B.* sativum sanguineum *Ger. Park:*  
*Blood-wort.* La

- ✓ S. *Lapathum minimum* *B. P. Hist: Oxon:* acutum *minimum I: B: Park. The Smallest sharp-pointed-Dock.*
- S. *Lapathum folio acuto flore aureo* *B: P: aquaticum ramosum folio angusto acuto flore aureo Hist: Oxon.* *Lapathum anthoxanthum I: B: Golden-flowered-Dock.*
- ✓ S. *Lapathum aquaticum folio cubitali* *B: P: Hist: Oxon.* maximum aquaticum, five *Hydrolapathum I: B: Hydrolapathum majus Park: magnum Ger: Great Water-Dock.*
- ✓ S. *Lapathum vulgare folio obtuso I: B: folio subrotundo B. P. sylvestre vulgatus Park: sylvestre folio minus acuto Ger: Round-leaved Wild-Dock.*
- S. *Lapathum pulchrum Bononiense sinuatum I. B. Lapathum ramis procumbentibus seminis involucro dentato foliis inferioribus fidium instar Hist: Oxon: Fiddle-Dock.*
- Lapathum hortenfe five Spinachia* femine spinoso *B. P. Hist: Oxon: Spinachia*



nachia Ger: *Park*: Spinachia mas & foemina *I. B.* *Common Spinage.* *Offic.*

*Ann.*

Lapathum hortense five Spinachia femine non spinoso *I. B.* *Hist: Oxon.* Spinachia rotunda Ger: *Park*: Spinachia femine non pungente folio majore rotundiore *I. B.* *Spinage with smooth-seeds.* *Ann.*

S. Lapathum unctuosum *B: P:* *Park*: Bonus Henricus *I. B.* Ger: Blitum perenne Spinachiae facie *Hist: Oxon: Common English-Mercury.* *Offic.*

S. L A P P A major, Arcium Dioscoridis *B: P:* Bardana major Ger: vulgaris major *Park*: Personata, five Lappa major, aut Bardana *I. B.* *The great Bur-Dock* *Offic. Ann.*

S. Lappa major montana capitulis tomentosis five Arctium *B: P:* Bardana major lanuginosis capitulis *Park*: Personata altera cum capitulis villosis *I. B.* *Woely-headed Bur-Dock.* *Ann.*

Lappa minor Xanthium Dioscoridis *B. P.* Bardana minor Ger: Xanthium,  
fi-

five **Lappa minor** I: B: *Park: The lesser Bur-dock. Offic. Ann.*

**L A R I X** B P *Ger: Park: folio deciduo conifera* I. B. *The Larch-Tree. Offic.*

**L A S E R P I T I U M** foliis angustioribus dilute virentibus D. *Morison Sect: de plant: umbellif* Gallicum B. P. *Park: e regione Massiliæ alatum* I. B. *Laserpitium Ger: French Laserwort. Offic.*

*Laserpitium Libanotidi simile semine crispo* D: *Morison sect. de plant: umbellif: Libanotidi Theophrasti quorundam valde similis, Costus amara dicta semine crispo* I. B. *Broader-leaved Laser-wort with curled rough-seed-films.*

**L A T H Y R I S** major B: P: *Lathyris, five Cataputia minor* Ger: *major vulgaris, five Cataputia minor* Park: *Garden-Spurge. Offic. Ann.*

**L A T H Y R U S** latifolius B. P *Hist: Oxon: major latifolius* Ger *major perennis* Park: *major latifolius flore*  
ma-

S. majore purpureo speciosior *I. B. Everlasting Pease.*

*Lathyrus sylvestris luteus foliis Viciæ*  
*B: P: luteus sylvestris dumetorum I. B.*  
*sylvestris & dumetorum flore luteo Hist:*  
*Oxon: sylvestris flore luteo Ger: Park:*  
*Tare-Everlasting.*

*Lathyrus sylvestris filiquis Pisi mino-*  
*ris Hist: Oxon: Annual Chickling with*  
*cods like small Pease. Ann:*

*Lathyrus arvensis, annuus, luteus fi-*  
*liquis hirsutis Hist: Oxon: filiquâ hirsu-*  
*tâ I. B. angustifolius filiquâ hirsutâ*  
*B: P: Rough-codded Annual-Chickling.*  
*Ann.*

*Lathyrus Bæticus flore luteo Park:*  
*Hist: Oxon. Spanish yellow-flowered*  
*Chickling. Ann.*

*Lathyrus luteus, annuus, foliis Con-*  
*volvuli minoris Hist. Oxon. Vicia lutea*  
*foliis Convolvuli minoris B: P: Vicia*  
*quæ Pitine Anguillaræ latâ filiquâ, flo-*  
*re luteo I: B: Aphaca Ger: Park: Yellow*  
*Vetchling. Ann.*

*Lathyrus Tingitanus filiquis Orobi,*  
 flo-

flore amplo ruberrimo *Hist: Oxon: Great red-flowered Chichling of Tangiers with bunched cods. Ann.*

*Lathyrus viciaoides* floris vexillo phœniceo, foliis labialibus subalbescen-  
tibus siliquis *Orobi Hist: Oxon: Bæticus elegans* siliquis *Orbi Park: Spanish party-coloured Chichling. Ann.*

*Lathyrus angustifolius leptomacrolobus* semine rotundo flore rubello. *Hist. Oxon: Narrow-leaved annual Chichling with red-flowers and long small cods with round seed. Ann.*

*Lathyrus angustifolius leptomacrolobus* semine anguloso flore cæruleo *Hist: Oxon. Blew-flowered narrow-leaved annual Chichling, with long small cods and cornered seed. Ann:*

*Lathyrus sylvestris minor B. P. Hist: Oxon: Catanance leguminosa quorundam I: B: Ervum sylvestre Ger: sylvestre, five Catanance Park: Crimson Grasses-Vetch. Ann.*

*L A V E N D U L A latifolia B. P. major five vulgaris Park: flore cæruleo*

leo *Ger*: Pseudonardus quæ vulgo *Spica I. B. Broad-leaved Lavender. Offic.*

*Lavendula angustifolia B. P. minor* five *Spica Ger: Park: Pseudonardus quæ Lavendula vulgo I. B. Small Lavender Spike.*

**L A U R E O L A** *Ger: Park: semper virens flore viridi, quibusdam Laureola mas. B. P. semper virens flore luteolo I. B. Spurge-Laurel. Offic.*

*Laureola folio deciduo flore purpureo B. P. folio deciduo five Mezereon Germanicum I. B. Chamælæa Germanica five Mezereon Ger, Germanica five Mezereon vulgo Park. The common Mezeron-Tree. Offic.*

*Laureola folio deciduo flore saturatiore. The Mezeron with deeper-coloured flowers.*

*Laureola folio deciduo flore albo. The white-flowered Mezereon.*

*Laureola folio deciduo variegato. The Mezereon with stript-leaves.*

**L A U -**



**L A U R U S** *I: B:* *Ger:* vulgaris *B.*  
*P. major* five *latifolia Park: The common*  
*Sweet-Bay. Offic.*

**Laurustinus** *Ger:* sylvestris Corni fœ-  
 minæ foliis subhirsutis *B. P. tinus altera*  
*I. B. Laurustinus cæruleâ baccâ Lob.*  
*The wild-Bay.*

**Laurus Alexandrina** *L. B. Alexandri-*  
*na genuina Park: Alexandrina fructu*  
*folio infidente B. P: Hippoglossum Mat-*  
*thioli Ger: Laurel of Alexandria.*  
*Offic.*

**Laurus Alexandrina fructu pediculo**  
*infidente B. P. Bonifacia* five *Bislin-*  
*gua I: B: Hippoglossum mas Ger:*  
*Hippoglossum five Bislingua Park:*  
*Horse-tongue, or Tongue upon Tongue.*  
*Offic.*

**L E N S** *I: B: minor Ger: Park, vul-*  
*garis minor Hist. Oxon. vulgaris B. P.*  
*Common Lentiles. Offic. Ann.*

*S.* **Lens palustris** *I: B: Ger: palustris,*  
*five aquatica vulgaris Park: Lenticula*  
*palustris vulgaris B. B. Common Ducks-*  
*meat.*

**Len.**

S. *Lenticula aquatica trifulca* B. P. I. B.  
*Hederula aquatica* Ger. *Ranunculus aqua-*  
*ticus hederaceus* Park: *Ivy-leaved Ducks-*  
*meat.*

**L E P I D I U M** *latifolium* B. P.  
*latifolium ferratum* Hist: Oxon. *Lepi-*  
*dum Pauli* I. B. *Piperitis* sive *Lepidi-*  
*um vulgare* Park: *Raphanus sylvestris*  
*officinarum*, *Lepidium Aeginetæ* Lobe-  
*lio* Ger. *Dittander*, or *Pepper-wort*. Offic:

*Lepidium glastifolium* B. P. *glasti-*  
*folium perenne* Hist. Oxon. non repens  
 I. B. *annuum* Ger. Park: *Dittander*, or  
*Pepper-wort*, with *Woad-leaves*, falsly cal-  
 led *annual*.

*Lepidium Dentillaria dictum* B. P.  
*Lepidium Monspeliacum* *Dentillaria di-*  
*ctum* Park: *Dentillaria Rondeletij* I. B.  
*Plumbago Plinij* Ger. *Lead-wort*, or *French*  
*Dittander*.

**L E U C O T U M** *bulbosum* vul-  
 gare B. P. *bulbosum præcox* ma-  
 jus, sex petalis æqualibus & albis Hist.  
 Oxon. *bulbosum hexaphyllum* unico  
 flore, rarius bino I. B. *bulbosum serotinum*  
 Ger.

*Ger: majus bulbosum ferotinum Park:*  
*The greater late-flowering Bulbous-Violet.*

*Leucoium bulbosum trifolium minus B. P. bulbosum minus præcox tribus petalis albis minoribus cingentibus terna minora herbacei coloris Hist: Oxon: bulbosum minus triphyllon l. B. bulbosum præcox minus Ger: Park: Small early-flowering bulbous-Violet.*

*Leucoium incanum majus B: P: Hist: Oxon. purpureum, roseum & album hyemale diu durans l: B: simplex sativum diversorum colorum Park: parad: album, five purpureum, five violaceum Ger: Garden Stock-Gilloflowers, single of divers colours. Ann.*

*Leucoium incanum majus variegatum simplici flore B. P. Hist: Oxon: Stript single Stock-Gilloflower. Ann.*

*Leucoium incanum majus multiplex B: P: flore pleno diversorum colorum Park: parad. flore multiplici Ger: Double Stock-Gilloflowers. Ann.*

Leu-

*Leucoium album odoratissimum* folio viridi *B. P.* flore albo odoratissimo folio lucide virente *Hist: Oxon: Sweet-smelling white Stock-Gilloflower with green shining leaves:*

*S. Leucoium luteum vulgare B: P: Hist: Oxon: luteum, vulgo Cheiri* flore simplici *I. B. Keiri, five Leucoium vulgare luteum Park: Viola lutea Ger: Small Wall-flower. Offic.*

*Leucoium luteum pleno flore minus B: P: flore luteo minus hortense multiplex Hist: Oxon: luteum vulgare flore pleno Park: parad: Viola lutea multiplex Ger: Double Wal-flower.*

*Leucoium maritimum sinuato folio B. P. Hist: Oxon. maritimum magnum latifolium I. B. maritimum purpureum Lobelij Ger: marinum latifolium Park: Broad-leaved Sea-Stock-Gilloflower. Ann.*

*Leucoium maritimum angustifolium B: P: Hist: Oxon. I: B: marinum minus Park: marinum minus Lobelij, & Clusij Ger: Narrow-leaved Sea-Stock-Gilloflower, Ann.*

**Leucoium incanum** filiquis rotundis  
*B: P. incanum* filiquis tumidis subrotundis *Hist: Oxon:* marinum Patavinum *Lob.*  
 marinum luteum majus *Ger:* cum filiquis  
 rotundis flore luteo *I. B.* **Thlaspi inca-**  
 num marinum Hispanicum, *Eruca pe-*  
*regrina Clusij Park: The yellow Sea-*  
*Stock-Gilloflower.*

**LIBANOTIS** latifolia altera, five  
 vulgatio *B: P. Libanotis* Theophrasti  
 minor *Park: Ger: Libanotis* Theophra-  
 sti quorundam, five *Seseli Æthiopi-*  
*cum, Matthiolo Cervaria alba I: B:*  
*Seseli Æthiopicum herba Dod. Laser-*  
*pitium foliis latioribus lobatis D. Mor-*  
*ison sect. de plant. umbellif. Herbe-Frank-*  
*insence with broad leaves.*

**Libanotis latifolia minor** *Montis au-*  
*rei The lesser French broad-leaved Herbe-*  
*Frankinsence.*

**Libanotis latifolia** *Aquilegiæ folio B.*  
*prodr. Park: Ligustrum Rawolfij foliis*  
*Aquilegiæ I: B: Siler Aquilegiæ foliis D.*  
*Morison sect. de plant. umbellif. Colum-*  
*bin-leaved Herbe-Frankinsence.*



S. **LICHEN** five Hepatica vulgaris  
*Park:* Lichen, five Hepatica fontana  
*I: B:* Hepatica terrestris *Ger:* Lichen  
 petræus latifolius five Hepatica fontana  
*B: P:* *Common Ground-Liver-wort.*  
*Offic.*

S. Lichen petræus cauliculo calceato  
*B. P.* alter minor folio calceato *Park:*  
*Small Liver-wort, with crumpled*  
*leaves.*

S. Lichen petræus stellatus *B. P.* Lichen  
 five Hepatica minor stellaris *Park:* He-  
 patica stellata *Ger:* *Starry-headed Liver-*  
*wort.*

S. Lichen petræus umbellatus *B: P:* Li-  
 chen five Hepatica minor umbellata  
*Park:* Hepatica umbellata *Ger:* *Round-*  
*headed Liver-wort.*

S. Lichen cinereus terrestris *I. Raij* *Ash-*  
*coloured Ground-Liver-wort.*

**LIGUSTRICUM** vulgare, an  
 Libanotis fertilis Theophrasti ? *B: P:*  
 Levisticum vulgare *Ger. Park:* Ligu-  
 sticum vulgare foliis *Apij I: B: Common*  
*Lovage. Offic.*

**Ligusticum** quod **Seseli** **Officinarum**  
**B. P.** **Siler** montanum officinarum **Ger.**  
**Seseli** sive **Siler** montanum vulgare **I. B.**  
**Siler** montanum, vulgo **Sesellos** **Park.**  
*Mountain Siler.*

**LIGUSTRUM** **I. B.** **Ger.** : vul-  
gare **Park.** **Germanicum** **B. P.** **Common**  
**Privet.** **Offic.**

**LILIUM** album flore erecto &  
vulgare **B. P.** album vulgare & odo-  
ratum flore erecto **Hist.** **Oxon.** album  
vulgare **I. B.** **Ger.** **Park.** **Common white**  
**Lilly.** **Offic.**

**Lilium** Canadense imperfectis floribus  
& irregularibus multis albis **Hist.** **Ox-**  
**on.** *The double white Lilly without*  
*smell.*

**Lilium** purpurocroceum majus **B. P.**  
**Hist.** **Oxon.** rubens vel croceum majus  
**I. B.** : aureum **Ger.** : **Park.** : **Gold-red**  
**Lilly.**

**Lilium** bulbiferum latifolium majus  
**B. P.** **Hist.** : **Oxon.** majus bulbiferum **I.**  
**B.** **Park.** : *parad.* cruentum, secundum

caulembulbulis donatum *Ger: The greatest bulbed red-Lilly.*

*Lilium bulbiferum minus B: P: Hist: Oxon: Park: parad. The dwarfe bulbed-Lilly.*

*Lilium floribus reflexis montanum B: P: montanum minus Ger: flore nutante ferrugineo majus I: B: Lilium montanum sive silvestre minus Park: parad. The lesser mountain-Lilly.*

*Lilium Martagon montanum majus foliis reflexis Hist. Oxon: Martagon montanum majus Ger: Imperiale Eyst. Imperiale sive Lilium montanum majus Park: parad: Lilium flore nutante maximum I: B: The Martagon Imperial.*

*Lilium floribus reflexis albis non punctatis B. P. montanum flore albo Ger. flore nutante albo I. B. Martagon flore albo Park: parad: The white Martagon without spots.*

*Lilium floribus reflexis albis punctatis B: P: Martagon flore albo maculato*

**Park :** *parad :* *The white spotted Martagon.*

*Lilium floribus reflexis purpureo sanguinem B: P: angustifolium purpureo sanguineum flore reflexo Hist. Oxon: flore miniato nutante sive Hemerocallis Chalcedonica aliquibus I: B: rubrum Bizantinum sive Martagon Constantinopolitanum Park: parad: Lilium Bizantinum Ger: The red Martagon of Constantinople.*

*Lilium Bizantinum flore dilute rubente Ger: The light red Bizantine Lilly.*

*Lilium miniatum odorum angustifolium B: P: Lilium, Martagon Pomponij Clas Hist. Oxon: Martagon Pomponicum, sive Lilium rubrum præcox, vel Lilium Macedonicum Park: parad: Lilium præcox nutante flore rubro tenuifolium I. B. The early-red Martagon, or Martagon Pompony.*

*Lilium flavum angustifolium B. P. Lilium Martagon flavum angustifolium Hist: Oxon: Lilium flore flavo pun-*

punctato Ger : Martagon flore luteo  
præcox I: B: Martagon luteum puncta-  
tum Park. parad. *The yellow spotted Mar-  
tagon.*

Lilium five Corona Imperialis B: P:  
Hist: Oxon: Corona Imperialis Ger. Park:  
parad: Corona Imperialis, five Tu-  
sai aliis I. B. *The common Imperial  
Crown.*

Lilium five Corona Imperialis flore  
multiplici Joh. Rea Flor. *The double  
Crown Imperial.*

Lilium, five Corona Imperialis flo-  
re luteo Joh. Rea Flor. *The yellow  
Crown Imperial.*

Lilium five Corona Imperialis flore  
luteo striato Stript-yellow Crown Im-  
perial.

Lilium Persicum B: P. Hist: Oxon.  
Ger: Park: parad. Persicum five Susia-  
num I. B. *The Persian Lilly.*

Lilium luteum Asphodeli radice B.  
P. Hist : Oxon : luteum non bulbo-  
O 4 sum



sum Ger: Liliū Asphodeli radice luteum, five Lilioasphodelus quorundam flore luteo I. B. Lilioasphodelus luteus Park: *parad: The yellow day-Lilly.*

Liliū rubrum Asphodeli radice B. P. Hist: Oxon: radice Asphodeli phoeniceum five Lirioasphodelus quorundam I. B. non bulbosum phoeniceum Ger: Lilioasphodelus phoeniceus Park: *parad: The Gold-red Day-Lilly.*

S. Liliū convallium album B: P: convallium flore albo Park: convallium Ger: convallium vulgo I: B: *The white flowered Lilly of the Valey. Offic.*

Liliū convallium flore rubente B. P. I: B: Ger: Park. *Red-flowered Lilly of the Valley.*

L I M O N I U M Ger: majus vulgare Park: maritimum majus B: P: majus multis, aliis Behen rubrum I: B: *Sea-Lavender. Offic.*

*Limonium minus maritimum* Oleæ folio *B: P:* parvum *Narbonense* Oleæ-folium *Lob.* minus *I: B:* parvum *Ger:* *Narbonense* parvum *Park:* *Small Sea-Lavender.*

**S.** *L I N A R I A* vulgaris lutea flore majore *B. P. Hist: Oxon.* vulgaris nostras *Park:* lutea vulgaris *I: B: Ger:* *Common Toad-flax. Offic:*

*Linaria purpurea* major odorata *B. P. Hist: Oxon.* purpurea magna *I. B.* altera purpurea *Dod.* *Great purple sweet-smelling Toad-flax.*

*Linaria cærulea repens* *I: B: Park:* cærulea procumbens *Hist: Oxon:* purpurocærulea repens *Ger:* purpurea parva *I: B: Small blew-flowered Toad-flax.*

*Linaria annua angustifolia* flore majore luteo *Hist: Oxon:* *Narrow-leaved Annual Toad-flax with large yellow flowers Ann:*

*L I N G U A C E R V I N A* officinarum *B: P:* *Phyllitis* *Ger,* *Phyllitis* five *Lingua cervina* vulgi *I. B. Phyllitis*

litis, five Lingua cervina vulgaris *Park:*  
*Common Harts-tongue. Offic.*

Lingua cervina multifido folio *B: P:*  
Phyllitis multifida *Ger: polyschides I. B.*  
laciniata *Park: Jagged, or Fingered-*  
*Harts-tongue.*

S. LINUM I: *B: sativum B. P. Hist:*  
*Oxon: Ger: Park: Manured-Flax. Offic.*  
*Ann:*

Linum sylvestre angustifolium flore  
magno *B: P: Hist: Oxon: sylvestre*  
angustifolium cæruleo flore major *Park:*  
sylvestre floribus cæruleis *Ger: Perennial*  
*wild-Flax.*

S. Linum pratense flosculis exiguis *B. P.*  
*Hist: Oxon: sylvestre catharticum Ger:*  
Chamælinum Clusij flore albo, five Li-  
num sylvestre catharticum *Park: Alsine*  
verna glabra flosculis albis vel potius Li-  
num minimum *I. B. Dwarfed wilde-Flax*  
*or Mill-mountain. Ann.*

Linum umbilicatum *Park: Strange*  
*wild white-flowered Flax Ann.*

LITHOSPERMUM arundi-  
naceum, forte Dioscoridis & Plinij  
*B.*

B: P: Lachrimæ Job. Ger: Park: Lachrima Jobi multis, five Milium arundinaceum I. B. *Jobs Tears. Ann:*

Lithospermum majus erectum B. P. vulgare minus Park: minus Ger: Lithospermum, five Milium Solis I: B: *Common Grommil. Offic.*

S. Lithospermum minus repens latifolium B. P. flore purpureo, femine Anchusæ I. B. majus Ger: vulgare majus Park: *The smaller creeping Grommil.*

S. LOLIUM album Ger: Park: gramineum spicatum caput tentans I. B. Gramen loliaceum spicâ longiore B: P: *Darnel. Offic. Ann.*

Lolium rubrum Ger: rubrum five Phoenix Park: Phoenix Lolio similis I: B: Gramen loliaceum angustiore folio & spicâ B. P. *Red Darnel-grass. Ann.*

S. LONCHITIS aspera B. P. aspera major Ger: aspera major Matthioli Park: altera cum folio denticulato, five Lonchitis Matthioli I. B. *Great bastard Spennwort.*

**Lonchitis aspera** *Ger*: aspera minor  
*Park*: minor *B. P.*: altera folio Polypodij  
*I. B.*: *Rough Spleen-wort, or common  
 bastard Spleen-wort.*

**L o r u s** fructu Cerasi *B. P.*: **Lotus** arbor *Ger*: *Park*. **Lotus** arbor fructu  
 Cerasi *I. B.*: *The Nettle-tree.*

**Lotus hortensis** odora *B. P.* sativa,  
 odorata, annua, flore cæruleo *I. B.* **Tri-**  
**folium** odoratum *Ger*: *Park*: **Melilotus**  
 major odorata *Violacea Hist: Oxon: Sweet  
 Tre-foil. Offic. Ann.*

**Lotus corniculata** filiquis singularibus  
 vel binisternisve *I. B.* annua ὀλιγοκέρατος  
 filiquis singularibus, binis ternisve *Hist:*  
*Oxon. Small hairy long codded Tre-foil.  
 Ann.*

**Lotus pratensis** filiquosus luteus *B. P.*  
 pratensis **Monspeliensium** *Park*. filiquo-  
 sa lutea **Monspeliensis** *I. B.* **lotus**  
 ὀλιγοκέρατος τετραγωνολοβος perennis **Monspe-**  
**liensis** flore luteo *Hist: Oxon: Yellow-*  
*flowered squar-codded Tre-foil of Mompe-*  
*lier.*

**Lotus maritima** filiquosa folio pingui  
 gla-



glabro *D. Magnol. Squar-codded Sea-Trefoil with thick smooth leaves.*

*Lotus ruber* filiquâ angulosâ *B. P.* *lotus* ὀλιγοκέρατος τετραγωνόλοβος annua *Cretica* flore saturo rubro, seu holoserico coccineo *Hist. Oxon:* *Lotus* filiquâ quadratâ *Ger:* quadripinnatis filiquis *Park:* flore fusco tetragonolobos *I. B. Square-codded Pease. Ann:*

*S.* *Lotus pentaphyllos* flore majore luteo splendente *B: P:* *Loti corniculati* major species *I. B.* *Trifolij filiquosi* varietas major *Ger: Great Bird-foot-Trefoil.*

*S.* *Lotus* five *Melilotus pentaphyllos* minor glabra *B. P.* *lotus* πολυκέρατος lutea minor, foliis & filiquis glabris brevioribus & crassioribus, *Hist: Oxon:* *Lotus corniculata* glabra minor *I. B.* *Trifolium filiquosum minus* *Ger: Birds-foot-Tre-foil, or small codded-Tre-foil.*

*Lotus pentaphyllus* minor glabra foliis longioribus & angustioribus *Small codded Tre-foil with long narrow leaves.*

*Lo-*

**Lotus pentaphyllus** filiquosus villosus *B. P.* **Lotus πολυκέρατος** frutescens hirsuta alba major latifolia, filiquis tenuibus curtis erectis *Hist: Oxon: Hoary shrub-like Claver, with small short upright cods.*

**Lotus πολυκέρατος** frutescens incana alba filiquis curtis crassioribus & brevioribus *Hist: Oxon.* **Oxytriphylum** alterum **Scribonij Lari** *Ad: Lob:* **Lotus hæmorrhoidalis** major, & **Trifolium hæmorrhoidale** majus *Park:* **Trifolium album** rectum, hirsutum valde *I. B.* *The greater Pile-Trefoil.*

**Lotus filiquosus** glaber flore rotundo *B. P.* **Lybica Dalechampi** *Hist. Lugd.* **Trifolium hæmorrhoidale** alterum minus, sive **Lotus Lybica Dalechampi** *Park.* **Trifolium rectum** **Monspessulanum** *I. B:* *The lesser Pile-Trefoil.*

**Lotus filiquis** **Ornithopodij** *B. P:* *I. B.* **Lotus πολυκέρατος** annua procumbens latifolia filiquis **Ornithopodij** *Hist: Oxon.* *Claver with Bird-foot cods.*  
*Ann.*

**Lotus pentaphyllos vesicaria** *B. P.*  
**Anthyllis leguminosa vesicaria** *Hispanica Park: Hist: Oxon:* **Trifolium ha-**  
**licacabum** five **vesicarium** *I. B. Bladder*  
*Trefoil. Ann.*

**S. Loto affinis vulneraria pratensis** *B. P.*  
*Hist: Oxon:* **Vulneraria rustica** *Gesneri*  
*I. B.* **Anthyllis leguminosa** *Ger:* **legu-**  
**minosa vulgaris** *Park: Kidney Vetch.*

**LUPINUS** **fativus** flore albo *B:*  
*P:* **vulgaris** seu **fativus albus** *Hist: Oxon:*  
**vulgaris** flore & semine albo **fativus** *I. B.*  
*White Lupins. Hist: Ann.*

**Lupinus peregrinus** major, vel villo-  
**sus cæruleus** major *B. P. Hist: Oxon:*  
**cæruleus maximus** *Park:* major flore cæ-  
**ruleo** *Ger:* **Indicus** *Cornut:* **exoticus hir-**  
**sutissimus** *I. B. Great Blew-Lupins,*  
*Ann.*

**Lupinus sylvestris** flore cæruleo *I. B.*  
**sylvestris angustifolius** flore cæruleo  
*Hist. Oxon:* flore cæruleo *Ger.* **sylvestris**  
**purpureo** flore, semine rotundo vario  
*I: B: Small blew Lupins. Ann.*

**Lupinus sylvestris** flore aureo **B: P:**  
 flavo flore *Clus. Hist: Oxon:* flore lu-  
 teo *Ger: Park:* sylvestris luteo flore se-  
 mine compresso vario **I: B:** *Yellow Lup-*  
*pins. Ann.*

**LUPULUS** mas & foemina **B: P:**  
**I. B.** sativus & sylvestris *Park:* sali-  
 carius *Ger:* **Convolvulus** perennis he-  
 teroclitus, floribus herbaceis capulis fo-  
 liaceis **Strobili** instar *Hist: Oxon. Hops*  
*male and female. Offic.*

✓ **S. LUNARIA** minor *Ger: Park:*  
 botrytis **I: B** racemosa minor vel vul-  
 garis **B. P.** *Small Moon-wort.*

**S. LUTEOLA** *Ger: vulgaris Park:*  
 Luteola herba Salicis folio **B. P.** Lutea  
 Plinij quibusdam **I: B.** *Weld, or Dyers-*  
*weed. Ann.*

**LYCHNIS** hirsuta flore coccineo  
 major **B. P.** **Chalcedonica** flore mini-  
 ato simplici *Ger: Park: parad:* Flos  
**Constantinopolitanus** miniatus **I: B:**  
*Single scarlet Flower of Constanti-*  
*nople.*

**Lychnis Chalcedonica** flore carneo  
*Ger:*

*Ger. Park. parad: Flesh-coloured Flower of Constantinople.*

*Lychnis Chalcedonica flore albo Ger: Park: parad. White-coloured Flower of Constantinople.*

*Lychnis Chalcedonica flore miniato pleno Park: parad : Ger: Double scarlet Flower of Constantinople.*

*Lychnis coronaria Dioscoridis fativa B. P. coronaria five cotonaria fativa Hist: Oxon. coronaria vulgaris Park: coronaria vulgo I. B. coronaria rubra Ger: Red Rose-Campion.*

*Lychnis coronaria alba Ger: coronaria alba simplex Park: parad. The single white Rose-Campion,*

*Lychnis coronaria albescens maculata Park: parad. Spotted whitish Rose-campion.*

S. *Lychnis sylvestris alba simplex I. B: sylvestris hirsuta perennis alba simplex Hist. Oxon: sylvestris flore albo Ger: Park: Ocymoides album multis I: B: The white Champion.*

P

Lychn.



✓ *Lychnis sylvestris* five *aquatica* *purpurea simplex* B. P. *sylvestris minus hirsuta flore rubello simplici* *Hist. Oxon.* *sylvestris rubello flore* Ger. *sylvestris flore rubro* Park. *Ocymoides purpureum multis* I. B. *Single red wild-Campion.*

*Lychnis purpurea multiplex* B. P. Ger. *sylvestris flore rubro pleno* Park. *parad. Red Batchelours-Buttons, or double red wild-Campion.*

S. *Lychnis sylvestris hirsuta annua flore minore carneo* *Hist. Oxon.* *Annual wild Champion with small flesh-coloured leaves.*

✓ S. *Lychnis segetum major* B. P. *Lychnis hirsuta segetum major* *Hist. Oxon.* *Lychnoides segetum* five *Nigellastrum* Park. *Pseudomelanthium* I. B. Ger. *Cockle. Ann.*

*Lychnis sylvestris latifolia calyculis turgidis striatis* B. P. *Hist. Oxon.* *sylvestris calyculis striatis* Park. *calyculis striatis, secunda Clusij* Ger. *Muscipula*

cupula majore calyce turgido ventricoso  
*I. B. Wild Champion with striated husks.*

*Ann:*

- S. *Lychnis sylvestris* quæ *Behen album*  
 vulgo *B. P. sylvestris perennis* quæ *Behen album* vulgo *Hist: Oxon.* *Behen album* *Ger:* *Behen album officinarum*  
*I: B: Papaver spumeum* five *Behen album* vulgo *Park: Spatling-Poppy.*

*Lychnis sylvestris* quæ *Behen album*  
*foliis hirsutis. Spatling Poppy with rough leaves.*

*Lychnis frutescens myrtifolia* *Behen albo* similis *B. P. sylvestris glabra frutex myrtifolia* *Behen albo* similis *Hist: Oxon.* *Ocymoides fruticosum Cam: Shrubby Myrtle-leaved Champion like Spatling-Poppy:*

*Lychnis segetum rubra* foliis *Perfoliatæ B: P: segetum Vaccaria dicta Hist: Oxon: segetum Vaccaria rubra dicta Park.* *Vaccaria I: B: Ger: Cow-Basil. Ann.*

*Lychnis noctiflora B: P: Park.* frutescens *noctiflora Hist: Oxon: Ocymoi-*

des non speciosum *I. B. Park: Night-flowering Champion.*

- S. *Lychnis maritima repens* *B: P:* perennis angustifolia marina annua procumbens *Hist: Oxon:* marina repens alba *Park: marina Anglica Ger: marina Anglica I: B English Sea-Champion.*

*Lychnis montana viscosa alba latifolia B. P. sylvestris* seu montana latifolia viscosa, florum petalis supra albis subtus virescentibus, interdum se contrahentibus *Hist: Oxon: sylvestris nona Clusij Ger: Polemonium petræum Gesneri I. B. Lychnis sylvestris minor alba Park: The smaller white wild-Champion.*

*Lychnis viscosa purpurea latifolia lævis B: P:* segetalis major glabra viscosa latifolia sylvestris *Hist. Oxon: Muscipula Lobelij Ger: Muscipula Lobelij sive Ben rubrum Monspeliensium Park: parad. Centaurium minus adulterinum, quibusdam Lychnidis viscidæ genus I. B: Lobels Catchflie with red flowers Ann:*

Lychn-

*Lychnis viscosa alba latifolia lævis.*  
*Muscipula flore albo Hort. Eyst. Lobells Catchflie with white flowers. Ann.*

- S. *Lychnis sylvestris viscosa rubra angustifolia B. P. Park: sylvestris angustifolia viscosa præcox rubra foliis caryophylleis Hist: Oxon. Odontidi sive Flori cuculi affinis, Lychnis sylvestris prima Clusij in Pannonicis, quarta in Hist: post. I. B. Red German-Catchflie.*

- S. *Lychnis sylvestris viscosa angustifolia alba. German-Catchflie with white flowers.*

*Lychnis sylvestris lanuginosa minor B. P. Park: minor hirsuta seu lanuginosa minor Hist: Oxon: sylvestris hirta minima Lob. Ger: Small hairy-Campion. Ann.*

*Lychnis sylvestris lanuginosa minor flore variegato. Small hairy-Campion with party-coloured flowers. Ann.*

*Lychnis segetum meridionalium annua hirta floribus albis uno versu dispositis*  
*Hist: Oxon: Annual hairy-Campion with white flowers on one side of the stalk. Ann.*

*Lychnis minima rigida Cherleri I. B.*  
*Cherlerus, his small stiff-Campion..*

S. *LYSIMACHIA lutea major*  
*quæ Dioscoridis B. P. lutea I: B:*  
*Ger, lutea major vulgaris Park: Blat-*  
*tariæ affinis planta major flore lu-*  
*teo Hist: Oxon: Common yellow Loose-*  
*strife.*

*Lyfimachia lutea corniculata B: P:*  
*app. lutea corniculata non papposa*  
*Virginiana major Hist: Oxon: lutea*  
*Virginiana Ger. lutea filiquosa Vir-*  
*giniana Park parad. The Tree-Prime-*  
*rose. Ann.*

*Lyfimachia lutea corniculata non*  
*papposa Virginiana minor Hist: Oxon.*  
*The lesser Tree-Primrose.*

✓ S. *Lyfimachia filiquosa hirsuta mag-*  
*no flore B: P: Lyfimachia nostras*  
*papposa filiquosa hirsuta magno flo-*  
*re*



re *Hist: Oxon*: filiquosa hirsuta major  
flore purpureo I: B: filiquosa *Ger*:  
*Great hairy-codded Willow-herbe.*

S. *Lyfimachia filiquosa hirsuta parvo*  
flore B. P. *Lyfimachia nostras pappo-*  
*sa filiquosa hirsuta parvo flore Hist.*  
*Oxon*: filiquosa hirsuta flore minore I.  
B. 12: sive silvatica *Ger*: *The lesser hairy*  
*codded Loose-strife.*

S. *Lyfimachia filiquosa glabra major B:*  
P: *Lyfimachia nostras papposa filiquo-*  
*sa glabra major Hist. Oxon.* filiquo-  
sa major *Park*: lævis I: B: campestris  
*Ger*: *The greater smooth-leaved codded*  
*Loose-strife.*

S. *Lyfimachia filiquosa glabra minor*  
B: P: *Lyfimachia nostras filiquosa pap-*  
*posa glabra minor Hist: Oxon*: fili-  
quosa glabra media sive minor *Ger*:  
*Filius ante patrem minor Gesn. col. The*  
*lesser, or middle smooth-leaved codded*  
*Willow-herbe.*

*Lyfimachia filiquosa glabra minor*  
la-

*latifolia* *Joh. Raij.* *The lesser smooth broad leaved codded-Willow-herb.*

✓ S. *Lyfimachia filiquosa glabra minor angustifolia* *Ger:* *Lyfimachia filiquosa glabra angustifolia* *B:P:* *The least smooth codded Willow-herbe.*

✓ S. *Lyfimachia Chamænerion dicta latifolia* *B: P:* *Lyfimachia nostras filiquosa papposa dicta Chamænerium latifolium* *Hist: Oxon:* *Lyfimachia speciosa quibusdam Onagra dicta filiquosa* *I. B.* *Chamænerion* *Ger:* *Chamænerion flore Delphinij* *Park: parad. Rose-Bay Willow-herbe.*

✓ S. *Lyfimachia spicata purpurea forte Plinij* *B. P.* *purpurea spicata* *Ger: Park:* *purpurea quibusdam, spicata* *I. B.* *Blattaria rubra spicata major glabra communis folio acuto* *Hist: Oxon: Purple spiked Loose-strife. Offic.*

S. *Lyfimachia purpurea spicata trifolia caule hexagono* *Spigel: isagog: Three leav-*

*leaved purple spiked Loose-strife with six square-stalks.*

*Lyfimachia spicata cærulea B. P. cærulea Ger: cærulea spicata Park: Veronica spicata recta, profunde ferrata, quam Lyfimachiam cæruleam quidam vocant I: B: Veronica spicata major recta cærulea Hist. Oxon. Blew spiked Loose-strife.*

- S. *Lyfimachia cærulea galericulata, vel Gratiola cærulea B. P. Tertianaria, aliis Lyfimachia galericulata I: B: Gratiola latifolia Ger: cærulea sive latifolia major Park: Hooded Willow-herbe, or Loose-strife.*

## M.

**M**AJORANA vulgaris *B. P.*  
 æstiva vulgaris *Park:* major  
*Ger: Ordinary sweet Marjoram*  
*Offic.*

Majorana latifolia aurea *Park: Yellow*  
*or gilded Marjoram.*

Majorana latifolia sive major Angli-  
 ca *Ger: Park: Origanum onites: &*  
*Matth. B. P. Pot-Marjoram.*

*✓* MALVA sylvestris folio rotundo *B.*  
*P. sylvestris perennis procumbens flore*  
*minore albo folio rotundo Hist. Oxon.*  
*sylvestris minor Park: sylvestris pumila*  
*Ger: vulgaris flore minore folio rotun-*  
*do I. B. Small wild-Mallow, or dwarfe-*  
*Mallow.*

*✓* S. Malva sylvestris folio sinuato *B. P.*  
*sylvestris procerior seu elatior recta-*  
*ve,*

ve, flore majore subrubente aut purpureo venis saturate purpureis picto, folio sinuato *Hist: Oxon: sylvestris* *Ger: vulgaris* *Park: vulgaris flore majore folio sinuato* *I. B. Common Mallow, Offic :*

*Malva sylvestris folio sinuato flore albo. Common Mallow with white flowers.*

*Malva perennis Hispanica flore carneo amplo* *Hist: Oxon: Hispanica flore carneo amplo* *Park: parad: The Spanish blush Mallow. Ann.*

*Malva foliis crispis* *B. P. annua foliis crispis* *Hist. Oxon: Malva crispa* *I: B: Ger: Park. Crisped, or curled-Mallow. Ann:*

*Malva annua trimestris flore cum unguibus purpureis feminibus multis nigris rotundis subter membranaceis duplicatis orbiculis latentibus* *H. st. Oxon. Malva trimestris* *Clus. trimestris sive æstiva* *Park: trimestris flore cum unguibus purpureis* *I: B: æstiva Hispanica* *Ger: The Spanish Mallow, or summer Mallow. Ann.*

male



*Malva annua rotundifolia, floribus omnium minimis albis pentapetalis verticillatim genicula ambientibus, & semibus arcte iisdem verticillatim adherentibus* *Hist: Oxon. Small annual round leaved Mallow, with very small white flowers, and seeds going round about the Joints of the stalks, and sticking closely to them. Ann.*

*Malva arborea Veneta dicta parvo flore B: P: maritima arborea Veneta dicta parvo flore* *Hist: Oxon: arborea Park: 1. B. The Tree Mallow, or Venice Sea-tree-Mallow. Ann. Offic.*

**S.** *Malva maritima arborea nostras Britanica* *Hist: Oxon: arborea marina nostras* *Park. English Sea-tree-Mallow. Ann.*

*Malva rosea folio subrotundo B: P: rosea folio subrotundo flore simplici* *Hist: Oxon: rosea sive hortensis I: B: hortensis Ger: rosea simplex* *Park. Single Hollibocks of many several colours.*

Mal-

*Malva rosea folio subrotundo flore pleno B. P. Hist: Oxon: rosea multiplex Ger: Park: Double Holliblocks of many several colours.*

*Malva rosea folio Ficus B: P: rosea peregrina folio Ficus obscure viridi Hist. Oxon. rosea simplex peregrina Tab. Ger: folio amplo Ficus profunde laciniato I: B: Jagged strange Hollibock.*

*Malus Dod. Hist. Ludg. The Apple-Tree. Offic.*

*Malus cotonea vulgaris Ger: Park. The common Quince-Tree. Offic.*

*Malus Armeniaca major Ger: Park: The great Apricock-Tree. Offic.*

*Malus persica Dod. persica molli carne vulgaris & alba B. P. The common Peach-Tree. Offic.*

*Malus punica I. B. punica sativa B. P. Park: Granata, sive punica Ger: The Pomegranate-Tree. Offic:*

*Malus punica sylvestris Ger: Balaustium majus sive Malus punica syl.*

sylvestris major *Park: parad: Balauſtia*  
 flore pleno majore *B: P: Balau-*  
*ſtia Hispanica I: B: The greater wilde,*  
*or double-bloſſomed Pomegranate-tree.*  
*Offic:*

**M A N D R A G O R A** fructu rotun-  
 do *B. P. mas I: B: Ger: Park. The male*  
*Mandrake. Offic:*

*Mandragora fructu pyri B: P: foemi-*  
*na I: B: Ger: Park: The female Man-*  
*drake.*

**M A R R U B I U M** Cardiaca dictum  
*B: P: Cardiaca I. B. Ger: Park. Com-*  
*mon Mother-wort.*

*Marrubium Cardiaca dictum foliis*  
*eleganter crispis. Mother-wort with fine*  
*curled-leaves.*

*Marrubium paluſtre glabrum B. P.*  
*aquaticum Ger: aquaticum vulgare*  
*Park: aquaticum quorundam I. B. Com-*  
*mon Water, or Maſh-Hore-bound.*

*Marrubium aquatile foliis tenui-*  
*us diſſectis Hort: Reg: Bles: Water-*  
*Hore-bound with ſmaller-cut-leaves.*

mar-

S. *Marrubium nigrum foetidum* Ballo-  
te Dioscoridis *B. P.*: *nigrum foetidum*  
Ballote dictum *Park*: *nigrum* sive Bal-  
lote *I. B.* *nigrum* *Ger. Park*: *Black or*  
*stinking Hore-hound. Offic.*

*Marrubium nigrum longifolium* *B. P.*  
*Ger. Park*: *Herba venti Monspelienfi-*  
*bus I. B. Black French Hore-hound with*  
*long leaves.*

S. *Marrubium album vulgare* *B. P. Park*:  
*album I. B. Ger. Common white Hore-*  
*hound. Offic.*

*Marrubium album angustifolium pe-*  
*regrinum B. P. Creticum Ger. Park*:  
*album angustiore folio I. B. Sweet Can-*  
*dy Hore-hound.*

*Marrubium ex Alepo verticillis lon-*  
*gis pediculis innitentibus Strange Hore-*  
*hound of Alepo with long stalked-seed*  
*vessels.*

M A R U M *Ger.*: *vulgare Park*:  
*Sampfuchus*, sive *Marum*, *Masti-*  
*chen redolens B. P.*: *Herbe-Mastick.*  
*Offic.*

M A T R I C A R I A *Ger.* *vulgaris*  
*Park.*

*Park*: B: P: *Matricaria vulgo*, minus  
*Parthenium I. B. Common Fever-few.*  
*Offic.*

*Matricaria flore pleno B. P. I. B. Ger.*  
*Park*: *Double Fever-few.*

*Matricaria nuda Hort. Reg. Bles. bul-*  
*latis floribus Park*: *Naked Fever-*  
*few.*

**MELAMPYRUM** purpurascen-  
 temâ B. P. purpureum *Ger*: *Melam-*  
*pyrum multis*, five *Triticum vacci-*  
*num I. B. Cratægonon flore vario Park.*  
*Party-coloured Cow-Wheat. Ann:*

*Melampyrum cæruleâ comâ B. P.*  
*cæruleum Ger: Melampyro affinis Pa-*  
*rietaria cærulea quorumdam I. B. Blew*  
*Cow-Wheat, Ann.*

*Melampyrum cristatum I. B. Crested*  
*Cow-Wheat. Ann.*

S. *Melampyrum luteum latifolium B.*  
*P. sylvaticum flore luteo*, five *Sa-*  
*tureia lutea sylvestris I. B. Cratægo-*  
*non vulgare Park: Common Cow-Wheat.*  
*Ann:*



**MELILOTUS** officinarum Germaniæ *B. P.* vulgaris *Park*: Germanica *Ger*: Trifolium odoratum, seu Melilotus vulgaris flore luteo *I. B.* Trifolium odoratum seu Melilotus fruticosa lutea vulgaris vel officinarum *Hist. Oxon. Common Melilote. Offic. Ann.*

Melilotus major candida *Trag.* flore albo *Park*: Trifolium odoratum, seu Melilotus fruticosa candida major *Hist. Oxon. Great white-flowering Melilote. Ann.*

Melilotus Italica folliculis rotundis *B. P.* Italica *Ger*: *Park*: magno semine rotundo rugoso *I. B.* Trifolium odoratum seu Melilotus lutea seminis pericarpio magno, rugoso, rotundo, albo. *Hist. Oxon. Italian-Melilote. Ann.*

Melilotus lutea filiculis longioribus *Dod. descr.* Trifolium odoratum seu Melilotus lutea filiculis longioribus *Hist. Oxon.* Trifolium odoratum seu Melilotus quarta vulgaris flore luteo *I. B. Melilote with longer codds. Ann.*

*Melilotus lutea minor floribus & filiculis minoribus spicatum & dense dispositis. Hist: Oxon. Small yellow Melilote with lesser flowers and seeds set in a thick spike. Ann.*

**M E L I S S A** hortensis *B: P: vulgaris Ger. Park: vulgaris odore Citri I: B: Garden Baum. Offic:*

*Melissa peregrina folio oblongo B: P: Turcica multis dicta I: B: Turcica flore cæruleo Ger: Park: Blew-flowered Turkey-Baum. Ann.*

*Melissa Turcica fore albo Ger: Park: White-flowered Turkey-Baum. Ann.*

**M E L O** hortensis *B. P. Hist. Oxon. Ger. Park. Melones I. B. Common Melons. Offic: Ann.*

**M E N T H A** hortensis corymbifera *B: P: corymbifera sive Costus hortensis I. B. Balsamita mas Ger: Costus hortorum major Park: Costmary. Offic.*

*Mentha hortensis verticillata Ocy-mi odore B: P: verticillata minor acuta*

ta non crispa, odore Ocymit: *B:* Romana angustifolia sive cardiaca *Park:* *Mentha cardiaca* *Ger:* *Heart Mint, or Spear-Mint.*

*Mentha rotundifolia spicata altera* *B:* *P:* *Mentha sativa rubra* *Ger:* fusca sive vulgaris *Park:* *Red, or brown Mint. Offic.*

*Mentha angustifolia spicata* *B:* *P:* spicata folio longiore acuto glabro nigriore *I:* *B:* *Mentha cruciata* *Ger:* *Park:* *Cross-Mint.*

*Mentha crispa verticillata* *B:* *P:* crispa *Park:* *Curled-Mint.*

*S.* *Mentha rotundifolia palustris* sive aquatica *B.* *P:* aquatica sive *Sisymbrium* *I:* *B:* *Ger:* aquatica rubra *Park:* *Water-Mint. Offic:*

*Mentha sylvestris folio longiore* *B:* *P:* *Mentastrum* *Ger:* hortense sive *Mentha sylvestris* *Park:* spicatum folio longiore candicante *I:* *B:* *Long-leaved Horse-Mint.*

*Mentha sylvestris rotundiore folio* *B:* *P:* *Mentastrum* folio rugoso rotundiore spontaneum, flore spicato, odore gravi *I:* *B:* *Round-leaved Horse-Mint.*

*Men-*

*Mentha tuberosa* radice B: P: *Menthastrum tuberosa* radice I: B: *Menthastrum tuberosa* radice Clusij Ger: *Menthastrum tuberosum* Clusij Park: Clusius  
*His knobbed wild Mint.*

*Mentha montana verticillata* B: P: *Menthastrum montanum* sive *Pannonicum* Park: *montanum primum* Clusij Ger: *montanum folio coloris viridis* I: B: *Hungarian Wild-Mint.*

3. *Mentha cataria vulgaris* & *major* B: P: *felina*, sive *cataria* Ger: *Nepeta major* Park: *Mentha cataria* I: B: *The great. est Cat-Mint. Offic:*

*Mentha cataria minor* B: P: *Nepeta minor* Park: *The lesser Cat-Mint.*

*MERCURIALIS testiculata* sive *mas Dioscoridis* & *Plinij* B: P: *Hist. Oxon: mas* I: B: Ger: *vulgaris mas* Park: *Male French-Mercury. Offic: Ann:*

*Mercurialis spicata* sive *foemina Dioscoridis* & *Plinij* B: P: *Hist: Oxon: foemina* I: B: Ger: *foemina vulgaris* Park: *Female French-Mercury. Ann:*

✓ S. *Mercurialis montana testiculata* B:

B. P. *Hist. Oxon.* sylvestris Cynocrambe dicta vulgaris mas *Park.* Cynocrambe mas *Ger:* mas, five Mercurialis mas repens I: B. *Male Dogs-Mercury. Offic.*

S. Mercurialis montana spicata I. B. *Hist. Oxon.* sylvestris Cynocrambe dicta vulgaris foemina *Park.* Cynocrambe foemina *Ger:* foemina five Mercurialis repens I: B. *Female Dogs-Mercury.*

MESPILUS I. B. sativa *Ger.* vulgaris five minor *Park.* Germanica foliolarino non ferrato B. P. *The common Medlar-tree. Offic.*

Mespilus Apij folio laciniato B. P. Mespilus Aronia *Ger.* Aronia veterum I B. Aronia five Neapolitana *Park.* *The Medlar of Naples.*

Mespilus Apij folio sylvestris non spinosa, five Sorbus torminalis B. P. Sorbus torminalis *Ger:* torminalis five vulgaris *Park.* torminalis, & Cratægus Theophrasti I. B. *The common Service-tree.*



S. *Mespilus Apij folio sylvestris spinosa*,  
 five *Oxyacantha* *B. P. Oxyacanthus* *Ger*:  
*Oxyacanthus vulgaris*, five *Spinus albus*  
*I. B. Spina appendix vulgaris* *Park: The*  
*White-Thorne, or Haw-Thorn-Tree.*

S. *MEUM* *Ger*: *vulgatius* *Park*: fo-  
 liis *Anethi* *B. P. Meum vulgare*, fi-  
 ve *Radix urfina* *I: B: Common Spignel.*  
*Offic:*

*MILIMUM* semine albo *B. P.*  
*vulgare album* *Park: Milium* *I: B:*  
*Ger: Common White Millet. Offic:*  
*Ann.*

*Milium semine nigro* *B: P: I. B.*  
*nigrum* *Ger: Park: Black Millet, Ann.*

*Milium arundinaceum subrotundo*  
*semine Sorgo nominatum* *B: P: Meli-*  
*ca five Sorghum* *Ger: Park. Sorghi* *I: B:*  
*Turkie-Millet. Ann.*

S. *MILLEFOLIUM* *vulgare*  
*album* *B. P. vulgare* *Park: terrestre*  
*vulgare* *Ger: Millefolium stratiotes* *pen-*  
*natum terrestre* *I. B. Common Yarrow,*  
*or Milfoil. Offic.*

mil-

S. *Millefolium vulgare purpureum minus* B: P: *vulgare rubrum* Park: flore rubro Ger. *Purple-flowered Yarrow, or Milfoil.*

*Millefolium purpureum majus* B. P. flore rubro maximum Park: *Great purple Milfoil, or Yarrow.*

*Millefolium maximum umbellâ albâ* B. prodr. *The greatest white-flowered Yarrow, or Milfoil.*

*Millefolium nobile* Trag. *Achillea* five *Millefolium nobile* Ger: *Achillea fideritis, five nobilis odorata* Park: *Achillea Millefolia odorata* I: B: *Tanacetum minus album odore Camphoræ* B. P. *Achilles Milfoil.*

*Millefolium luteum* Ger: Park: *tomentosum luteum* B. P. I. B. *Yellow Yarrow, or Milfoil.*

S. *Millefolium aquaticum, five Viola aquatica caule nudo* B. P. *aquaticum dictum Viola aquatica* I: B: *aquaticum floridum, five Viola aquatica* Park: *Viola palustris* Ger: *Water Violet, or Milfoil.*

- S. *Millefolium aquaticum* flosculis ad foliorum nodos *B. P. aquaticum minus* *I: B: Park: aquaticum sextum, sive Myriophyllum aquaticum minus* *Clusij Ger: Small Water-Milfoil.*
- S. *Millefolium aquaticum pennatum spicatum* *B: P: Park: pennatum aquaticum* *I: B: Feathered Water-Milfoil.*
- S. *Millefolium aquaticum lenticulatum B. P. palustre galericulatum* *Ger: aquaticum flore luteo galericulato* *I: B: Park. Hooded Water-Milfoil.*
- S. *Millefolium aquaticum foliis Abrotani, Ranunculi flore & capitulo* *B. P. aquaticum Ranunculi flore & capitulo* *Park: Millefolium sive Maratriphyllum, flore & semine Ranunculi aquatici, Hepaticæ facie* *Ger. Ranunculus aquatilis omnino tenuifolius* *I. B. Crow-foot Water-Milfoil.*

M O L Y latifolium luteum odore Allij primum *B: P: Hist. Oxon: lu.*

luteum Botanicorum latifolium odore Allij *I. B.* latifolium flore luteo  
*Ger. Park: Broad-leaved yellow Moly.*

*Moly angustifolium umbellatum B. P.* angustifolium umbellatum album  
*Hist: Oxon: Moly Dioscoridis parvum quibusdam I. B. Moly Dioscorideum Park: parad: minus flore albo*  
*Ger. Dioscorides his Moly, or narrow-leaved white-flowered Moly.*

*Moly Dioscorideum flore carneo*  
*Dioscorides his Moly with bluish flowers.*

*Moly pixidatum argenteum Hispanicum Park: parad: The Spanish Silver-cupped Moly.*

*Moly serotinum coniferum Park: parad: an Moly atropurpureum Swert: Hist: Oxon: The late pine-App'le Moly.*

*Moly latifolium Liliflorum B. P. Moly Homericum vel potius Theophrasti Park: parad: Homericum*  
*Ger: Moly Theophrasti magnum I. B. Or-*

*Ornithogalum Indicum latifolium floriferum sphaericum colore colossino aut albo Hist. Oxon: Homers Moly.*

**MORUS** *Ger: nigra I. B. Park. fructu nigro B. P. The black Mulberry-tree-offic.*

**S. Muscus terrestris clavatus B: P: clavatus sive Lycopodium Ger: Park: terrestris repens a Trago pictus I. B. Club-Mosse, or Wolves-Clawes.**

**S. Muscus clavatus foliis Cupressi B: P: Ger: clavatus cupressiformis Park: terrestris ramosus pulcher I. B. Cypresse-Mosse, or Heath-Cypresse.**

**S. Muscus erectus abietiformis J. Raij Muscus terrestris rectus I: B: Upright Firr-Moss.**

**S. Muscus pixioides, terrestris B: P: pixioides, sive pixidatus I: B: Ger: Park: Cup, or Chalice-Mosse.**

**S. Muscus terrestris vulgaris minor Adianthi aurei capitulis I. Raij. The lesser Earth-Mosse, with heads like Golden Maiden-hair.**



S. *MYAGRUM* filiquâ longa *B: P:*  
*Myagro* affinis planta filiquis longis *I.*  
*B. Camelina Ger: Camelina* five *Mya-*  
*grum* alterum amarum *Park: Eruca syl-*  
*vestris latifolia folio integro flore luteo*  
*minore Hist: Oxon. Treacle-worm-seed.*  
*Ann:*

*Myagrum sativum B. P. majus seu*  
*sativum Hist: Oxon: Myagrum Ger:*  
*sylvestre five Pseudomyagrum Park.*  
*Myagrum dictum Chamelina I: B: Gar-*  
*den Gold-of-pleasure. Ann:*

*Myagrum monospermum latifolium*  
*B: P: monospermum I: B: monosper-*  
*mum majus Park. Raphanistrum mo-*  
*nospermum latifolium filiculis fungosis*  
*glabris auriculatis Hist: Oxon: One grain-*  
*ed Gold-of-pleasure. Ann.*

*Myagro similis filiquâ rotundâ B: P:*  
*Park. Myagro affinis herba capitulis ro-*  
*tundis I. B. Raphanistrum filiquâ mi-*  
*nore, rotundâ rugosâ, asperâ Hist:*  
*Oxon: Round-podded like Gold-of-plea-*  
*sure. Ann.*

**MYRRHIS** major vel *Cicutaria odorata* *B. P.* major vulgaris, five *Cerefolium majus* *Park*: magno semine sulcato, longo *I. B.* *Cerefolium magnum* five *Myrrhis* *Ger.* *Great sweet Garden Chervil*, or *Myrrh. Offic*:

- S.* *Myrrhis sylvestris* seminibus lævibus *B. P.* *sylvestris* *Park*: *Cicutaria vulgaris* *I. B.* *alba* *Lugdunensis* & *Cicutaria palustris* *Camerarij* *Ger*: *Wild Cicely*.

*Myrrhis annua* nodosa semine aspero *Hort. Reg. Bles.* *Annual Chervil with knotty joynts, and rough seeds. Ann*:

- S.* *Myrrhis sylvestris* seminibus asperis *B. P.* *sylvestris* *Neapolitana* atque etiam *Anglicana* *Park*. *Chærefolium quintum* five *Myrrhis nova* *Æquicolorum Columnæ* *Ger.* *Small Hemlock-Chervil with rough seeds. Ann*:

## N.

**N** A R C I S S U S latifolius  
 omnium maximus, amplo ca-  
 lice flavo sive Nonparielle  
*Park: parad. Narcissus om-*  
*nium maximus Ger. Narcissus Nonpa-*  
*rel Joh. Rea Flor. The great Non-*  
*such Daffodil, or Incomparable-Daffo-*  
*dil.*

Narcissus Nonparel flore sive calice  
 pleno *Joh. Rea Flor. The Incomparable*  
*Daffodil with a double flower, or cup.*

Narcissus medioluteus vulgaris *Park:*  
*parad. medioluteus Ger: The common*  
*white Daffodil called Primrose-peer-*  
*lesse.*

Narcissus albus multiplex *Park. pa-*  
*rad. Joh. Rea Flor. The double white*  
*Daffodil.*

Nar.

*Narcissus mediopurpureus serotinus* *Park. parad.* albus circulo purpureo *B. P. mediopurpureus Ger: I. B.* flore simplici uno mediopurpureo *Hist. Oxon. The late purple-ringed Daffodil.*

*Narcissus mediopurpureus multiplex* *Park. parad. B. P. mediopurpureus* flore pleno *I: B: Ger: The double purple-ringed Daffodil.*

*Narcissus Africanus aureus major* *Park. parad. Job. Rea Flor.* flore simplici multiplicato, luteus totus polyanthos de Argiers *Hist. Oxon. The great yellow Daffodil of Africa.*

*Narcissus Narbonensis major* amplo flore *Park parad. The French Daffodil with great flowers.*

*Narcissus Narbonensis* sive medioluteus præcox *Park. parad. The early French Daffodil.*

*Narcissus angustifolius* sive juncifolius maximus amplo calice *Park. parad. The great Junquilia with a large flower or cup.*

Nar-

*Narcissus angustifolius luteus* semper florens *Caccini Park: parad: The yellow Italian Daffodil of Caccini.*

*Narcissus juncifolius luteus vulgaris major Park: parad. The ordinary Junquilia, or Rush-leaved-Daffodil.*

*Narcissus juncifolius flore pallide flavo. The Rush-leaved Daffodil, or Junquilia, with pale yellow flowers.*

*Narcissus juncifolius luteus flore pleno Park: parad: juncifolius multiplex Ger: The double Junquilia, or Rush-Daffodil.*

*Narcissus, five Pseudonarcissus aureus Hispanicus maximus Park: parad. Joh. Rea Flor. great yellow Spanish bastard Daffodil.*

*Narcissus, five Pseudonarcissus Hispanicus maximus albidus Park: parad: The greatest Spanish whitish bastard-Daffodil.*

*Narcissus five Pseudonarcissus Pyrenæus*



us Hispanico similis *Park. parad. The Mountain bastard-Daffodil.*

*Narcissus sylvestris pallidus calice luteo B. P. Pseudonarcissus Anglicus Ger: Anglicus vulgaris Park: parad: Bulbocodium vulgatus I: B: The common English bastard Daffodil.*

*Narcissus parvus totus luteus B: P: Pseudonarcissus Hispanicus luteus minimus Park parad: Bulbocodium minus I. B. The least Spanish bastard-Daffodil.*

*Narcissus, five Pseudonarcissus aureus maximus flore pleno, five roseus Tradescanti Park: parad: maximus flore pleno Job. Rea Flor. Narcissus roseus Tradescanti Ger: The greatest double yellow bastard-Daffodil, or John Tradescant his great Rose-Daffodil.*

*Narcissus, five Pseudonarcissus aureus Anglicus maximus Park: parad: Pseudonarcissus minor flore pleno*

no *Joh. Rea Flor.* *Master Wilmers great double Daffodil.*

*Narcissus*, five *Pseudonarcissus* *Anglicus* flore pleno *Park. parad: Joh. Rea Flor.* *Pseudonarcissus* flore pleno *Ger.* *The double English bastard Daffodil,* or *Gerards double Daffodil.*

*Narcissus* five *Pseudonarcissus* *Galicus* minor flore pleno *Park: parad: The lesser French double bastard Daffodil.*

*Narcissus montanus juncifolius* calice aureo *B. P. Hist. :Oxon:* *Pseudonarcissus juncifolius luteus minor Park: parad.* *Narcissus montanus juncifolius minimus Ger:* *Bulbocodium tenuifolium* flore luteo *I. B. The lesser yellow bastard Funquilia.*

*Narcissus maritimus B. P. Pseudonarcissus marinus albus* *Pancratium* vulgo *Park: parad: Pancratium Lob. marinum Ger.* *Monspessulanum*, multis *Scilla alba parva I. B.* *Lilionarcissus albus maritimus minor Hist. Oxon: The white Sea bastard Daffodil.*

R

Nar-

Narcissus marinus, sive tertius Matthioli *Park: parad: tertius Matthioli*  
*Ger: Illyricus Liliaceus B: P: Lilionar-*  
*cissus albus maritimus major Hist. Ox-*  
*on. Pancratij Monspelianii vel Hemero-*  
*callidis Valentinae facie, Lilionarcissus*  
*vel Narcissus tertius Matthioli I: B: The*  
*great white Sea Daffodil, or Matthiols*  
*his third Daffodil.*

**N A S T U R T I U M** hortense vul-  
 gatum *B. P. Ger. Park: vulgare I: B:*  
 vulgare seu hortense tenuiter divisum  
*Hist. Oxon: Common Garden-Cresses. Offic.*  
*Ann:*

Nasturtium hortense crispum *B. prodr.*  
*Ger: hortense crispum latifolium Hist:*  
*Oxon: crispum latifolium Park: cris-*  
*pum Joh. Bauhini I. B. Curled Garden-*  
*Cresses. Ann.*

Nasturtium hortense latifolium *B.*  
*Prodr. Hist: Oxon. hortense latifolium*  
*Hispanicum Park. Nasturtium Hispani-*  
*cum Ger: latifolium Dioscorideum Joh.*  
*Bauhini I. B. Broad-leaved Garden Cres-*  
*ses, or great Spanish-Cresses- Ann.*

Na-

S. Nasturtium pratense magno flore B.  
 P. pratense magno flore simplici Hist.  
*Oxon:* pratense majus, five Cardamine  
 latifolia *Park.* Cardamine *Ger.* Iberis  
 Fuchsi, five Nasturtium pratense sylve-  
 stre I. B. *Ladies Smocks, or Cuckow-*  
*flowers. Offic.*

S. Nasturtium pratense magno flore,  
 five Cardamine flore albo. *Ladies-*  
*Smocks with white flowers.*

S. Nasturtium minimum annuum flo-  
 re albo Hist: *Oxon:* Sium minimum,  
 Noli me tangere, dictum, five impa-  
 tiens, Nasturtij sylvestris folio *Park.* Car-  
 damine impatiens, vulgo Sium minus  
 impatiens *Ger:* Sisymbrij Cardamines  
 species quædam insipida I. B. *Impatient*  
*Ladies-(mock, or Cuckow-flower. Ann.*

S. Nasturtium aquaticum supinum B:  
 P: aquaticum supinum flore albo Hist.  
*Oxon:* aquaticum vulgare *Park:* aqua-  
 ticum, five Cratævæ Sium *Ger.* Sisym-  
 brium Cardamine, five Nasturtium  
 aquaticum I. B. *Common Water-Cresses.*  
*Offic:*

S. Nasturtium aquaticum majus & amarum *B. P. Hist. Oxon:* aquaticum amarum *Park:* Sium Matthioli & Italicorum *Ger.* Sisymbrium Cardamine si-  
ve Nasturtium aquaticum flore majore elatius *I: B: Bitter Cresses.*

✓ S. Nasturtium aquaticum minus *B. P. Hist. Oxon.* Sisymbrium aquaticum minus *Cam:* Sisymbrium Cardamine dictum hirsutum minus flore purpureo *I: B: Cardamine quarta Dalecham-  
pij Hist. Lugd:* Cardamine impatientis altera hirsutior *J. Raij The other impa-  
tient Cuckow-flower, or Ladies-Smock.*

✓ S. Nasturtium sylvestre tenuissime divisum *B. P.* sylvestre tenuissime divisum seu Nasturtium *μυρίφύλλον* flore luteo minimo *Hist: Oxon.* Sophia Chirurgorum *Ger: Park, Seriphium Germanicum* sive Sophia quibusdam *I. B. Flix-  
weed, Offic. Ann:*

Nasturtium Indicum majus *B. P Hist: Oxon:* Indicum *Ger: Park: parad: I. di-  
cum folio peltato scandens I: B: Indian Cresses. Ann:*



**N I C O T I A N A** major latifolia *B.*  
*P. Hist: Oxon:* major five Tabacum  
 majus *I. B.* Tabacco latifolium *Park.*  
*pirad:* Sana sancta Indorum *Ger: Lob.*  
*Broad-leaved Tobacco. Ann.*

**Nicotiana** minor *B: P:* minor cap-  
 sulâ rotundâ priapi forma, floribus lu-  
 teis minoribus, foliis subrotundis ob-  
 scure virentibus, glutinosis *Hist: Oxon.*  
 Tabacco Anglicum *Park.* Priapeia, qui-  
 busdam **Nicotiana** minor *I. B.* **Hyoscy-**  
**amus** luteus *Ger. English Tobacco. Offic.*  
*Ann.*

**N I G E L L A** arvensis cornuta *B. P.*  
 arvensis *Park.* Melanthium sylvestre *Ger.*  
 sylvestre five arvense *I. B.* *Field Nigella.*  
*Ann.*

**Nigella** latifolia flore majore simpli-  
 ci cæruleo *B. P:* Hispanica *Park.* Hispanica  
 flore amplo *Ger. Great Spanish*  
*Nigella. Ann.*

**Nigella** flore majore pleno cæruleo  
*B. P.* **Nigella** five Melanthium Damas-  
 cenum flore pleno *Ger. Damascena flo-*

re multiplici *Park. parad:* Melanthium capite vel calyce & flore majore pleno  
**I B.** *Double blew Nigella, or the Fennel-flower.*

**N U M M U L A R I A** *Ger. vulgaris*  
*Park:* major lutea *B. P.* major flore luteo *Hist. Oxon:* Nummularia five Centimorbia *1. B. Money-wort, or*  
*Herbe-two-pence. Offic.*

Nummularia minor flore purpureascente *B. P. Hist: Oxon: Ger: Park.*  
*rubra I. B. Small purpleflowered Money-wort.*

**N U X J U G L A N S** five regia vulgaris *B. P. Nux Juglans Ger: Juglans vulgaris Park: Nux, forte Persica, forte*  
*Euboica Theophrasti, regia Dioscoridis & Galeni, Persica & Basilica Plinij I B. The Common Walnut-tree.*  
*Offic:*

Nux Juglans fructu majore, & putamine fragili. *The great thin-shelled Walnut.*

**S. N Y M P H A E A** major alba *B. P.*  
*al-*

alba I. B. Ger. alba major vulgaris  
 Park : *The great white Water-Lilly.*  
 Offic.

S. Nymphæa major lutea B. P. Park :  
 lutea I. B. Ger : *The great yellow Water-*  
*Lilly.*

S. Nymphæa lutea minor flore fimbria-  
 to B. P. I. B. : *The lesser Water-Lilly with*  
*fringed-flowers.*

S. Nymphæa alba minima B. P. : alba  
 minima sive Morfus ranæ Park : mi-  
 nor sive Morfus ranæ I. B. Morfus  
 ranæ Ger : *The least Water-Lilly, or*  
*Frog-bit.*

## O.

**O**CHRUS five *Ervilia* Ger: *Ochrus* folio integro capreolos emittente *I. B.* *Ochrus* five *Ervilia* flore & fructu albo *Park:* *Lathyri* species quæ *Ervilia sylvestris* *Dodonæo* *I. B.* *Lathyrus* folio integro producente bina foliola, capreolos emittentia *Hist: Oxon: The white winged wild pease. Ann.*

**O**CYUM vulgatus *B. P.* *Park:* magnum *Ger.* medium vulgatus & nigrum *I. B.* *Common Basil. Offic: Ann.*

S: **O**ENANTHE aquatica *B. P.* *Oenanthe* five *Filipendula aquatica* *I. B:* *Filipendula aquatica* *Ger:* *Filipendula aquatica prima* five *major* *Park:* *Water Drop-wort.*

Oe-

S. *Oenanthe Apij folio succo viroso D. Morison sect. de plant. umbel. Chærephylli foliis B: P: Cicutæ facie Lobelij Park: succo viroso, Cicutæ facie Lobelio I. B. Filipendula Cicutæ facie Ger: Hemlock Drop-wort.*

**O L E A** sylvestris folio molli incano B. P. *Olea Bohemica Matth. Oleaster Cappadocicus Park: Zizypha Cappadocica Ger: Ziziphus Cappadocica, quibusdam Olea Bohemica I: B: The Bastard, or Sweet wild Olive.*

**O N O B R Y C H I S** foliis Viciæ fructu echinato major B. P. major filiculis echinatis cristatis in spicâ digestis *Hist: Oxon: Onobrychis sive Caput gallinaeum Ger: vulgaris Park: Polygalon Gesneri I: B: Cocks-head, or Saint-foin.*

*Onobrychis semine clypeato aspero major B. P. major perennis filiculis articulatis asperis, clypeatis, recta junctis flore ruberrimo Hist: Oxon: Hedyсарum clypeatum Ger: clypeatum vulgare park: Astragalus Romanus, sive Hedyсарum*  
cly-



clypeatum filiquâ asperâ I. B. *The French Honeysuckle.*

Onobrychis semine clypeato aspero, sive Hedyfarum clypeatum flore albo *White-flowered French Honeysuckle.*

Onobrychis arvensis, sive Campanula arvensis erecta B. P. Campanula glabra minor arvensis Hist: Oxon: Speculum Veneris Ger: Speculum Veneris majus Park: Avicularia Sylvij quibusdam, floribus purpuroviolaceis I. B. *The great Corn-Violet, or Venus-looking-Glasse. Ann.*

Onobrychis Viola pentagonia perfoliata, Hort. Reg. Bles. Campanula pentagonia perfoliata Hist: Oxon: Thorough-leaved Venus Looking-Glasse. Ann.

✓ S. OPHIOGLOSSUM I. B. Ger: vulgatum B. P. Ophioglossum sive Lingua serpentina Park: *Common Adders-tongue. Offic.*

S. OPHRYS bifolia B. P. Ger: major quibusdam I. B: Bifolium sylvestre vulgare Park: *Two-blade.*

OR-

- S. **ORCHIS** morio mas foliis maculatis *B. P. park:* Cynosorchis morio mas *Ger:* Orchis major tota purpurea maculoso folio *I. B. The male Fools-Stones. Offic.*
- S. Orchis morio foemina *B. P. Park:* minor purpurea & aliorum colorum cum alis virentibus *I. B. Cynosorchis morio foemina Ger: The female Fools-Stones. Offic.*
- S. Orchis muscae corpus referens minor galea & alis herbidis *B. P. Orchis myodes Ger: myodes minor Park: myodes galea & alis herbidis I. B. The Flie-Orchis.*
- S. Orchis fucum referens major foliolis superioribus candidis & purpurascens *B. P. Orchis sphegodes, sive fucum referens Park: Orchis fuciflora galea & alis purpurascens I. B. Orchis, sive Testiculus vulpinus secundus sphegodes Ger: Common humble-Bee Satyrion.*
- S. Orchis spiralis alba odorata *I. B. Triorchis Ger: Triorchis alba odorata*

ta major & minor *B. P. Park: Triple Ladies-Traces.*

*S.* Orchis alba bifolia minor calcari oblongo *B. P. Orchis Serapias*, bifolia vel trifolia minor *Park: Orchis hermaphrodita Ger: alba calcari oblongo I. B. Butter-flie-Satyrion.*

*S.* Orchis palmata pratensis latifolia longis calcaribus *B. P. palmata major mas sive Palma Christi mas Park. palmata non maculata I. B. Palma Christi mas Ger: The great male handed-Orchis, or Satyrion-Royal.*

*S.* Orchis palmata pratensis maculata *B. P. palmata foemina, sive Palma Christi foemina maculato folio Park. Orchis palmata speciosiore thyrso, folio maculato I. B. Palma Christi foemina Ger: The Female handed Orchis, or female Satyrion Royal.*

*S.* Orchis palmata minor calcaribus oblongis *B. P. palmata rubella cum longis calcaribus rubellis I. B. palmata minor flore rubro Park. Orchis Serapias minor nitente flore Ger: Red handed Orchis with long spurs.*

*Or-*

S. *Orchis abortiva fusca* B. P. *arbortiva ruffa*, five *Nidus avis* Park. *Satyrium abortivum*, five *Nidus avis* Ger: *Orobanche affinis*, *Nidus avis* I. B. *Birds-nest*, or *mishapen Orchis*.

S. *ORIGANUM* sylvestre *Cunila* *bubula* Plinij B: P: vulgare spontaneum I. B. *Anglicum* Ger: *Majorana sylvestris* Park. *Wild*, or *field-Marjoram*. *Offic.*

*Origanum sylvestre foliis variegatis* *Wild Marjoram*, with party-coloured-leaves.

*Origanum fistulosum Canadense* Cornu: *Origanum fistulosum Cornuto*, sed potius *Mentastrum fistulosum Americanum* Park. app. *Wild Mint of America*.

*ORNITHOGALUM* umbellatum medium album angustifolium B: P: umbellatum minus candidum vulgare *Hist: Oxon:* *Ornithogalum vulgare* Ger. *Park:* vulgare & verius majus & minus I. B. *The common Star of Bethlehem*.

Or-

5. **ORNITHOGALUM** luteum **B.**  
**P:** *Park. parad.* luteum majus floriferum  
*Hist: Oxon.* luteum, five Cæpe agraria  
**Ger:** Bulbus sylvestris Fuchſij flore luteo, five Ornithogalum luteum **I: B:** *Yellow Star of Bethlehem.*

Ornithogalum latifolium & maximum **B.** **P.** spicatum maximum floribus albis innumerabilibus *Hist: Oxon:* maximum album *Park. parad:* *The greatest white Star-flower, or Star of Bethlehem.*

Ornithogalum majus spicatum flore albo **B:** **P:** spicatum album *Park. parad:* spicatum **Ger.** spicatum majus lacteo flore *Hort: Eyst. Hist: Oxon.* spicatum flore albo *Monſpeſſulanum I: B:* *The great white spiked Star of Bethlehem.*

Ornithogalum exoticum, magno flori, minore innato **B:** **P:** exoticum ſeu Neapolitanum flore minore, majori innato *Hist: Oxon:* Ornithogalum Neapolitanum *Park. parad: I. B. Ger.* *The Star-flower of Naples.*

Or-



**Ornithogalum angustifolium majus**  
 floribus ex albo virescentibus *B. P.* spi-  
 catum majus angustifolium floribus ex  
 albo virescentibus *Hist. Oxon.* **Aspho-**  
**delus bulbosus Galeni** sive **Ornithoga-**  
**lum majus** flore subvirescente *Park. pa-*  
*rad.* **Asphodelus bulbosus Dodonæi,**  
 sive **Ornithogalum spicatum** flore viren-  
 te *I. B.* *The bulbous Asphodil, or green*  
*Star-flower.*

*S.* **ORNITHOPODIUM majus**  
*B. P. Hist. Oxon. Ger. Park.* **Ornitho-**  
**podium** flore flavescente *I. B.* *The great*  
*Birds-foot.*

*S.* **OROBANCHE major, garyo-**  
**phyllum olens** *B. P.* **Orobanche** sive  
**Rapum Genistæ** *Ger. Park.* **Orobanche**  
 flore majore *I. B.* *Broom-Rape.*

**OROBUS** filiquis articulatis se-  
 mine majore *B. P.* **sativus** sive **Ervum**  
 semine anguloso, filiquis inter grana  
 & grana junctis *Hist. Oxon.* **Orobis an-**  
**nuus** receptus herbariorum *Lob. Ger. vul-*  
*garis herbariorum Park.* **Orobis** sive **Er-**  
**vum multis** *I. B.* *Ordinary bitter-Vetch.*  
*Offic. Ann.* **Oro-**

**Orobus sylvaticus** *Viciæ foliis* **B: P:**  
*sylvaticus Viciæ foliis, filiquis propen-*  
*dentibus floribus purpurascens Hist:*  
*Oxon: Pannonicus secundus Clus: A-*  
*stragaloides Ger: Astragaloides herba-*  
*riorum Park: Astragalus major Fuch-*  
*sio I. B. Base Milk-Vetch.*

**Orobus sylvaticus nostras** *Joh. Raij*  
*English Wood-Milk-Vetch.*

**OXYACANTHA** *Dioscoridis,*  
*five Spina acuta pyri folio B. P. Oxy-*  
*acantha Theophrasti Ger: Pyracantha*  
*Park. Pyracantha quibusdam I. B. The*  
*Ever-green-Thorne.*

## P.

**P**ÆONIA folio nigricante splendido, quæ mas B. P. mas I. B. Ger: *Park: parad: The male Peony. Offic.*

Pæonia communis vel foemina Ger: foemina vulgaris I: B: foemina flore simplici vulgaris *Park: parad: The single female Peony.*

Pæonia foemina flore pleno rubro majore B: P: foemina multiplex Ger: foemina vulgaris flore pleno rubro *Park: parad: Pæonia flore pleno rubro I. B. The great double female Peony.*

Pæonia foemina flore pleno albicante *Park: parad. flore exalbido pleno major & minor B. P. The double blush Peony.*

**P A N A X** Pastinacæ folio, an Syriacum Theophrasti *B. P.* panax Herculeum majus *Ger*: Heracleum alterum five peregrinum Dodonæi *Park*: Sphondylion vel potius Pastinacæ Germanicæ affinis, **Panax** vel **Pseudocostus** flore luteo *I. B.* *Hercules his All-heall. Offic.*

**P A N I C U M** Germanicum five paniculâ minore *B: P:* vulgare *I. B.* *Ger*: album vulgare *Park*: *Ordinary Panick. Offic. Ann.*

**P A P A V E R** hortense semine albo *B. P.* hortense simplex semine albo *Hist*: *Oxon*: sativum album simplex *Ger*: *Park*: *Single white Garden Poppie. Offic. Ann.*

**Papaver** hortense nigro semine *B: P:* hortense simplex semine nigro *Hist*: *Oxon*. sativum nigrum simplex *Ger*: *Park*: *Single black Garden Poppies. Offic. Ann:*

**Papaver** cristatum floribus & semine album *B: P.* *Hist*: *Oxon*: fimbriatum album *Ger*: *White Fagged Poppie. Ann.*

*Papaver cristatum* floribus rubris semine nigro *B. P. Hist: Oxon.* sativum rubrum *Dalechampij Hist: Lugd.* Red jagged Poppie. *Ann.*

*Papaver laciniatum* rubrum unguibus purpureis *Hort: Eyst:* Red jagged Poppie with a purple bottom. *Ann.*

*Papaver flore multiplici* purpurascente *Hort: Eyst:* Double purple-flowered Poppie. *Ann.*

*Papaver flore miniato pleno* *Hort: Eyst:* Double Scarlet-coloured Poppie. *Ann.*

*Papaver flore pleno argentei coloris* *Hort: Eyst:* Double silver-coloured Poppie. *Ann.*

*Papaver flore pleno album* *B. P. Hist: Oxon.* multiplex album *Park: parad.* album polyanthon, five multiflorum *Lcb. Ger:* Double white Poppie. *Ann.*

*Papaver flore pleno rubro* *Hort: Eyst:* multiplex rubescens *Ger: Park:*



*parad. Double red , or blush Poppies.*  
*Ann:*

Papaver flore pleno incarnato *Hort.*  
*Eyst: Double incarnate Poppies. Ann.*

Papaver flore pleno laciniato eleganter striato *Double jagged finely stript Poppies. Ann.*

S. Papaver erraticum majus *B:P: erraticum* five rhœas flore phœniceo majore simplici *Hist. Oxon: rubrum campestre* *I: B: Papaver rhœas Ger: erraticum, rhœas, five sylvestre Park: Corn-Poppie, or Corn-Rose. Offic. Ann:*

Papaver erraticum majus, five rhœas florum unguibus albis , *Corn-Poppie with white bottoms:*

Papaver erraticum majus five rhœas flore carneo *Flesh-coloured Corn-Poppie. Ann.*

Papaver erraticum flore pleno *B:P. Hist: Oxon: rhœas flore multiplici Ger: Park: parad: Double-flowered Corn-Poppy. Ann.*

Papaver spinosum B: P: I. B. Ger: spinosum Americanum Park: spinosum luteum foliis albis venis notatis Hist. Oxon: Thorny-Poppie of America. Ann.

S. Papaver corniculatum luteum B: P: I. B. Park: Hist: Oxon: cornutum flore luteo Ger: Yellow-flowered Horned-Poppie.

Papaver corniculatum violaceum B. P. I. B. Park: cornutum flore violaceo Ger: Hist: Oxon: Violet-coloured Horned-Poppie. Ann.

S. PARIETARIA I: B: Ger: vulgaris Park: Officinarum & Dioscoridis B: P: Hist: Oxon: Pellitory of the wall. Offic.

PASTINACA latifolia sativa. B. P. Ger: Park: sativa latifolia Germanica flore luteo I. B. Common Garden-Parsnep. Offic. Ann.

Pastinaca tenuifolia sativa radice luteâ B. P. sativa tenuifolia lutea Ger. Park: sativa sive Carota lutea I. B. The yellow-rooted Carrot. Offic. Ann.

*Pastinaca tenuifolia sativa radice Mali aurantij coloris. The Orange Carrot. Ann.*

*Pastinaca tenuifolia sativa alba B. P. sativa five Carota alba I. B. The white-rooted Carrot. Ann.*

*Pastinaca tenuifolia sativa radice atrorubente B. P. sativa tenuifolia atrobens Ger. Park. sativa five Carota rubra I. B. Red-rooted Carrot.*

✓ S. *Pastinaca tenuifolia sylvestris Dioscoridis vel Daucus Officinarum B. P. sylvestris tenuifolia Ger. Park. sylvestris five Staphylinus Græcorum I. B. The common wild-Carrot, or Birds nest. Offic. Ann.*

✓ S. **PEDICULARIS** *pratensis lutea vel Crista galli B. P. Pedicularis vel Crista galli lutea Park. Crista galli Ger. Crista galli foemina I. B. Yellow Rattle, or Cocks-Comb. Ann.*

✓ S. *Pedicularis pratensis purpurea B. P. pratensis rubra vulgaris Park. Pedicularis Ger. Pedicularis, quibusdam Crista galli flore rubro I. B. Red Rattle-grass. Ann.*

S. Pedicularis Gerardi flore albo *White flowered Rattle-grasse. Ann:*

S. Pedicularis palustris rubra elatior  
J. Raij *Great Red Rattle, or Lousewort. Ann.*

PENTAPHYLLOIDES fragariae folio *Hort. Reg. Bles.* majus erectum flore luteo, ternis foliis, Fragariae instar, hirsutis *Hist: Oxon: Strawberry-leaved Cinquefoil.*

Pentaphylloides fruticosum J. Raij maximum rectum fruticosum Eboracense *Hist: Oxon: Tree, or shrub-Cinquefoil.*

S. PENTAPHYLLUM vulgatissimum *Park:* Pentaphyllum sive Quinquefolium vulgare repens *L. B.* Pentaphyllum minus procumbens flore luteo vulgare radículas emittens ex geniculis *Hist: Oxon.* Quinquefolium majus repens *L. B.* vulgare *Ger: Common Cinquefoil, or Five-leaved-Grasse. Offic.*

S. Pentaphyllum incanum repens  
*Alpinum Park:* minus incanum

Alpinum flore aureo radículas in terram demittens *Hist: Oxon.* Quinquefolium minus repens Alpinum aureum *B: P:* minus flore aureo *Ger:* Alpinum splendens flore aureo *I: B: Small Golden-flowered Cinquefoil.*

Pentaphyllum majus erectum *I: B: Ger. Park:* Pentaphyllon seu potius Heptaphyllum majus luteum montanum flore majore *Hist: Oxon:* Quinquefolium rectum luteum *B. P Great Upright-Cinquefoil.*

S. Pentaphyllum erectum foliis profunde sectis subtis argenteis flore luteo *I. B. Hist: Oxon.* rectum minus *Park:* Quinquefolium erectum folio argenteo *B. P.* Quinquefolium Tormentillæ facie *Ger: Tormentil-Cinquefoil.*

V S. Pentaphyllum rubrum palustre *Ger:* Pentaphyllum seu Heptaphyllum majus rubrum rectum palustre *Hist: Oxon:* Pentaphyllum vel potius Heptaphyllum flore rubro *I. B. Marsh-Cinquefoil.*



S. **PEPLUS** five *Esula rotunda* B. ✓  
**P.** I. B. *Ger: Esula rotunda five Peplus*  
*Park: Petty-Spurge. Ann.*

**PEPO** oblongus B: *P: Hist: Oxon:*  
*maximus oblongus Ger: Park: The great*  
*long Pompon. Offic. Ann.*

**Pepo compressus major** B: *P: Indi-*  
*cus compressus maximus Lob: Hist: Ox-*  
*on: maximus rotundus Ger: Great round*  
*Pompon. Ann.*

**Pepo** seu *Melopepo verrucosus* *Hist:*  
*Oxon: Cucurbita verrucosa Park, Ger.*  
*Ludg: The rudged Gourd, or Me-*  
*kin.*

**PERFOLIATA** vulgatissima,  
 five *arvensis* B: *P: vulgaris Ger: Park:*  
*Perfoliata simpliciter dicta, vulgaris,*  
*annua I. B. Common Thorrow-wax. Offic.*  
*Ann.*

**PERICLYMENUM** *Ger: non*  
*perfoliatum Germanicum B. P. Pericly-*  
*menum five Caprifolium vulgare Park:*  
*Periclymenum plurimis, five Caprifo-*  
*lium non perfoliatum I. B. Common wild*  
*Hony-suckle. Offic:*

*Periclymenum perfoliatum* **B: P. Ger:**  
**I: B:** perfoliatum five Italicum **Park:**  
*Italian Hony-suckle, or double, or thorough-*  
*leaved Hony-suckle.*

*Periclymenum perfoliatum seroti-*  
*num flore rubro* **Hort. Reg. Bles. Late-**  
*flowering red thorough-leaved Hony-*  
*suckle.*

**S.** **P E R S I C A R I A** mitis maculosa  
 & non maculosa **B: P: Hist: Oxon:** ma-  
 culosa **Ger:** mitis **I: B:** vulgaris mitis  
 five maculosa **Park:** Dead, or spotted  
*Arsmart. Offic. Ann.*

**S.** *Perficaria urens* five *Hydropiper*  
**B. P.** acris five *Hydropiper* **Hist: Ox-**  
**on: I. B.** vulgaris acris five minor **Park.**  
*Hydropiper* **Ger:** Hot *Arsmart. Offic.*  
*Ann.*

**S.** *Perficaria minor* **B. P.** minor five  
 pusilla procumbens **Hist: Oxon.** pusil-  
 la repens **Ger:** **Park:** Small creeping *Ar-*  
*smart.*

**S.** **P E T A S I T I S** **Ger:** vulgaris **Park:**  
 major & vulgaris **B. P.** vulgaris rubens  
 ro-

rotundiore folio **I. B.** *The common Butter-Bur. Offic.*

*Petasitis minor* **B: P:** *Park:* flore albo *Hort: Eyst:* albus anguloso folio **I: B:** *The Lesser, or white-flowered Butter-Bur.*

**PEUCEDANUM** majus *Italicum* **B: P: I. B. Park:** majus *Ger. Italian Sow-Fennel.*

*Peucedanum Germanicum* **B. P.** minus *Germanicum* **I: B:** vulgare *Park: Peucedanum* *Ger: Common Sow-Fennel. Offic.*

**PHALANGIUM** parvo flore ramosum **B: P:** *Hist: Oxon:* parvo flore ramosius **I: B:** ramosum *Ger: Park: Small-branched Spider-wort.*

*Phalangium magno flore* **B: P:** *Phalangium Allobrogicum* magno flore, seu flore *Lilij* *Hist: Oxon:* *Allobrogicum* *Park: parad.* *Phalangium Antiquorum* *Ger:* *Phalangium flore Lilij* **I. B.** *Savoy Spider-wort.*

Pha-

**Phalangium Virginianum** Tradescanti *Ger*: ephemerum Virginianum Iohannis Tradescanti *Park*: Phalangium Virginianum foliis latioribus radice repente flore tripetalo cæruleo *Hist*: *Oxon*. Allium seu Moly Virginianum *B*: *P*: app: Tradescanti his *Virginian Spider-wort*.

**Phalangium Virginianum** flore albo *White flowered Virginian Spider-wort*.

**PHALARIS** *I. B.* *Ger*. vulgaris *Park*: major semine albo *B. P.* *Common Canary Grass*. *Offic. Ann*.

**Phalaris** minor semine nigro *Hort. Reg*: *Bles. Canary-Grass with lesser black seed. Ann*:

**PHASEOLUS** flore puniceo *Cornut*: Indicus flore coccineo seu puniceo *Hist*: *Oxon*: Americanus flore coccineo *Ger*: *Park*: *Scarlet Beans. Ann*.

**Phaseolus** albus *Ger. Park*: *White Kidney-Beans. Offic. Ann*.

Phaseolus five Smilax hortensis rubra

Ger: *Red Kidney-Beans. Ann.*

Phaseolus fructu eleganter maculato. *Fine-spotted Kidney-Beans. Ann.*

Phaseolus minor fructu albo umbilico maculâ nigrâ notato, vel fructu renali parvo albo, umbilico circa hilum maculâ nigrâ insignito *Hist: Oxon. Small white Kidney-Bean with a black spot in the middle. Ann.*

**P H I L L Y R E A** folio Ligustri  
B. P. laticusculo folio I. B. latiore folio  
Ger: angustifolia prima Park: *The broader-leaved Mock-privet.*

**P I C E A** Park: major Ger: major  
prima five Abies rubra B. P: Picea Latinorum, five Abies mas Theophrasti  
I. B. *The Pitch-Tree.*

S. **P I L O S E L L A** major repens  
hirsuta B. P. majore flore, five vulgaris repens I: B: repens Ger: minor  
vulgaris repens Park: *Common Mouseear. Offic.*



*Pilosella Indica* *Cornut:* major *Park:*  
*parad:* *Hieracium hortense latifolium*  
 five *Pilosella major* *Ger.* *Golden Mous-*  
*ear.*

✓ S. *PIMPINELLA saxifraga* major  
*umbellâ candidâ* B. P *Saxifraga hirci-*  
*na* major *Park:* *saxifraga* *Ger:* *Saxi-*  
*fraga hircina* major I: B: *Great Burnet*  
*Saxifrage. Offic.*

✓ S. *Pimpinella saxifraga* major altera B:  
 P: *saxifraga* major nostras *Park:* *Saxi-*  
*fragia hircina* minor foliis *Sanguisorbæ*  
 I: B: *The lesser round-leaved Burnet Saxi-*  
*frage.*

✓ S. *Pimpinella saxifraga* minor B: P:  
*saxifraga hircina* minor *Park:* *Saxifra-*  
*gia hircina minima*, *Pimpinella cris-*  
*pa* *Tragi* I. B. *Small Burnet Saxi-*  
*frage.*

*Pimpinella maxima* *Canadensis* *Corn-*  
*ut:* maxima *Americana* *Park:* *Great*  
*American Burnet.*

*Pimpinella sanguisorba* major B: P:  
*Sanguisorba* major flore *spadiceo* I. B.  
 major vulgaris *Park:* *sylvestris* *Ger:* *Great*  
*Burnet.* pim-

*Pimpinella sanguisorba minor lævis*  
*B. P. hortensis Ger: vulgaris minor Park:*  
*Sanguisorba minor I. B. Small Burnet, or*  
*Garden-Burnet. Offic:*

*Pimpinella agrimonoides Hort. Reg.*  
*Bles: Burnet with Agrimony-leaves.*

**P I N U S** *fativa B: P: fativa si-*  
*ve domestica Ger: urbana five do-*  
*mestica Park: Pinus officulis duris*  
*foliis longis I: B: The Pine-Tree.*  
*Offic.*

*Pinus sylvestris B: P: Pinafter Au-*  
*striacus major albus Clus: I. B. The wild*  
*Pine.*

**P I S T A C I A** *sylvestris B: P: Nux*  
*vesicaria Ger: Park: Staphylodendron*  
*I. B. The Bladder-Nut.*

*Pistacia Virginiana sylvestris trifolia*  
*Hort: Reg: Bles: The three-leaved Blad-*  
*der-Nut of Virginia.*

**P I S U M** *majus quadratum B: P:*  
*majus flore albo Hist: Oxon: majus Ger:*  
*Rouncival-Pease. Ann.*

*Pisum umbellatum* B. P. *Hist: Oxon:* Ger : umbellatum five roseum *Park. parad:* comosum erectius I. B. *Rose-Pease, or tufted, or Scottish-Pease Ann.*

*Pisum fructu majore albo ovato Hist: Oxon. Egg-Pease. Ann.*

*Pisum leptolobum*, seu sine cortice aut membranâ duriore *Hist: Oxon: Pisa sine cortice duriore B: P: Pisum sacharatum Park: parad: excorticatum Ger: sine tunicis durioribus in siliquâ magnâ albâ I. B. Sugar-Pease. Ann.*

S. *Pisum arvense B: P: minus Ger: Pisa arvensia I: B: Field-Pease. Offic. Ann.*

*Pisum vesicarium fructo nigro albâ maculâ notato B: P: cordatum vesicarium Park: Halicacabum peregrinum Cor Indum I: B: Halicacabum peregrinum Ger: Halicacabum peregrinum vesicarium fructu nigro albâ maculâ notato Hist. Oxon: The Bladder heart-like spotted-Pease. Ann.*

S. *P L A N T A G O* latifolia sinuata B.  
*P. latifolia* Ger: latifolia vulgaris Park.  
 major folio glabro non laciniato ut plu-  
 rimum I: B: *Great Plantain, or Way-*  
*bread. Offic.*

S. *Plantago latifolia incana* B: *P: inca-*  
*na* Ger. major incana Park: major hir-  
 futa, media a nonnullis cognominata I.  
*B. Hoary Plantain.*

S. *Plantago latifolia incana spicâ albâ*  
*Hoary Plantain with a white spike.*

*Plantago rosea* I. B. Ger: Park: latifo-  
 lia rosea floribus quasi in spicâ disposi-  
 tis B: P: *Rose-Plantain.*

*Plantago angustifolia paniculis* La-  
 gopi B. P. Park: quinquenervia cum  
 globulis albis pilosis I: B: *Hares-foot*  
*Plantain. Ann.*

S. *Plantago angustifolia major* B: P.  
 quinquenervia Ger: quinquenervia ma-  
 jor Park: lanceolata I: B: *Ribwort, or*  
*lesser Plantain. Offic.*

S. *Plantago marina* Ger: marina vulgaris  
 Park: *Coronopus maritima* major B: P:

T

Co-

*Goronopus maritima nostras* I: B: *Common Sea-Plantain.*

S. *Plantago aquatica latifolia* B: P: *aquatica* I: B: *aquatica major* Ger: *Park: Great Water-Plantain. Offic.*

S. *Plantago aquatica angustifolia* B. P: *aquatica minor* Park: *aquatica humilis* Ger: *aquatica humilis angustifolia* I. B. *The lesser Water-Plantain, or Dwarf Water-Plantain.*

S. *Plantago aquatica stellata* B: P: *aquatica minor stellata* Ger: *aquatica minor muricata* Park: *Damasonium stellatum Dalechampij* I: B: *Starry-headed Water-Plantain.*

*PLATANUS* Dod. I. B. Ger: *Platanus Orientalis* verus Park. *The True Oriental-Plane.*

*Platanus Occidentalis* aut *Virginienfis* Park. *The Plane-tree of the west parts of Virginia, or the Occidental-Plane.*

*POLIUM* montanum luteum B: P: Ger: *montanum vulgare* Park: *Ordinary Poley-mountain.*

*Polium montanum album* B: P: Ger: *Po-*



*Polium Monspeffulanum* I. B. *Polium montanum* Monspeliacum *Park: White Poley-mountain.*

S. *POLYGALA* vulgaris B: P: minor *Park: cærulea* Ger: *Polygala tetrapetala filiculosa bicapsularis longo & angusto folio minor* Hist. Oxon. *Polygon multis* I: B: *Blew Milk-wort. Ann.*

S. *Polygala rubra* Ger: minor rubra *Park: Red Milk-wort. Ann.*

*Polygala alba* Ger: *Park White Milk-wort. Ann.*

*POLYGONATUM* Ger: vulgare *Park: latifolium vulgare* B: P: *Polygonatum, vulgò Sigillum Solomonis* I. B. *Solomons-Seal. Offic.*

*Polygonatum latifolium* flore majore odore B. P. majus flore majore *Park: latifolium secundum Clusij* Ger: *Polygonatum floribus ex singularibus pediculis* I. B. *The great-flowered Solomons-seal.*

*Polygonatum latifolium Hellebori albi foliis* B: P: maximo folio *Park: amplitudinis foliorum Ellebori albi* I: B: *The greatest-leaved Solomons-seal.*

**Polygonatum latifolium maximum**  
**B** *P. majus* *Park*: majus vulgari simile  
**I**: *B*: *The great Solomons-seal*.

**Polygonatum angustifolium non ramosum** *B*: *P*: minus *Ger*: angustifolium  
*I. B. Park*: *Narrow-leaved Solomons-seal*.

**S.** **POLYGONUM latifolium** *B*.  
*P. vulgare latifolium* *Hist*: *Oxon*. mas vulgare  
*Ger*: mas vulgare majus *Park*: **Polygonum** five **Centinodia** *I. B.* *Common Knot-grass*. *Offic. Ann*.

**Polygonum minus candicans** *B*: *P*: montanum minimum niveum & sericeum  
*Lob*: *Hist*: *Oxon*: montanum *Ger*: montanum niveum  
*Park*: *Paronychia Hispanica Clusij*, five *Anthyllis nivea* *I. B.* *White mountain-Knot-grasse*.  
*Ann*:

**S.** **Polygonum angustissimo, & acuto vel gramineo folio, minus repens** *B*: *P*: **Polygonum polyspermum** *Knawel* dictum  
flosculis viridibus *Hist*: *Oxon*: tertium *Dedona* i five *tenuifolium* *I. B.* *Germanicum*, *Knawel Germanorum* *Park*: *felinoides*

noides five Knawel Ger: *German Knot-gras*, or *Knawel*. Ann.

- S. Polygonum minimum, five Millegrana minima B: P: Hist: Oxon. Millegrana Ger: minima five Herniaria minor Park: *The least Rupturewort*, or *Allseed*. Ann.

- S. POLYPODIUM I B. Ger: vulgare B: P: Park: *Common Polypody*. Offic.

POPULUS alba Ger: Park: alba, λευκή Theophrasti I: B: alba quæ λευκή ab albedine dicitur, foliis majoribus B: P: *The white Poplar-tree*.

Populus alba foliis minoribus B: P: Ger: Park: *The smaller-leaved Poplar*.

Populus nigra B: P: Ger: Park: nigra, five Ἀΐγισπος Dioscoridis & Theophrasti I. B. *The black Poplar-tree*. Offic.

- S. Populus tremula B: P: Lybica Ger: Lybica Plinij, κερνίς Theophrasti I. B. *The Aspen-tree*, or *Qu. king-Asp.*

PORRUM I. B. Park: capitatum Ger: commune capitatum B. P. Hist: Oxon: *Common Leeks*. Offic. Ann.

Porrum foliis eleganter variegatis  
adinftar Graminis striati. *A Leek with  
party coloured leaves, like Ladies-laces.  
Ann.*

Porrum fektivum juncifolium *B. P.*  
fektivum, Schænoprassum quibusdam  
*I. B. Schænoprassum Ger: Park: Cēpa  
fectilis juncifolia perennis Hist: Oxon:  
Cives.*

**P O R T U L A C A** latifolia five fativa  
*B: P: Hist: Oxon: fativa Park: dome-  
stica Ger: hortensis latifolia I. B. Garden-  
Purslane. Offic. Ann.*

Portulaca hortensis folio flavo. *Hort.  
Reg. Bles: latifolia, five fativa foliis fla-  
vis Hist: Oxon. Golden-Purslane. Ann.*

Portulaca angustifolia five sylvestris  
*B: P: Hist: Oxon. sylvestris Ger: Park:  
sylvestris minor spontanea I. B. Wild-  
Purslane. Ann.*

**S. P O T A M O G E I T O N** Salicis fo-  
lio *B: P: angustifolium, seu Salicis fo-  
lio Hist: Oxon. angustifolium Ger: Po-  
tamogeiton, five Fontalis Persicariæ fo-*

liis

liis major longifolia *Park*: *Narrow-leaved Pondweed*.

- S. Patamogeiton foliis angustis splendentibus B: P: *Hist. Oxon.* longis acutis foliis Ger: Fontalis major lucens I. B. *Long-leaved shining Pondweed*.

- S. Potamogeiton foliis latis splendentibus B: P: *Hist. Oxon.* tertia Dodonæi Ger: altera Dodonæi I. B. *Small Pondweed, or thorough-leaved Pond-weed*.

- S. Potamogeiton rotundifolium B: P: majus rotundifolium *Hist. Oxon.* rotundiori folio I. B. latifolium Ger: Fontalis major latifolia vulgaris *Park*: *Broad-leaved Pond-weed*.

- S. POTENTILLA B: P: *Park*: Potentilla, five Argentina I. B. Argentina Ger: Pentaphylloides minus supinum seu procumbens foliis alatis argenteis & ferratis flore luteo *Hist. Oxon.* *Silver-weed, or Wild-Tansie. Offic.*

PRUNUS Dod. &c. *The Plum-tree. Offic.*

- S. Prunus sylvestris B: P: I. B. Ger: *Park*: *The Sloe-tree. Offic.*



**PSEUDODICTAMNUS** verticillatus inodorus **B:** *P:* Pseudodictamnus *Park:* Pseudodictamnium *Ger:* Dictamnium adulterinum quibusdam verticillatum, vel potius Gnaphalium Veterum *I. B.* *Bastard Dittany.*

**PSYLLIUM** majus erectum **B:** *P.* *I. B.* vulgare *Park:* Psyllium seu pulicaris herba *Ger:* *Common Flea-wort.* *Offic. Ann.*

Psyllium Dioscoridis, vel Indicum crenatis foliis **B:** *P:* Indicum foliis crenatis *I. B.* *Park:* *Indian Flea wort, with dent-ed leaves.* *Ann.*

Psyllium majus supinum **B:** *P:* *I. B:* majus semper virens *Park:* semper virens *Lobelij* *Ger.* *Ever-green Flea-wort.*

**PULEGIUM** *I:* *B:* latifolium **B.** *P.* regium *Ger:* vulgare *Park.* *Common Penny-royal.* *Offic:*

Pulegium angustifolium **B:** *P:* *Ger:* angustifolium seu cervinum *Park:* cervinum angustifolium *I. B.* *Hart Penny-royal.* *Offic.*

**PULSATILLA** folio crassiore &  
ma.

maiore flore B. P. folio craſſiore flore  
 maggiore dilutiore *Hist: Oxon: vulgaris*  
*Ger: Park: purpurea I: B: The purple Paſ-*  
*que-flower.*

S. PYROLA I. B. *Ger: rotundifolia*  
 major B. P. noſtras vulgaris *Park: Com-*  
*mon Winter-green. Offic.*

S. Pyrola Allines flore Europæa B. P.  
*Park: Herba trientalis I. B: Winter-green*  
*with Chickweed-flowers.*

PYRUS *Dod: fativa B. P. The Pear-*  
*tree. Offic.*

## Q.



## QUADRIFOLIUM

hortense album B: P: Quadrifolium phæum fuscum

*Park:* Lotus quadrifolia *Ger:*

Trifoliis affinis, Quadrifolium phæum  
*Lobelij I: B: Trifolium pratense dege-*  
*nerans in Quadrifolium phæum seu fusc-*  
*cum Hist. Oxon. Four-leaved, or purple-*  
*Grasse.*

**S.** QUERCUS latifolia mas quæ bre-  
 vi est pediculo B: P: latifolia *Park:* vul-  
 garis *Ger:* vulgaris pediculis brevibus I:  
*B: The Common Oake-tree: Offic.*

## R.

## R:

S. **R**ANUNCULUS nemorosus Moschatelina dictus. B: P: Ranunculus Moschatelina, five Moschatella dictus *Hist: Oxon:* nemorosus Moschatella dictus *Park:* Moschatelina foliis Fumariæ bulbosæ, de quâ **Cordus** I: B: Radix cava minima viridi flore *Ger: The Muskwood-Crow-foot.*

S. Ranunculus pratensis radice verticilli modo rotundâ B: P: *Hist: Oxon:* tuberosus major I: B: bulbosus *Ger: Park: Round-rooted, or Bulbous Crow-foot.*

Ranunculus bulbosus flore pleno B: P: maximus Anglicus *Ger: Anglicus maximus multiplex Park: parad: maximo tubere, flore magno pleno. I: B: The Garden double*

*double yellow Crowfoot, or Batchelours-Buttons.*

S. *Ranunculus pratensis erectus acris*  
*B: P: Hist: Oxon: pratensis erectus acris*  
*vulgaris Park: Ranunculus surrectis cau-*  
*liculis Ger: rectus non repens flore sim-*  
*plici luteo I: B: Upright Meadow-Crow-*  
*foot.*

S. *Ranunculus pratensis erectus acris flo-*  
*re pleno Double-flowered Upright Mea-*  
*dow Crow-foot.*

S. *Ranunculus pratensis repens hirsutus*  
*B. P. Hist: Oxon. pratensis repens Park:*  
*pratensis etiamque hortensis Ger: repens*  
*flore luteo simplici I. B. Common Crow-*  
*foot, or Butter-cups:*

*Ranunculus montanus lanuginosis fo-*  
*liis Ranunculi pratensis repentis B: P:*  
*Park: Ranunculus magnus valde hirsu-*  
*tus flore luteo I: B: Woolly Mountain-*  
*Crow-foot.*

S. *Ranunculus nemorosus vel sylvaticus*  
*folio rotundo B. P: Hist: Oxon: nemo-*  
*rosus dulcis secundus Tragi Park: ro-*

tun-



tundifolius vernus sylvaticus *I. B.* auricomus *Ger: Sweet Wood-Crow-foot.*

*S.* Ranunculus montanus Aconiti folio flore luteo globofo *B: P: globosus Ger: Park: parad: flore globofo, quibusdam Trollius flos I: B: The Glob-Crow-foot.*

Ranunculus montanus Aconiti folio, flore albo minore *B: P: Ranunculus albus simplici flore I: B: Alpinus albus Ger: montanus albus minor simplex Park: The lesser single white Mountain Crow-foot.*

Ranunculus folio Aconiti flore albo multiplici *B: P: albus multiflorus Ger. albus flore pleno Park: parad. albus flore denso I: B: Double white Crow-foot.*

Ranunculus stellatus echinatus Creticus *B: P: Hist: Oxon: echinatus Creticus Park: palustris echinatus I: B: Prickly Crow-foot of Candy. Ann.*

Ranunculus arvensis echinatus *B: P: Hist: Oxon. arvorum Ger: Park: arvensis echinatus I: B: Rough-headed, or Corn Crow-foot, Ann.* Ra-

*Ranunculus hirsutus* annuus flore minimo *Joh. Raij* arvensis annuus hirsutus flore omnium minimo luteo *Hist: Oxon.*  
*Field Crow-foot with a smal flower.*  
*Ann.*

*Ranunculus lanuginosus angustifolius* grumosa radice minor *B. P. Hist. Oxon.* *Illyricus Ger: Illyricus minor Park.* *Illyricus radicibus bulbosis, foliis longis I: B: Crow-foot of Illyria.*

*Ranunculus montanus folio gramineo B: P: Hist. Oxon.* *gramineus Lobelij Ger: gramineus flore luteo simplici Park: pumilus gramineis foliis I. B. Yellow single grass-leaved Crow-foot.*

*S. Ranunculus palustris Apij folio levis B: P: Hist. Oxon.* *palustris rotundifoliis Ger: palustris Sardonius levis Park: palustris flore minimo I. B. Round-leaved Marsh Crow-foot. Ann.*

*S. Ranunculus longifolius palustris major B: P: Hist. Oxon.* *flammeus major Ger. palustris flammeus major Park: Ranunculus longo folio maximus, Lingua Plinij I. B. Great Spear-wort.*

Ra-

**S.** *Ranunculus longifolius palustris minor* *B. P. Hist. Oxon.* flammeus minor  
*Ger:* palustris flammeus minor, five angustifolius *Park:* longifolius, aliis *Flammula I. B. The lesser Spear-wort.*

**S.** *Ranunculus palustris ferratus B. P.* palustris longifolius minor ferratus *Hist. Oxon:* flammeus ferratus *Ger: Park: Dented Spear-wort.*

**S.** *Ranunculus aquaticus folio rotundo & capillaceo B: P: Hist. Oxon:* aquaticus Hepaticæ facie *Park.* aquatilis albus tenuifolius *I: B: Water Crow-foot with various leaves.*

**S.** *Ranunculus aquaticus hederaceus Hist. Oxon.* aquaticus hederaceus luteus *B. P.* hederaceus rivulorum se extendens, atrâ maculâ notatus *I: B: Ranunculi aquatilis varietas altera Ger: Ivy-leaved Water-Crow-foot.*

**S.** *Ranunculus aquaticus Cotyledonis folio B: P: Hist. Oxon.* Cotyledon aquatica *I: B: Cotyledon aquatica acris Septentrionalium Lob. Cotyledon palustris Ger: Park: Marsh Penny-wort.*

**RAPH**

**RAPHANUS** niger major rotundus *Hist. Oxon:* niger rotundiore radice *Park. The rounder-rooted black Radish. Ann.*

*Raphanus niger radice longâ pyramidalis Hist. Oxon:* pyriformis sive radice nigrâ *Ger. The black, or Pear-fashion Radish. Ann.*

*Raphanus I: B: minor oblongus B: P: Hist. Oxon:* sativus vulgaris *Ger: Park: Common Garden-Radish. Offic. Ann.*

S. *Raphanus rusticanus B: P: Hist. Oxon:* *Ger: Park: sylvestris sive Armoracia multis I: B: Horse-Radish Offic.*

S. *Raphanus aquaticus foliis in profundas lacinias divisis B: P: Hist. Oxon. aquaticus Ger: Park: aquaticus Taberna-montani I: B: Water-Radish.*

S. **RAPISTRUM** flore luteo B. P. I: B: arborum *Ger: Park: Sinapi arven-se præcox semine nigro Hist. Oxon: Char-lock, or Wild-Mustard. Ann.*

S. *Rapistrum flore albo filiquâ articu-*  
la

tâ B: P: album articulatum *Park:* flore albo striato, Sinapi album agreste *Trago I. B:* Raphanistrum flore albo striato filiquâ articulatâ striatâ minore *Hist: Oxon. White flowered Charlock with joyn-ted cods. Ann.*

S. Rapisrum luteum filiquâ glabrâ articulata *J. Raij* Rapisrum alterum ar-vorum *Park:* Raphanistrum filiquâ articulatâ glabrâ majore & minore *Hist: Oxon. Yellow Charlock with smooth joyn-ted cods. Ann.*

Rapisrum maximum monospermum *Cornut:* maximum rotundifolium monospermum Hispanicum *Park:* Raphanistrum monospermum maximum rotundifolium capsulâ rotundâ glabrâ *Hist. Oxon. Spanish one-grained-Charlock. Ann.*

R A P U M fativum rotundum *I. B.* rotundum majus & minus *Ger:* Rapa fativa rotunda *B. P. Hist. Oxon. Round rooted Turnep. Offic. Ann.*

Rapum fativum oblongum *I. B:* radi-  
U ce



ce oblongâ *Ger*: Rapa fativa oblonga  
 seu foemina *B. P.* *Hist*: *Oxon.* Long-root-  
 ed Turnep. *Ann.*

*Rapum luteum Hort. Reg. Bles. The*  
*yellow-rooted Turnep. Ann.*

**R A P U N C U L U S** esculentus *B. P.*  
*Hist*: *Oxon*: esculentus vulgaris *Park*:  
 vulgaris campanulatus *I. B.* Rapuntium  
 parvum *Ger*: *Rampions. Ann.*

*Rapunculus spicatus B. P. cornicu-*  
*latus spicatus seu alopecuroides Hist*:  
*Oxon*: spicatus alopecuroides *Park*: spi-  
 catus sive comosus albus & cæruleus *I. B.*  
*Rapuntium majus Ger*: *Long Fox-tail-*  
*Rampions.*

**S.** *Rapunculus Scabiosæ capitulo cæru-*  
*leo B. P. Park*: ramosus corniculatus  
*Scabiosæ capitulo cæruleo Hist*: *Oxon.*  
*Scabiosa 12, five minima hirsuta Ger*:  
*Scabiosa globularis quam ovinam vo-*  
*cant I. B. Hairy Sheeps-Scabious, or Ram-*  
*pion with Scabious heads. Ann.*

**S.** **R E S E D A** vulgaris *B. P. Plinij Ger*:

lu

*lutea* I: B: minor seu vulgaris *Park: Base-Rocket. Ann:*

*Reseda alba* I: B: maxima *Ger: Crambling-Rocket. Ann.*

*RHAMNUS catharticus* B. P. I: B: solutivus *Ger: solutivus sive Spina infectoria vulgaris Park: Buck-Thorn, or common purging-Thorn. Offic.*

*Rhamnus catharticus minor* B: P: solutivus minor *Ger: solutivus minor Pannonicus Park: Rhamnus solutivus pumilus Pannonicus primus Clusij I: B: The lesser Purging-Thorn of Hungary.*

*Rhamnus Salicis folio angusto, fructu flavescente* B. P: primus *Dioscoridis Lobelio, sive littoralis Park: secundus Clusij Ger: Rhamnus, vel Oleaster Germanicus I. B. Sallow-Thorn, or Sea-Buck-thorn.*

S. *RHODIA RADIX* B: P: I: B: *Ger: Park: Rose-root. Offic.*

*Rhus Virginianum* B. P. app. *Park: Virginian Sumach, or Buck-horn-tree.*

*Rhus myrtifolia* *Monspeliaca* B. P.

myrtifolia Ger: Rhus Plinij putata  
I: B: Plinij myrtifolia Park. *Mirtle-  
leaved Sumach.*

- S. Rhus myrtifolia Belgica B. P. sylve-  
stris five Myrtus Brabantica vel Angli-  
ca Park: Myrtus Brabantica, five Elæ-  
agnus Cordi Ger: Gale, frutex odora-  
tus Septentrionalium I. B. *Gaule, sweet  
Willow, or Dutch Myrtle.*

R I C I N U S major vulgaris B. P. I. B.  
Ricinus five Palma Christi Ger: Ricinus  
five Cataputia major vulgatio Park:  
*The ordinary Palma Christi, or great Spurge  
Offic. Ann.*

- S. R O S S O L I S folio rotundo B. P.  
I: B: Ger: Park: *Round-leaved Sun-dew.  
Offic: Ann.*

R O S A rubra B: P: Ger. I. B. An-  
glica rubra Park: parad. Joh. Rea Flor.  
*The Red-Rose. Offic:*

Rosa Mundi Joh. Rea Flor. *The Rose  
of the World, or the stripped Red-  
Rose.*

Rosa Hungarica Park: parad. Joh.  
Rea Flor. *The Hungarian Rose.*

Ros

Rosa Provincialis flore rubro *Joh. Rea Flor.* Provincialis rubra *Park. parad.* *The red-Province-Rose.*

Rosa Belgica five vitrea flore rubro *Joh. Rea Flor.* *The red Belgick-Rose, or the Marygold-Rose.*

Rosa holoserica multiplex *Park. parad. Joh. Rea Flor.* Rosa holoserica *Ger:* *The double Velvet-Rose.*

Rosa marmorea *Joh. Rea Flor.* *The marble-Rose.*

Rosa Francofurtensis *Park. parad. Joh. Rea Flor.* *The Franckford Rose.*

Rosa Cinamomea *Joh. Rea Flor.* Cinamomea multiplex *Park. parad.* odore Cinamomi flore pleno *B: P:* Cinamomea flore pleno *Ger:* Rosa minor rubello multiplicato flore asperis spinis armata *I: B:* *The double Cinamon-Rose.*

Rosa Cinamomea simplex *Park. parad:* Cinamomea flore simplici *Ger:* odore Cinamomi flore simplici *B. P.* Cinamomea floribus subrubentibus spinosa *I. B.* *The single Cinamon Rose.*

Rosa Damascena *Park. parad.* Damascena

na vulgaris *Joh. Rea Flor.* Provincia-  
lis five Damascena *Ger. purpurea B. P.*  
Rosa rubello flore majore multiplicato  
five pleno, incarnata vulgo I: B: *The  
common Damask-Rose.*

Rosa Damascena versicolor *Joh. Rea  
Flor. versicolor Park. parad. B: P: Ro-  
sa Prænestina alba & versicolor I: B: The  
party-coloured Rose, of some York and Lan-  
caster.*

Rosa Crystallina *Park: parad. Joh.  
Rea Flor. The Cristal-Rose.*

Rosa Damascena variegata eleganti-  
or *J. Rea Flor: The Elegant variegated  
Damask-Rose, or Mistress Hearts-Rose.*

Rosa Provincialis five Hollandica Da-  
mascena *Park: parad: Damascena pro-  
vincialis Joh. Rea Flor. Hollandica, five  
Batava Ger. maxima multiplex B. P:  
Hollandica rubella plena, quibusdam  
Centifolia spinoso frutice I. B. The great  
double Damask-Province, or Holland-  
Rose.*

Rosa mensalis *Joh. Rea. Flor. The  
monethly Rose.*

Ro-



*Rosa belgica* five vitrea flore rubicante *Joh. Rea Flor.* *The Blush-Belgick-Rose*, called by some, *The white Province-Rose*, and the *Batavick-Rose*.

*Rosa Belgica* flore rubicante pleno minor, *Rosa Madama dicta.* *A lesser kind of the Blush Belgick Rose*, called *Rosa Madama*.

*Rosa lutea simplex* B:P: *Park: parad: Joh. Rea Flor: Rosa lutea Ger: I.B.* *The single yellow Rose.*

*Rosa lutea multiplex* P.B: *Ger: lutea flore pleno I. B. Joh. Rea Flor. lutea multiplex five flore pleno Park, parad.* *The double yellow Rose.*

*Rosa punicea Cornut: Austriaca* flore phoeniceo *Joh. Rea Flor: sylvestris Austriaca flore phoeniceo Park: The Vermilion-Rose of Austria.*

*Rosa alba vulgaris major* P. B. *alba Ger: alba vulgaris Joh: Rea Flor. Anglica alba Park: parad. candida plena I: B: The common white Rose, or English white Rose. Offic.*

Rosa alba flore duplici major. Rosa candida semiplena I: B: *The greater white Rose with two range of leaves.*

Rosa alba flore duplici minor. *The lesser white Rose with two range of leaves.*

Rosa incarnata Park parad. Job. Rea Flor. *The carnation-Rose, or blush-Rose.*

Rosa moschata simplici flore B: P: Ger: moschata simplex Park: parad. moschata minor simplici flore I. B. *The single musk-Rose.*

Rosa moschata flore pleno B: P: Job. Rea Flor. moschata multiplex Park: parad: Ger: moschata minor flore pleno I. B. *The double musk-Rose.*

Rosa Hispanica moschata simplex Park: parad. Hispanica moschata Job. Rea Flor. *The Spanish musk-Rose.*

Rosa sylvestris pomifera major B: P: pomifera major Job. Rea Flor. Park. parad.

*rad.* Rosa pomo spinoso folio hirsuto

I: B: *The great Apple-Rose.*

S. Rosa sylvestris vulgaris flore odorato incarnato B: P: sylvestris inodora, sive canina *Park.* canina inodora *Ger:* sylvestris alba cum rubore, folio glabro I: B: *The ordinary wild Briar-bush. offic.*

S. Rosa sylvestris inodora sive canina flore albo. *The ordinary wild Rose, or Briar-bush with white flowers.*

S. Rosa sylvestris nostras flore albo odoratissimo. *A Scottish wild Rose with most fragrant white flowers.*

Rosa sylvestris minor rubello flore *B.P.* rubello parvo flore simplici non spinosa I. B. *The small red Rose without prickles.*

Rosa parvo rubello flore foliis lucentibus. An Rosa sylvestris Virginienfis *Park: : The Rose with shining-leaves, perhaps the Virginian Briar-Rose of Parkinson.*

S. Rosa sylvestris foliis odoratis B: P: sylvestris odora *Ger:* sylvestris odora sive  
Eg-

*Eglentaria simplex* *Park: parad.* *Rosa*  
*foliis odoratis Elegantina dicta* *I. B: The*  
*single Eglantine, or sweet-Briar-Bush.*

*Rosa sylvestris odora* sive *Eglentaria*  
*flore duplici* *Park: parad :* *Eglentaria*  
*flore duplici* *Joh. Rea Flor. sylvestris*  
*odora flore duplici* *Ger: Eglentina flore*  
*pleno* *I. B The double Eglantine.*

✓ S. *Rosa sylvestris pomifera minor* *P. B.*  
*Pimpinellæ folio* *Ger. Rosa Pimpinella*  
*sive pomifera minor* *Park: pumila spi-*  
*nosissima foliis Pimpinellæ glabris flore*  
*albo* *I. B. The Pimpinel-Rose.*

S. *Rosa Pimpinellæ foliis minor nostras*  
*flore eleganter variegato.* *The lesser Scot-*  
*tish Burnet, or Pimpinel-Rose with fine-*  
*stript flowers.*

*Rosa arborescens non descripta.* *An*  
*undescribed Tree-Rose.*

*R O S M A R I N U S* *hortensis angu-*  
*stiore folio* *P. B. coronarius* *Ger. co-*  
*ronarius fruticosus* *I. B. Libanotis coro-*  
*naria sive Rosmarinum vulgare* *Park.*  
*Common Rosemary. Offic.*

Ros-

**Rosmarinus hortensis folio aureo**  
*Hort. Reg. Bles. Rosmarinum striatum*  
 five aureum *Park: Gilded-Rosemary.*

*Rosmarinum sylvestre minus nostras*  
*Park. Viti Idææ affinis Polifolia mon-*  
*tana I. B. Myrtus tenuifolia Thalij. Wild*  
*Rosemary.*

**RUBIA tinctorum sativa B. P. tinc-**  
*torum Ger: sativa, an sylvestris Mon-*  
*spessulanus minor I. B: major sativa si-*  
*ve hortensis Park: Common Madder.*  
*Offic.*

*Rubia minor e rupe Sancti Vincentij.*  
*Aleser kind of Madder from Saint Vincents*  
*Rock.*

*Rubia erecta quadrifolia I. B: Narrow-*  
*leaved Crosse-wort-Madder.*

S. *Rubia parvo flore cæruleo se spar-*  
*gens I. B. Rubeola arvensis cærulea re-*  
*pens B: P: minor pratensis cærulea Park:*  
*Small creeping Field-Madder. Ann.*

*Rubia cynanchica B: P: I. B. Ger:*  
*Gallium tetraphyllum montanum cru-*  
*ciatum Col. Squinancy-wort.*

**Ru**



*Rubia angustifolia spicata* B: P:  
*Park: Narrow-leaved spiked Madder.*  
*Ann:*

S. *R u b u s* Ger: vulgaris, sive *Ru-*  
*bus fructu nigro* B. P. major vulgaris  
*Park: major fructu nigro* I: B: *The com-*  
*mon Bramble, or Black-berry-bush* Offic.

*Rubus minor fructu cæruleo* I. B. re-  
*pens fructu cælio* B: P: Ger: minor *Cha-*  
*mærubus, sive Humirubus* Park: *Small*  
*Bramble, or Dew-berry.*

✓ S. *Rubus Idæus spinosus* B. P. *Idæus*  
*Ger: Park: Idæus spinosus fructu rubro*  
*I: B: Red Rasp-berry, or Hind-berry.*  
*Offic.*

*Rubus Idæus fructu albo* B. P. Ger:  
*Park. Idæus spinosus fructu albo* I. B.  
*The White Rasp-berry.*

S. *Rubus saxatilis* Ger: *Alpinus saxati-*  
*lis* Park: *Alpinus humilis* I. B. *Chamæ-*  
*rubus saxatilis* B. P. *The Stone-Bramble.*

*R u s c u s* B: P: I: B: Park, *Ruf-*  
*cus sive Bruscus* Ger: *Butchers-Broom.*  
*Offic.*

*R u t a hortensis latifolia* B: P: hor-  
 tensis

tensis major latifolia *Hist* : *Oxon* : hortensis *Ger* : hortensis vel fativa *L. B.* hortensis major *Park* : grave olens hortensis *Dod. Garden-Rue. Offic.*

Ruta sylvestris magno flore albo *B. P.* Syriaca sylvestris Harmala dicta flore magno albo *Hist* : *Oxon.* sylvestris Syriaca sive Harmala *Park*. Ruta quæ dici solet Harmala *L. B.* Harmala *Ger* : *Assyrian wild-Rue. Offic.*

## S.

**S** A B I N A folio Tamarisci Dioscoridis *B. P.* vulgaris *Park*. sterilis *L. B.* *Ger. Common Savine. Offic.*

**S** A L I X vulgaris alba arborescens *B. P.* maxima fragilis alba hirsuta *L. B.* arborea angustifolia alba vulgaris *Park* : *Salix Ger. The common white-Willow.*

Sa-

- S. *Salix vulgaris rubens* B: P: *The common red-Willow.*
- S. *Salix spontanea fragilis amygdalino folio non auriculata* L: B: *The Crack-Willow.*
- S. *Salix folio laureo, five lato glabro odorato* J. *Raij Bay-leaved Willow, or sweet-Bay-Willow.*
- S. *Salix pumila brevi angustoque folio incano* B: P: *humilis repens* Ger. *angustifolia repens* Park: *The creeping Dwarf-Willow.*
- S. *Salix folio ex rotunditate acuminato* B: P: *caprea latifolia* Ger: *latifolia oblongior* Park. *inferne hirsuta* L. B. *Common Sallow.*
- S. *Salix latifolia rotunda* B. P: Park: *caprea rotundifolia* Ger: *Round-leaved Sallow.*

*Salix fativa lutea folio crenato* B: P: *lutea tenuior fativa viminea* L: B: *aquatica* Ger: *aquatica humilis* Park. *The Osier.*

SALVIA major ; an Sphacelus  
The-

Theophrasti? B: P: major vulgaris Ger.  
 Park. latifolia I: B: *Common Sage*. *Offic.*

Salvia nigra B: P. nigra vel rubra I. B.  
*Red Sage.*

Salvia variegata vulgaris Ger. albis  
 foliis I. B. *Common painted Sage, or green-*  
*stript Sage.*

Salvia variegata elegans Ger. versicolor  
 Park. *Fine-stript Sage, or red-*  
*stript Sage.*

Salvia foliis aureis, *Gilded-Sage.*

Salvia latifolia ferrata B. prodr. maxima  
 five latifolia Park: ferrata crispa I. B.  
 an? Salvia Alpina Ger. *Great Sage with*  
*dented-leaves.*

Salvia minor aurita & non aurita B.  
 P. minor auriculata I. B. minor pinna-  
 ta, Park. minor Ger: *Small Sage, or Sage*  
*of vertue.*

Salvia minor altera B. P. salvia Absinthium  
 redolens I. B. minor altera flore  
 rubente Park. Salvia absinthites Ger :  
*Worm-wood-Sage.*

Salvia baccifera B. P. gallifera Cre-  
 tica I. B. Cretica pomifera & non  
 po-

pomifera *Ger* : major *Cretica latifolia*  
& angustifolia aurita & non aurita, po-  
mifera *Park. Apple-bearing Sage of Candy,*  
*and Candy Sage without Apples.*

*Salvia Cretica* five pomifera flore  
albo *White-flowered Sage of Candy, or*  
*Apple-bearing Sage.*

✓  
1619  
S. *SAMBUCUS Ger. vulgaris Park:*  
*I: B: fructu in umbellâ nigro B. P. Com-*  
*mon Elder. offic:*

*Sambucus fructu in umbellâ viridi B:*  
*P: fructu albo Ger: Park: Elder with*  
*whitish-green berries.*

*Sambucus racemosa rubra B: P: Park:*  
*racemosa acinis rubris I. B. racemosa vel*  
*cervina Ger. Red-berried Elder.*

*Sambucus foliis laciniatis B. P: Ger:*  
*Park: laciniata I. B. Cut-leaved El-*  
*der.*

*Sambucus humilior frutescens foliis*  
*eleganter variegatis. Shrub-dwarfe-*  
*Elder, with fine party coloured leaves:*

✓  
1620  
S. *Sambucus humilis five Ebulus B:*  
*P:*



*P. Ger. Park:* Ebulus five Sambucus herbacea *I. B. Dwarfse Elder, or Walwort. Offic.*

- S. Sambucus aquatica flore simplici B. P. aquatica I. B. aquatilis five palustris Ger: palustris five aquatica Park. Marsh, or water-Elder.*

*Sambucus aquatica flore globoso pleno B. P. rosea I. B. Ger: Park: Rose-Elder.*

- S. S A N I C U L A officinarum B. P. Hist: Oxon: mas Fuchsj, five Diapensia I. B. Sanicula, five Diapensia Ger: vulgaris, five Diapensia Park: Common Sanicle. Offic:*

*Sanicula montana rotundifolia major B: P: guttata Ger: guttata major park: parad: Alpina guttata I: B: Spotted Sanicle.*

*Sanicula montana rotundifolia minor B: P: minor minus guttata Park: parad: The lesser spotted Sanicle.*

*Sanicula montana crenata umbilico rubro Hort. Reg. Bles. Sedum ferratum flore rubente maculato Park: parad:*

*The Princes-Feather, or None so pretty, with a red poyntel in the middle of the flower.*

*Sanicula montana crenata umbilico pallido Hort. Reg. Bles. The Princes-Feather, or None so pretty with a pale poyntel in the middle of the flower.*

*Sanicula Alpina vel Auricula Urſi variorum colorum. Bears-ears of divers colours.*

*Sanicula montana latifolia laciniata B:P: Hiſt. Oxon: Alpina ſive Cortuſa Matthioli Park. Alpina Cluſij ſive Cortuſa Matthioli Ger: Cortuſa I. B. Bears-ear-Sanicle.*

*Sanicula ſive Cortuſa Americana fruticoſa Park. montana Americana ſive Cortuſa Americana Stapel: in Theophr: Shrube-Saniele of America.*

*S. Sanicula montana flore calcari donato B: P: Pinguicula Gefneri I.B. Pinguicula ſive Sanicula Eboracenſis Ger: Park. Viola paluſtris Pinguicula dicta Hiſt: Oxon: Butter-wort, or York-shire Sanicle.*

**SAPONARIA** *Ger: vulgaris I. B.*  
*Park: major levis B: P: Lychnis Sapo-*  
*naria dicta vulgaris major simplex Hist.*  
*Oxon. Common Sope-wort. Offic.*

*Saponaria flore pleno Cornut. Ger:*  
*Park. Lychnis Saponaria dicta major*  
*vulgaris multiplex Hist: Oxon: Double*  
*Sope-wort.*

**SATUREIA** *hortensis, five Cu-*  
*nila sativa Plini B: P: hortensis Park.*  
*sativa I: B: sativa hortensis Ger: Summer-*  
*Savory. Offic. Ann.*

*Satureia montana B. P. durior I: B:*  
*hortensis Ger: vulgaris Park. Winter-*  
*Savory.*

S. **SAXIFRAGA** *rotundifolia alba*  
*B. P. alba Ger: alba vulgaris Park: alba*  
*radice granulosa I. B. Common White-*  
*Saxifrage. Offic.*

S. *Saxifraga rotundifolia aurea B: P:*  
*aurea Ger: Park. aurea Dodonæi I: B:*  
*Golden Saxifrage.*

S. *Saxifraga foliis pediculis oblongis in-*  
*sidentibus I. Raij. Golden Saxifrage with*  
*long-foot-stalks.*

**S.** Saxifraga Anglica facie Sefeli praten-  
fis *Ger: Sefeli pratense nostras Park:*  
Saxifraga Anglorum foliis Foeniculi la-  
tioribus, radice nigrâ, flore candido, se-  
mine Foeniculi, similis Silao *I. B. Meadows*  
*Saxifrage.*

**S.** Saxifraga palustris Anglica *Park: Al-*  
fine palustris foliis tenuissimis, sive Saxi-  
fraga palustris alfinefolia *Ger: English*  
*Marsh-Saxifrage.*

**S.** **SCABIOSA** pratensis hirsuta quæ  
officinarum *B. P. vulgaris pratensis Park:*  
major vulgaris *Ger: major communior*  
hirsuta folio laciniato & non laciniato  
*I. B. Common field-Scabious. Offic.*

Scabiosa capitulo globoso minor *B.*  
*P. minor sive Columbaria Ger: minor*  
vulgaris *I. B: minor campestris Park:*  
*The lesser field-Scabious.*

Scabiosa montana calidarum regio-  
num, major *Lobelio I: B: montana alba*  
*Ger: Pannonica flore albo Park: fruti-*  
cans angustifolia alba *B. P. White Hun-*  
*garian Scabious.*

Scabiosa Alpina foliis Centaurij mayo-  
ris

ris B. P. montana maxima Ger : Park :  
*The great mountain Scabious.*

Scabiosa latifolia rubra non laciniata  
 secunda B. P. latifolia rubro flore I. B.  
 rubra Austriaca Ger. Park. parad: Red  
*Scabious of Austria.*

Scabiosa peregrina rubra capitulo ob-  
 longo B. P. Indica rubra Ger: Park. pa-  
 rad: rubra peregrina , quibusdam In-  
 dica I. B. *Indian Scabious with red flowers.*  
*Ann.*

Scabiosa Indica flore variegato. Party  
*coloured Indian Scabious. Ann.*

Scabiosa Indica prolifera. Childing  
*Indian Scabious. Ann.*

Scabiosa peregrina capitulo oblongo  
 flore, albo Promontorij Bonæ spei. *White*  
*flowered Indian Scabious from the Cape of*  
*good-hope. Ann.*

Scabiosa stellata folio laciniato major  
 B. P. Hispanica major Park. Ger: major  
 cum semine pulchro I: B: *Great Spanish*  
*Scabious. Ann.*

Scabiosa Virgæ pastoris folio B.  
 P. latifolia peregrina. Tab. *Scabious*



with leaves like the small wild Teasel.

Scabiosa arborea *Prosp. Alp. de exot.* arborea Cretica Ponæ Park: fruticosa folio non dissecto peregrina I. B. peregrina Ger. stellata folio non dissecto B. P. *Shrub-Scabious of Candy.*

Scabiosa maritima parva I. B. *Small Sea-Scabious.*

Scabiosa argentea angustifolia B. P. Park: graminea argentea I. B. *Silver-leaved Scabious.*

S. SCANDIX femine rostrato vulgaris B. P. vulgaris sive Pecten Veneris Park: Pecten Veneris I. B. Pecten Veneris sive Scandix Ger: *Venus-Combe, or Shepherds-Needle. Ann:*

Scandix Cretica major B. P. Park: Pecten Veneris Creticus I. B. *The greater Shepherds-Needle of Candy. Ann.*

SCILLA vulgaris radice rubrâ B. P: Hist: Oxon: ruffa magna vulgaris I. B. rubra sive Pancratium verum Park: *parad.* Pancratium Clusij Ger: *Great Squil, or Sea-Onyon. Offic:*

**SCOLYMUS** chrysanthemus annuus *Hort. Reg. Bles. The annual Golden Thistle. Ann.*

**SCORDIUM** B.P. I. B. Ger: legitimum *Park: Water-Germander. Offic.*

S. Scordium alterum five *Salvia agrestis* ✓  
**B: P:** Scorodonia, five *Salvia agrestis*  
*Ger. Scorodonia* five *Scordium alterum*  
*quibusdam & Salvia agrestis* **Park:** Scor-  
*dotis, five Scordium folio* *Salviæ* **I: B:**  
*Wood-Sage. Offic.*

**SCORPIOIDES** Bupleuri folio  
**B: P:** Ger: Scorpioides Bupleuri folio  
*corniculis asperis, hirsutis minus con-*  
*tortis* *Hist Oxon:* Scorpioides Bupleuri  
*folio major* **Park:** Scorpioides **I: B:** *The*  
*greater rough Caterpillers, or Scorpion*  
*grass. Ann.*

Scorpioides filiquâ crassâ *Boelij* **Ger:**  
*app.* Scorpioides Bupleuri folio corni-  
*culis crassioribus, mollioribus, seu ma-*  
*gis spongiosis, lituui instar in se con-*  
*tortis & convolutis* *Hist: Oxon:* Scorpi-  
*oides major* **Park:** *parad. The great Ca-*  
*terpillar. Ann.*

**Scorpioides** **Portulacæ folio** **B: P:**  
**Telephium** Dioscoridis, seu **Scorpioides**  
 ob filiquarum similitudinem *Ejusdem.*  
**Scorpioides** **Portulacæ folio**, corniculis  
 articulatis, longioribus, ac tenuiori-  
 bus. *Hist: Oxon:* **Scorpioides** **Matthi-**  
**oli** *Ger.* **Scorpioides** **Matthioli** five **Por-**  
**tulacæ folio** *Park.* **Telephium** **Scorpi-**  
**oides** *I: B:* *Matthiolus* his *Scorpion-grass,*  
*Ann.*

**Scorpioides** minima **Viciæ foliis** *Hist:*  
*Oxon: The least Scorpion-grass with Vetch-*  
*leaves. Ann.*

**SCORZONERA** **latifolia sinuata**  
**B: P: Viperaria** five **Scorzonera** *His-*  
*panica* *Ger.* **Hispanica** major *Park.* **Tra-**  
**gopogon** **Hispanicum** five **Escorzonera,**  
 aut **Scorzonera** *I. B.* *Spanish Vipers-*  
*grass. Offic.*

**Scorzonera** **foliis nervosis** **B: P:** mi-  
 nor **angustifolia** **Pannonica** *Park:* **Ger-**  
**manica** **angustifolia** *Tab.* **Viperaria**  
**humilis** *Ger: The small Hungarian Vipers*  
*grass.*

**S.** **SCROPHULARIA** **nodosa foetida**  
**B:**

*B. P. perennis radice nodosâ foetidâ*  
*Hist: Oxon: major Ger: major vulga-*  
*ris Park: vulgaris & major I. B. Common*  
*Figg-wort. Offic:*

*S. Scrophularia aquatica major B: P:*  
*perennis radice fibrosâ Betonicæ foliis*  
*Hist. Oxon: maxima radice fibrosâ I:*  
*B: Betonica aquatica Ger. aquatica ma-*  
*ior Park. Water-Betony, or Water-Figg-*  
*wort. Offic.*

*Scrophularia flore luteo B: P: Park.*  
*Ger. annua folio Lamij flore luteo Hist:*  
*Oxon: lutea magna amplis foliis I: B:*  
*Yellow-flowered Figg-wort. Ann:*

*Scrophularia folio Urticæ B. P. an-*  
*nua folio Urticæ Hist: Oxon: peregrina*  
*Park. flore rubro Camerarij I. B.*  
*Nettle-leaved Figg-wort. Ann.*

*Scrophularia Ruta canina dicta vul-*  
*garis B. P. major Ruta canina vulgò*  
*dicta Hist. Oxon. Ruta canina dicta Park:*  
*Ruta canina Ger: Scrophularia tertia*  
*Dodonæi tenuifolia, Ruta canina qui-*  
*busdam vocata I. B. Great Figg-wort.*  
*without knobbed roots.*

**S E C A L E** *I. B.* *Ger.* vulgatus  
*Park:* hybernum vel majus *B. P. Ric.*  
*Offic. Ann.*

**S E C U R I D A C A** lutea major *B. P.*  
*Securidaca* vera, plurimis flosculis luteis corymbi modo dispositis, filiquis latis compressis inter granum & granum junctis, seminibus quadratis *Hist. Oxon.*  
*Securidaca* flore luteo filiquâ latâ oblongâ *I. B.* *Hedysarum* majus *Ger.* majus sive *Securidaca* major verè *Park:* *The greater Hatchet-Vetch. Ann.*

*Securidaca* lutea minor corniculis recurvis *B. P.* minor lutea *Ger.* altera sive minor *I. B.* *Hedysarum* minus *Park.* *Astragalus* luteus annuus *Monspeliensis* procumbens *Hist. Oxon.* *The lesser horned-Hatchet-Vetch. Ann.*

*Securidaca* filiquis planis utrinque dentatis *B. P.* filiquis planis dentatis *Ger.* peregrina *Clusij Park:* *Lunaria* radiata *Robini I. B.* *Astragalus* purpureus annuus peregrinus filiquis utrinque ferræ similibus *Hist. Oxon:*



*Oxon: Strange Hatchet Vetch of Clusius.  
Ann.*

**S E D U M** majus vulgare **B:** *Park:*  
*l. B. Sempervivum majus Ger: Com-*  
*mon great House-leek, or Sengreen.*  
*Offic.*

**Sedum echinatum vel stellatum flore**  
**albo I: B:** **Sempervivum tertium Dios-**  
**coridis Col. Cotyledon stellata B: P: Ai-**  
**zoon peregrinum Cam. Portulaca Cre-**  
**tica Park: Candy-Purslane, or Starry-**  
**headed Sengreen. Ann.**

**S. Sedum minus luteum folio acuto B.**  
**P. minus flore luteo I. B. minus hæma-**  
**todes Ger. Vermicularis & Crassula**  
**minor vulgaris, five Illecebra major**  
**Park: Yellow Prick-madam, or small**  
**House-leek. Offic:**

**Sedum minus à rupe S. Vincentij**  
**Joh. Raij Saint Vincents Sen.green.**

**S. Sedum parvum acre flore luteo I. B.**  
**Sempervivum minus vermiculatum a-**  
**cre B. P. Vermicularis, five Illecebra mi-**  
**nor acris Ger: Illecebra minor five**  
**Se-**

*Sedum tertium* Dioscoridis *Park: Stone-crop, or Wall-Pepper. offic.*

- S.** *Sedum Alpinum luteum minus Joh. Raij. Small yellow Mountain-Sengreen.*

*Sedum Alpinum ericoides purpureum vel cæruleum B: P: I. B. Mountain Heath-like-Sengreen with large purple, flowers.*

*Sedum minus folio circinato B: P: parvum folio circinato flore albo I: B: Vermicularis dasypyllos Park: A smaller white flowered Stone-crop.*

- S.** *Sedum arvense flore rubente B. prodr. arvense sive palustre flore rubente Park. minus palustre Ger: purpureum pratense I: B: Small Marsh-Sengreen. Ann.*

- S.** *Sedum Alpinum trifido folio B: P: Alpinum laciniatis Ajugæ foliis Park. Sedis affinis trifulca Alpina flore albo I. B. Small Mountain Sengreen with jagged-leaves.*

- S.** *Sedum tridactylites tectorum B: P: tridactylites tectorum flore albo I: B: Pa-*

*Paronychia rutaceo folio* Ger: *Párony-  
chia foliis incisís* Park: *Rue-Whitlow-grass.*  
*Ann.*

**S E L I N U M** *Sij foliis* Ger: *segetale*  
*Park. Hone-wort. Ann.*

S. **S E N E C I O** *minor vulgaris* B: P:  
*vulgaris* Park: *vulgaris five* Erigeron  
I: B: Erigeron Ger: *Common Groundsel.*  
*Offic. Ann.*

S. **Senecio** *incanus pinguis* B. P. *hirsu-  
tus viscidus major odoratus* I: B: *foe-  
tidus* Park: *Erigerum tomentosum alte-  
rum* Ger: *Cotton Groundsel, or Stinking*  
*Groundsel. Ann.*

S. **S E R P Y L L U M** *vulgare minus* B. P.  
*Park: vulgare* I. B. Ger: *Wild-Thyme, or*  
*Mother of Thyme. Offic.*

S. **Serpyllum** *vulgare flore albo* Mother  
*of Thyme with white flowers.*

S. **Serpyllum** *vulgare foliis variegatis.*  
*Mother of Thyme with party-coloured leaves*

S. **Serpyllum** *hirsutum* Ger: *Hairy wild*  
*Thyme.*

**Serpyllum** *foliis Citri odore* B: P: *ci-  
tratum* Ger: *Park, Citri odore* I. B. *Le-  
mon-Thyme.* ser-

**Serpyllum aureum** five **versicolor**  
*Park: Gilded, or yellow Thyme.*

**SERRATULA** B. P. I. B. pur-  
 purea *Ger: vulgaris flore purpureo Park.*  
*Saw-wort.*

**SIDERITIS** vulgaris hirsuta  
 erecta B: P: vulgaris *Ger: vulgaris Clu-*  
*sij Park: vulgaris hirsuta I. B. Common*  
*Iron-wort. Offic.*

**Sideritis arvensis angustifolia rubra**  
 B: P: arvensis rubra *Park: Sideritis sep-*  
*tima Ger: Ladanum segetum quorundam*  
*flore rubro I. B. Narrow-leaved Alheat,*  
*or Iron-wort. Ann.*

S. **Sideritis Alsinestriflaginis folio** B: P:  
*Park: humilis lato obtuso folio Ger: Iron-*  
*wort with Germander Chick-weed-leaves.*  
*Ann.*

**SILIQUA** edulis B: P: dulcis five  
 vulgatio *Park: Siliqua arbor five Ce-*  
*ratia I. B. Ceratia Siliqua five Cerato-*  
*nia Ger: The Carob-Tree.*

**Siliqua sylvestris rotundifolia** B: P:  
 arbor Judæ *Ger, Park: Judaica arbor*  
*I. B: Judas-Tree.*

S. **SINAPI** Rapæ folio *B: P:* sativum Rapæ folio, filiquâ planâ, semine rufescente *Hist: Oxon:* sativum Rapæ folio *Park:* sativum *Ger:* filiquâ latiusculâ glabrâ, semine ruffo, sive vulgare *I. B. Common Mustard. Offic. Ann.*

**SISARUM** *Ger.* vulgare *Park:* Sisarum multis *I: B:* Sisarum Germanorum *B: P:* *Skårrets. Offic:*

**SISON** quod Amomum officinarum nostris *B: P:* vulgare, sive Amomum Germanicum *Park:* Sison sive officinarum Amomum *I: B:* Petroselinum Macedonicum *Fuchsj Ger: Bastard Stone-Parsley. Ann.*

S. **SIMUM** Erucae folio *B: P:* foliis rugosis multifidis dentatis *D. Morison Sect. de plant. umbellif.* alterum Olusatrici facie *Lob. Ger.* majus alterum angustifolium *Park:* Cicuta aquatica *Gesneri I. B. Long-leaved Water-Parsnep.*

S. Sium majus latifolium *Ger:* maximum latifolium *I: B:* Sium Dioscoridis sive *Pastinaca aquatica major Park. Great Water-Parsnep.* Si-



✓  
S. *Sium majus angustifolium* Ger: minus alterum *Park: umbelliferum* I. B. *Common Water-Parsnep.*

S. *Sium umbellatum repens* Ger. *Creeping Water Parsnep.*

✓  
S. *Sium minimum foliis ferulaceis* Hort. Reg. Bles. *minimum* Job. Raij *The least Water-Parsnep.*

*S M I L A X* aspera fructu rubente B. P. *Park. alpera* I: B: Ger: *Prickly Bindweed with red berries.*

S. *S M Y R N I U M* *Fuchsf.* *Hipposelinum* Ger: *Hipposelinum* five *Smyrnum* vulgare *Park: Hipposelinum* *Theophrasti*, vel *Smyrnum Dioscoridis* B P. *Macerone*, quibusdam *Smyrnum* semine magno nigro I. B. *Common Alexanders. Offic. Ann.*

*Smyrnum peregrinum* rotundo folio B: P: *Smyrnum Creticum* Ger: *Park. Creticum perfoliatum* I: B: *Candy Alexander. Ann.*

*S O L A N U M* officinarum B: P: vulgare *Park: hortense* Ger: *hortense* fi-

ve vulgare *I. B. Common Night-shade.*  
*Offic. Ann.*

*Solanum vesicarium B. P. halicacabum*  
*Ger: halicacabum vulgare I. B: Halica-*  
*cabum five, Alkakengi vulgare Park:*  
*Common Winter-Cherry. Offic.*

*Solanum μελαγονέρασος B: P: lethale*  
*Park: Solanum manicum multis, fi-*  
*ve Bella donna I. B. Deadly Night-*  
*shade.*

*Solanum fruticosum bacciferum B.*  
*P. fruticosum Park: Amomum Pli-*  
*nij Ger: Strychnodendros I. B. Tree-*  
*Night-shade.*

S. *Solanum scandens five Dulcamara*  
*B: P: lignosum five Dulcamara Park.*  
*Amara dulcis Ger: Glycypicros, five*  
*Amara dulcis I. B. Bitter-sweet, or Woody-*  
*Night-shade. Offic.*

*Solanum scandens five Dulcamara*  
*flore albo. Bitter-sweet, with white-*  
*flowers.*

*Solanum scandens foliis ex albo vari-*  
*egatis Hort. Reg. Bles. Bitter-sweet, with*  
*party-coloured leaves.*

**S.** Solanum quadrifolium bacciferum **B:**  
**P:** Herba Paris **I: B:** Ger: *Park: Herbe-*  
*true-love, or One-berry. Offic:*

Solanum tuberosum esculentum  
*Matth: ed: Bauh:* Battatas Virginiana  
**Ger Park:** Pappas Americanum **I: B:** *Vir-*  
*ginian Potato's.*

Solanum pomiferum fructu rotundo  
 striato molli **B: P:** Mala aurea odore  
 foetido, quibusdam Lycoperfion **I: B:**  
 Pomum amoris fructu rubro **Ger. Park:**  
*Red Apples of Love. Offic: Ann.*

Solanum pomiferum, five Pomum  
 amoris fructu striato molli aureo. *Gold-*  
*coloured Apples of Love. Ann.*

Solanum foetidum pomo spinoso ob-  
 longo **B: P:** Stramonia altera major, si-  
 ve Tatura quibusdam **I: B:** Stramonium  
 spinosum **Ger. majus album Park. White-**  
*flowered Thorn-Apple. Offic. Ann.*

Solanum foetidum pomo spinoso ob-  
 longo flore violaceo. *Purple-flowered*  
*Thorn-Apple. Ann.*

Solanum foetidum pomo grandibus  
 aculeis donato **Hort. Reg. Bles. Thorn-**  
*Apple with great prickles. Ann.* **So-**

*Solanum Mexicanum* flore magno  
 B: P: *Mirabilia Peruviana Park. parad.*  
*The Mervail of Peru. Ann.*

S. *Solanifolia* *Circæa dicta major* B: P:  
*Hist. Oxon.* *Circæa Lutetiana Ger.* *Cir-*  
*cæa Lutetiana major Park.* *Ocymastrum*  
*verrucarium I: B: Enchanters Night-*  
*shade.*

S. *SOLDANELLA* *maritima minor*  
 B: P: *Soldanella marina Ger: vulgaris*  
*five Volubilis marina Park: Brassica ma-*  
*rina five Soldanella I: B: Convolvulus*  
*maritimus nostras rotundifolius Hist.*  
*Oxon: Sea-Binde-weed. Offic.*

*Soldanella Alpina rotundifolia B: P:*  
*Alpina rotundifolia major Hist. Oxon:*  
*Alpina major Ger: Park: Soldanella*  
*Alpina quibusdam I: B: Mountain Binde-*  
*weed.*

S. *SONCHUS* *levis laciniatus latifoli-*  
*us B: P: levis Ger: levis vulgaris Park:*  
*laciniatus non spinosus I: B: Smooth-*  
*Sow-Thistle, or Hares-Lettuce. Offic.*  
*Ann.*

*Sonchus levis laciniatus muralis par-*

vis floribus *B. P.* levis muralis *Ger.* levis alter parvis floribus *Park.* *Lactuca sylvestris murorum flore luteo I. B. Ivy-leaved Sow-Thistle.*

*S.* *Sonchus asper laciniatus & non laciniatus B. P. laciniatus spinosus I. B. asperior B. P. asper laciniatus Park: The prickly Sow-Thistle. Ann.*

*S.* *Sonchus repens multis Hieracium I. B. Sonchus arborescens Park: arborescens alter Ger: Hieracium arborescens palustre B. P. Tree-Sow-Thistle.*

*S.* *Soncho affinis Lamprana domestica B. P. Lamprana Ger: Lamprana vulgaris Park: Lamprana Dodonæi I. B. Nipplewort. Ann.*

*SORBUS I. B. Ger. fativa B. P. legitima Park. domestica Lob. The true Service-Tree. Offic.*

*S.* *Sorbus sylvestris foliis domesticæ similis B. P. sylvestris, sive Fraxinus bubula Ger: Sorbus aucuparia I. B. Ornus sive Fraxinus sylvestris Park: Quicken-Tree, or Wild-Service-tree.*

*S.* *SPARGANIUM ramosum B. P. Ger:*



*Ger: Park.* Sparganium quibusdam *I: B:*  
*Branched Bur-reed.*

- S.* Sparganium non ramosum *B: P: Park.*  
non ramosum five latifolium *Ger: Spar-*  
*gantium alterum I. B. Bur-reed not bran-*  
*ched.*

*S P A R T I U M* arborescens seminibus  
Lenti similibus *B: P: Spartium Hispa-*  
*nicum frutex vulgare Park. Genista His-*  
*panica Ger: Genista juncea I: B: Spain-*  
*ish Broom.*

- S.* *S P H O N D Y L I U M* *Ger.* vulgare  
*Park.* vulgare hirsutum *B. P: Sphondy-*  
*lium quibusdam five Branca ursina Ger-*  
*manica I. B. Cow-Parsnep. Ann.*

*S P I R Æ A* Theophrasti Clusio *Ger.*  
*Park: Frutex spicatus foliis salignis ser-*  
*ratis B: P: Mock-Willow.*

*S T A C H Y S* major Germanica *B. P.*  
*Park. Stachys Fuchsj I: B: Ger: Base*  
*Hore-Hound.*

- S:* Stachys palustris foetida *B. P. Sideri-*  
*tis Anglica strumosa radice Park: Panax*  
*coloni , & Marrubium aquaticum*

acutum Ger: Galeopsis angustifolia  
foetida I: B: *Clowns Alheal*, or *Clowns*  
*Wound-wort*.

**S T A P H I S** agria Dod. I. B. Ger.  
*Park. Stavesacre*, or *Louse-wort*, *Offic.*  
*Ann.*

**S T O E B E** major foliis cichoraceis  
mollibus lanuginosis B: P: Stoebe Sala-  
mantica prima Clusij *Park. Salamanti-*  
*censis* prior Clusio, five Jacea intyba-  
cea I: B: Stoebe argentea major Ger: *Sil-*  
*ver Knapweed with purple-flowers.*

Stoebe Salamantica prima Clusij flore  
albo. *Silver Knapweed with white-*  
*flowers.*

Stoebemajor calyculis non splenden-  
tibus B: P: Stoebe Austriaca elatior  
*Park. Centaurij* majoris species tenui-  
folia I: B: *The greater Silver Knapweed*  
*of Austria.*

Stoebe caliculis argenteis B: P: ar-  
gentea minor Ger: Salamantica argen-  
tea five tertia Clusij *Park: Scabiosa*  
*squammata argentea I. B. Little Silver-*  
*Knapweed.*

**S T O E -**

**STOECHAS** purpurea **B: P: Stoe-**  
 chas five Spica hortulana, *Ger. vulga-*  
*ris Park: Stoechas, Arabica vulgo dicta*  
**I: B: Ordinary French-Lavender, or**  
*Stikadove. Offic.*

**S. Succiſſa** glabra **B: P: Succifa**  
 five Morus Diaboli **I. B. Morſus Dia-**  
 boli *Ger: Morſus Diaboli vulgaris flore*  
*purpureo Park: Purple-flowered Divels-*  
*bit. Offic.*

**S. Succifa** five Morſus Diaboli flore al-  
 bo. *Divels-bit with white-flowers.*

**S. Succifa** five Morſus Diaboli flore car-  
 neo. *Divels-bit with fleſh-coloured-*  
*flowers.*

**SYMPHYTUM, Consolida major**  
**B. P. magnum I. B. majus vulgare**  
*Park: Consolida major Ger: Great Com-*  
*fry. Offic.*

Symphytum, five Consolida major  
 flore albo. *White-flowered Comfry.*

Symphytum majus tuberofa radice  
**B: P: Symphytum tuberoſum I. B. Ger:**  
*Park. Comfry with Knobbed roots, and*  
*yellow-flowers.*

Sym-

*Symphytum maculosum*, five *Pulmonaria latifolia* *P. B.* *Pulmonaria maculosa* *Ger.* *maculata* *Park:* *Pulmonaria Italorum* ad *Buglossum* accedens *I. B.*  
*Spotted Lung-wort. Offic.*

*SYRINGA* cærulea *B: P:* *Ger:* flore cæruleo five *Lilac I. B.* *Lilac* five *Syringa cærulea* *Park. parad:* *The blew Pipe-Tree, or Lilac:*

*Syringa* flore lacteo five argenteo *Park: parad:* *The silver-coloured Pipe-Tree, or Lilac.*

*Syringa* five *Lilac* flore saturate purpureo: *The deep purple Lilac.*

*Syringa alba* five *Philadelphus Athenæi* *B: P:* *alba* *Ger:* flore albo *I. B.* flore albo simplici *Park: parad:* *The single white Pipe-Tree.*

---

T

## T.

**T** A M A R I X altera folio tenuiore, five Gallica *P. B.* major five arborea Narbonensis *L. B.* Tamariscus folio tenuiore *Park:* Tamariscus Narbonensis *Ger:* *The ordinary French Tamarisk-Tree.* *Offic.*

*S.* **T** A N A C E T U M *Ger:* vulgare *Park:* odoratum five vulgare luteum *B: P:* vulgare flore luteo *L: B:* *Common Tansie.* *Offic.*

Tanacetum foliis crispis *B: P:* crispum *Ger: Park:* crispum flore luteo *L: B:* *Curled or crisped Tansie.*

Tanacetum five Flos Africanus major flore pleno *P. B:* Flos Africanus major, five maximus multiplex *Park: parad:* Flos Africanus major polyanthos *Ger:* Tagetes maximus rectus flore maximo  
mul-



multiplicato I. B. *The great double African Marygold. Ann.*

Tanacetum Africanum majus simplici flore B. P. Flos Africanus major flore simplici Ger: Africanus major simplex Park: parad: Tagetes maximus rectus flore simplici ex luteo pallido I: B: *The great single French, or African Marygold. Ann.*

Tanacetum Africanum sive Flos Africanus minor B. P. Flos Africanus minor flore simplici Ger: Flos Africanus minor simplex Park: parad: Tagetes Indicus minor simplici flore sive Caryophyllus Indicus; sive Flos Africanus I: B: *The lesser single African Marygold. Ann.*

Tanacetum Africanum sive Flos Africanus minor flore pleno. Flos Africanus minor multiplex Park: parad: Africanus flore multiplici minor Ger: Tagetes Indicus minor multiplicato flore I: B: *The lesser double African Marygold. Ann.*

Tanacetum, sive Flos Mexicanus flore

re fistuloso simplici *B. P.* Flos Africanus simplex fistulosus *Park: parad. The single hollow African Marygold. Ann:*

Tanacetum ; five Flos Mexicanus flore fistuloso pleno *B. P.* Flos Africanus multiplex fistulosus *Park. parad: Double hollow African Marygold. Ann.*

S. *TAXUS* *B. P. I. B: Ger. Park: The Yew-tree.*

S. *TELEPHIUM* vulgare *B: P: Telephium* five *Crassula* major vulgaris *Park: Crassula*, five *Faba* inversa *Ger: Anacampteros*, vulgò *Faba crassa I. B. Common Orpine. Offic.*

*Telephium repens* folio deciduo *B: P: sempervirens Ger: minus repens* five *Cepæa Pancij Park: Anacampteros minor* rotundiore folio semper virens *I. B. Small creeping Ever-green Orpine.*

*Telephium repens* folio non deciduo *B: P: Telephium legitimum Imperati Ger: Park: Polygonum perenne* procumbens folio brevior floribus in capitulum, congestis

*His Hist. Oxon: Imperatus of Naples, his true Orpine.*

**TEUCRIUM** B. P. majus vulgare *Park: latifolium Ger: Teucrium multis I. B. The more common Tree-Germander.*

**Teucrium peregrinum folio sinuoso** P. B. **Teucrium Bæticum** Ger: *Park: Bæticum & Creticum Clusij I. B: Tree-Germander of Spain:*

**THALICTRUM** majus filiquâ angulosâ aut striatâ B: P: nigrius caule & semine striato I: B: **Thalictrum** sive **Thalietrum majus** Ger: majus vulgare *Park: Common great Meadow-Rue:*

S. **Thalictrum minus** B: P: Ger: *Park: minus, sive Rutæ pratensis genus minus semine striato I: B: The lesser Meadow-Rue.*

**Thalictrum Canadense** *Cornut: Thalictrum Canadense filiquâ seminis triquetra, & caulibus subrubentibus, Aquilegiæ foliis D. Morison Sect. de plant. umbellif. American Meadow-Rue, with Columbine-leaves.*

**THAP-**

**THAPSIA** Carotæ folio **B: P:**  
**Thapsia** Carotæ facie **I: B:** vulgaris  
*Ger: vulgaris Carotæ effigie Park: The*  
*deadly-Carrot.*

**Thapsia** Thaliætri folio **D.** *Magnol.*  
*Deadly, or Scorching-Carrot, with Mea-*  
*dow Rue-leaves.*

**S.** **THLASPI** arvense filiquis latis  
**B: P:** arvense filiculis latis *Hist: Oxon.*  
**Drabæ** folio *Park: Thlaspi Dioscoridis*  
*Ger: cum filiquis latis I: B: Treacle Mu-*  
*stard Offic: Ann:*

**Thlaspi** arvense **Vaccariæ** incano fo-  
lio majus **B. P.** *Hist. Oxon.* **Thlaspi**  
**Vaccariæ** folio *Park: vulgatus I: B: vul-*  
*gatissimum Ger: Mithridate-Mustard.*  
*Ann.*

**Thlaspi** umbellatum **Creticum** **Iberi-**  
**dis** folio **B: P:** *Hist. Oxon.* **Creticum**  
umbellatum flore purpureo *Park: pa-*  
*rad.* **Thlaspi** **Candiæ** *Ger: Candy Tufts*  
*with purple flowers. Ann.*

**Thlaspi** umbellatum **Creticum** flore  
albo. *Candy-Tufts with white-flowers.*  
*Ann.*

**Thlas.**

**Thlaspi umbellatum arvense Iberidis folio** B: P: *Hist: Oxon. Park.* umbellatum arvense amarum *Ger: Variable-flowered Mustard. Ann.*

**Thlaspi umbellatum Nasturtij folio Monspeliacum** B: P: *Hist: Oxon. Park:* umbellatum Narbonense *Ger: umbellatum tenuiter diviso folio, amarum Narbonense Lobelij. I: B: Mompeliers Umbelliferous-Mustard. Ann.*

**Thlaspi spinosum fruticosum** B: P: *Hist: Oxon: Park,* spinosum *Ger. Leucoium spinosum, sive Thlaspi spinosum aliis I: B: Thorny-Treacle-Mustard.*

**Thlaspi fruticosum incanum** B: P: *Ger: Machliniense flore albo capsulis oblongis Hist: Oxon. capsulis sublongis incanum I. B. incanum Mechliniense Park: Hoary Treacle-Mustard of Machline.*

**Thlaspi biscutatum villosum flore calcari donato** B: P: *Park: Leucoium filiculosum bicapsulare montanum flore pedato seu calcari donato Hist: Oxon: Leucoium*



coium montanum flore pedato *Col. Spur-flowered Buckler-Mustard. Ann.*

**Thlaspi** **Alyssum** dictum campestre minus *B: P: Hist: Oxon:* minus quibusdam, aliis **Alysson** minus *I: B:* arvense minus luteum *Park: Alyssum* minus *Dalechampi* *Lugd: Yellow field Triacle-Mustard. Ann.*

**THUYA** **Theophrasti** *B: P:* **Arbor Vitæ** *Ger. Park. Arbor Vitæ* five *Paradisiaca* vulgò dicta, odorata, ad *Sabinam* accedens *I: B: Tree of Life.*

**THYUM** vulgare folio tenuiore *B: P:* vulgare rigidius folio cinereo *I: B:* **Thymum** durius *Ger: durius* vulgare *Park: Common Garden-Thyme. Offic.*

**TILIA** foemina folio majore *B: P:* foemina *Ger. foemina major Park: vulgaris platyphyllos I: B: The common female-Lime, Lin, or Linden-tree. Offic.*

**Tilia** foemina folio minore *B: P:* foemina minor *Park: Tilia* folio minore *I: B: Small-leaved Lime-tree.*

**TITHYMALUS** **characias** rubens  
pe-

peregrinus B: P: **Tithymalus characias**  
**Monspeliensium** Ger: *Park*. **Tithymalus**  
**Amygdaloides**, five **characias** I. B. *Great*  
*French Wood-spurge.*

**Tithymalus latifolius** **Hispanicus** B:  
 P: *Park*: **Tithymalus platyphyllos** Ger:  
*Broad-leaved Spanish-Spurge.*

S. **Tithymalus helioscopius** B: P: Ger:  
*Park*: **helioscopius** five **solisequus** I. B.  
*Sun-Spurge. Ann.*

S. **Tithymalus** five **Esula exigua** B: P:  
**Tithymalus leptophyllos** *Park*: **minimus**  
**angustifolius annuus** I. B. **Esula exigua**  
**Tragi** Ger: *Dwarfe Spurge, or narrow-*  
*leaved annual-Spurge. Ann.*

**Tithymalus arvensis latifolius** Ger-  
**manicus** B: P: **platyphyllos** **Fuchsj** I. B.  
*Broad-leaved Spurge.*

**Tithymalus sylvaticus lunato flore**  
 B: P: **Tithymalus lunato flore** **Colum-**  
**næ** *Park*: *Small Wood-Spurge with horned-*  
*flowers.*

**TORDYLIUM** maximum **Sphon-**  
**dylij aculeato semine** D. *Morison* sect:  
*de plant: umbellif.* **Caucalis maxi-**  
 ma

ma Sphondylii aculeato semine *B: P:*  
 Caucalis major semine minus pulchro  
 hirsuto *I. B.* Caucalis maxima *Park:* *The*  
*common great Buckler-wort, or the great-*  
*est Bastard-Parsley. Ann.*

Tordylium minus limbo granulato,  
 seu maximum Apulum Columnæ *D.*  
*Morison. Sect: de plant: umbellif.* Tor-  
 dylium sive Sefeli Creticum minus  
*Park:* Sefeli Creticum minus *B. P. Ger:*  
 Caucalis minor pulchro semine sive Bel-  
 lonij *I: B:* *Small Buckler-wort of Apuleia*  
*in Naples, or the lesser Hart-wort of Candy.*  
*Ann.*

Tordylium minus limbo granulato  
 Syriacum *D. Morison Sect. de plant: um-*  
*bellif.* Gingidium latifolium *Ger:* Gin-  
 gidium latifolium Syriacum *Park:* Gin-  
 gidium foliis Pastinacæ latifoliæ *B: P:*  
 Caucalis Syriaca cum maximo semine  
*I: B:* *Syrian Buckler-wort, or broad-leaved*  
*Chervil of Syria. Ann.*

**S. TORMENTILLA** *Ger:* vulga-  
 ris *Park:* sylvestris *B: P:* Officinarum *I:*

Z

B:

B. Pentaphyllum aut potius Heptaphyllum flore aureo tetrapetalo, Tormentilla dictum *Hist: Oxon. Tormentil. Offic.*

TRAGACANTHA B. P. vera *Park:* Tragacantha Massiliensis *I: B:* Tragacantha sive Spina hirci *Ger: The true Goats-Thorn. Offic.*

S. TRAGOPOGON pratensis luteum majus B. P. luteum *Ger: Park: flore luteo I: B: Yellow Goats-beard. Ann.*

Tragopogon purpureo cæruleum Porri folio B. P. purpureum *Ger: Park: flore purpureo I: B: Purple-flowered Goats-beard. Ann.*

Tragopogon Coronopi folio majus B. P. Buck-horn-leaved Goats-beard. *Ann.*

S. TRIBULUS aquaticus minor Muscatellæ floribus *Ger. aquaticus minor alter Park. Fontalis media lucens I: B: Potamogeiton foliis crispis, sive Lactuca ranarum B: P: Hist: Oxon: Small Frogs Lettuce, or Water-Cal-trops.*

S. Tribulus aquaticus minor Quercus flo-

*floribus Ger: aquaticus minor prior Park.*  
**Fontinalis crispa** *I. B. Potamogeton mi-*  
*nor folio Quercus Hist. Oxon: Small Wa-*  
*ter-Caltrops, or Frogs-Lettuce with Oak*  
*leaves.*

S. **TRICHOMANES** five *Polytri-*  
*chum Officinarum B: P: Trichomanes*  
*five Polytrichum I. B. Trichomanes*  
*Park. mas Ger: English Maiden-hair.*  
*Offic.*

**TRIFOLIUM** bitumen redolens  
*I. B: bituminosum Ger: bituminosum*  
*seu Trifolium cæruleum aut violaceum,*  
*bitumen redolens Hist: Oxon: Trifolium*  
*asphaltites five bituminosum Park. as-*  
*phaltites five bituminosum odoratum I. B.*  
*Strong-smelling Claver, or Treacle-Claver.*

S. **Trifolium pratense album** *B. P: Park.*  
*pratense album vulgare odoratum Hist:*  
*Oxon. minus pratense flore albo five se-*  
*cundum Ger. pratense flore albo minus*  
*& foemina, glabrum I. B: White-flower-*  
*ed Trefoil.*

S. **Trifolium pratense purpureum**  
*B: P: pratense purpureum vulgare*  
*Hist:*



*Hist. Oxon. Park:* Trifolium purpureum vulgare I: B: Trifolium pratense  
*Ger: Common purple-Trefoil.*

- S. Trifolium purpureum majus five sativum *Joh. Raij. Claver-grasse.*

Trifolium montanum spicâ longissimâ rubente B: P: purpureum montanum pinnatum lagopoides spicâ longissimâ *Hist: Oxon.* purpureum majus folio & spicâ longiore I: B: Lagopus major folio pinnato *Park:* major spicâ longiore *Ger: Great large-headed Hares-foot.*

Trifolium spicâ subrotundâ rubrâ B: P: purpureum annuum folio hirsuto rotundo, Trifolij pratensis formâ *Hist. Oxon.* Trifolium alboincarnatum, spicatum, five Lagopus I: B: Lagopus maximus *Ger: maximus flore rubro Park: The great Hares-foot Trefoil. Ann.*

- S. Trifolium arvense humile spicatum B: P: Trifolium lagopoides purpureum arvense humile annuum seu Lagopus minimus vulgaris *Hist. Oxon.* Lagopus vulgaris

ris *Park*: tenuifolius, quorundam *I. B.*  
*Lagopodium* five *Pes leporis* *Ger*:  
*Hares-foot, or Hares-foot-Trefoil. Ann*:

**S.** *Trifolium pratense luteum capitulo*  
*Lupuli vel agrarium B: P: agrarium lu-*  
*teum capitulo Lupuli majus Hist. Oxon.*  
*pratense luteum foemina flore pulchrio-*  
*re, five lupulino I. B. luteum lupulinum*  
*Ger: Hope-Trefoil. Ann.*

**S.** *Trifolium pratense luteum capitu-*  
*lo brevior B: P: pratense luteum mas*  
*flore minore semine multo I B. lute-*  
*um minimum Ger: Park: Melilotus lu-*  
*tea minima hirsuta procumbens, spicâ*  
*breviore densissime dispositâ, seminis*  
*pericarpio renali nigro Hist. Oxon:*  
*Little yellow Trefoil, or Melilot-Tre-*  
*foil.*

**S.** *Trifolium luteum lupulinum mini-*  
*um Hist: Oxon: an lupulinum alte-*  
*rum minus Joh. Raij? The least Hope-*  
*Tre-foil. Ann.*

*Trifolium cum glomerulis ad cau-*  
*lium*

lium nodos rotundis *Joh. Raij Knotted Trefoil with round heads.*

*Trifolium stellatum B: P. purpureum Monspessulanum I: B: Hist: Oxon. stellatum Monspeliensium Park. stellatum hirsutum Ger. Starry-headed Trefoil. Ann.*

S. *Trifolium fragiferum Ger. fragiferum friscum B: P: Park: fragiferum friscum folio cordato flore rubro Hist: Oxon: Straw berry Trefoil.*

*Trifolium cochleatum fructu latiore B. P. Trifolium cochleatum Ger: Medica cochleata vulgaris Park: parad: Medica scutellata I. B. Medica cochleata major σίναργος fructûs capsulâ rotundâ globosâ scutellatâ Hist: Oxon. Common Snail-Trefoil, or Barbary-buttons. Ann.*

*Trifolium cochleatum five Medica cochleata major σίναργος, fructûs capsulâ compressâ orbiculatâ, nigrâ, planâ, oris crispis Hist: Oxon: Great flat Snail-Claver. Ann.*

*Trifolium cochleatum, five Medica coch-*

cochleata major *σινάπρις* fructûs capsulâ turbinatâ planâ *Hist: Oxon: Medica tornata major levis Park: The great smooth Medica, turned like a Tun. Ann.*

*Trifolium cochleatum*, five *Medica cochleata major σινάπρις*, fructûs capsulâ turbinatâ, rugosâ *Hist: Oxon: Medica magna turbinata I. B. Medica tornata spinosa Park: The Thorny Tun-like Medica. Ann.*

*Trifolium cochleatum*, five *Medica cochleata spinosa major, σινάπρις*, seu capsulâ rotundiore majore, spinis paucioribus & rigidioribus *Hist. Oxon. Medica spinosa major Park: parad. Great prickly Snail-Claver, or Hedge-hogs. Ann.*

*Trifolium cochleatum folio cordato maculato B. P. Medica cochleata minor πολυκαρπὸς annua*, capsulâ majore albâ, folio cordato maculâ fuscâ notato *Hist: Oxon: Trifolium cordatum Ger: Medica echinata gla-*

bra cum maculis nigricantibus & sine illis I. B. Medica Arabica Camerarij, five Trifolium cordatum *Park: Heart-Trefoil. Ann.*

Trifolium echinatum arvense *B: P: Medica echinata minima I. B. echinata parva recta Park: The smallest Hedgehog Trefoil. Ann.*

Trifolium fructu echinato foliis eleganter dissectis *D. Magnol. Small prickly Snail-Claver with fine cut leaves. Ann.*

Trifolium filiquâ cornutâ five Medica *B: P: Trifolium Burgundiacum Ger: Fœnum Burgundiacum five Medica legitima Park: Medica major erectior floribus purpurascens I. B. Medica sativa five Trifolium sativum filiquâ cornutâ magis tortili Hist: Oxon: Burgundy-Trefoil, or Burgundy-Hay.*

Trifolium sylvestre luteum filiquâ cornutâ vel medica frutescens *B: P: Medica sylvestris frutescens vel Trifolium falcatum seu Medica filiquâ*



quâ cornutâ tortili *Hist: Oxon: Medica sylvestris I. B. frutescens sive flavo flore Clusij Park: Yellow Medick, with flat wreathed cods.*

8. *Trifolium acetosum vulgare B: P: Park: Hist. Oxon: Oxys alba Ger: Oxys sive Trifolium acidum flore albo & purpurascens I: B: Common Wood Sorrel. Offic.*

*Trifolium acetosum corniculatum luteum majus rectum Indicum seu Virginianum Hist. Oxon: Upright yellow Indian Wood-Sorrel.*

*Trifolium hepaticum flore simplici B: P: Hist: Oxon. Hepaticum sive Trinitatis herba flore cæruleo I: B: Hepaticum trifolium Ger: Hepatica flore cæruleo simplici major Park: parad: Single blew-flowered Noble-Liverwort.*

*Trifolium hepaticum sive Hepatica nobilis flore simplici albo, Noble Liverwort, with single white-flowers.*

*Trifolium hepaticum sive Hepatica nobilis flore simplici rubro Noble Liver-wort with single red-flowers.*

**Tri-**

**Trifolium hepaticum** flore pleno *B:*  
*P:* *Hepatica nobilis* flore cæruleo ple-  
 no *Park: parad.* *Hepatica multiflora* Lo-  
 belij *Ger: Double-blew Noble-Liver-*  
*wort.*

**Trifolium hepaticum** sive *Hepatica*  
*nobilis* flore rubro pleno. *Double red*  
*Noble-Liver-wort.*

*S.* **Trifolium palustre** *B. P. I: B:* paludo-  
 sum *Ger: Park: Marsh-Trefoil, or Buck-*  
*Beans.*

*S.* **TRIPOLIUM** majus cæruleum  
*B. P. majus I: B:* majus vulgare *Ger:*  
*majus sive vulgare Park: Common Sea-*  
*Starwort.*

*S.* **TRITICUM** filigineum *C: B: in*  
*Theatr: White Wheat. Ann.*

*S.* **Triticum Hybernum** aristis carens  
*B. P. Red Wheat. Ann:*

**TULIPA** flore simplici præcox  
 & serotina variorum colorum. *The ear-*  
*ly and late-flowering Tulip with single*  
*flowers of many colours.*

**Tu-**

**Tulipa serotina** flore pleno **B: P:**  
*The double late-flowering-Tulip.*

**Tulipa minor lutea Italica** **B.P:** minor lutea Italica *πολύκλωνος Hist: Oxon:*  
**Tulipa Bononiensis** *Ger.* Bononiensis flore luteo **I:B: Park. parad.** *The yellow Tulip of Bononia.*

**S. Tussilago** **I: B: Ger:** *Park: vulgaris B: P: Colts-foot. Offic.*

**S. Typha** *Ger:* palustris major **B: P: I.B.** palustris maxima *Park: Catstail, or Re-Mace.*

**S. Typha palustris clavâ gracili** **B:P:** palustris media **I: B:** minor *Park: The lesser Red-Mace.*

## V.

**V** A L E R I A N A hortensis,  
 Phu folio Olusatrici **B: P:** hor-  
 tensis **Ger:** Phu majus five  
 Valeriana major **Park:** Va-  
 leriana major radice odoratâ **I: B:**  
*The great Garden Valerian, or Setwall.*  
*Offic.*

**S.** Valeriana sylvestris major **B. P.** **Ger:**  
**Park:** sylvestris magna aquatica **I. B.**  
*Great wild Valerian. Offic.*

**S.** Valeriana palustris minor **B: P:** mi-  
 nor **Ger:** sylvestris minor **Park.** minor  
 pratensis vel aquatica **I. B.** *Small wild-*  
*Valerian, or Marsh-Valerian.*

Valeriana foliis Calcitrapæ **B: P:** Va-  
 leriana annua Clusij **Ger:** annua five  
 æstiva Clusij **Park:** *Summer Valerian.*  
*Ann.*

Va-

*Valeriana rubra* P. B. *rubra* Dodonæi Ger. *latifolia rubra* I. B. *marina latifolia seu major rubra* D. Morison Sect. de plant. umbellif. *Dodonæus his Valerian with red flowers.*

*Valeriana marina latifolia alba.* Dodonæus his *Valerian with white flowers.*

*Valeriana Urticæ folio flore albo* Cornut. *Cacalia Americana* Park: *Nettle leaved Valerian of Canada, or strange Colts-foot of America.*

*Valeriana Græca* Ger: Park: *Græca quorundam cærulea* I: B: *Valeriana cærulea* P. B. *Greek Valerian with blue flowers*

*Valeriana Græca flore albo.* *Greek Valerian with white flowers.*

*Valeriana seu Valerianella cornucopoides peregrina, seu Siciliana* D. Morison Sect. de plant. umbellif. *Valeriana maxima* Ger. *Indica seu Mexicana* Park: *peregrina seu Indica* I. B. *Indian Valerian Ann.*

S. *Valeriana campestris inodora major*  
P. B: *Lactuca agnina* Ger: Park:  
Lo-



Locusta herba *I. B.* *Lamb-lettuce, or Corn-sallad. Ann.*

8. VERBASCUM mas latifolium luteum *B. P.* Verbascum foliis incanis mas latifolium floribus luteis arcte caulibus adhærentibus sine foliis angustis inter flores emanantibus *Hist: Oxon:* vulgare flore luteo magno, folio maximo *I. B.* album vulgare sive *Tapfus barbatus communis Park. Tapfus barbatus Ger: White-Mullen. Offic. Ann.*

Verbascum nigrum flore ex luteo purpurascente *B. P.* foliis viridibus perenne floribus luteis racematim provenientibus staminulis purpurascentibus *Hist: Oxon.* nigrum flore parvo luteo apicibus purpureis *I. B.* nigrum vulgare *Park: Common Black-Mullen.*

Verbascum latis *Salviæ* foliis *B. P.* Verbascum *Matthioli Ger:* sylvestre salvifolium exoticum folio rotundiore *I. B.* *Salvia fruticosa lutea latifolia, sive Verbascum sylvestre quar-*  
tum

tum Matthioli *Park: parad: Sage-leaved Mullew.*

**V E R B A S C U L U M** pratense odoratum *B: P: Hist: Oxon:* Primula veris major *Ger: Primula veris odorata flore luteo simplici I: B: Paralyfis vulgaris pratensis flore flavo simplici odorato Park: parad: The common field-Cowslip. Offic.*

**Verbasculum** proliferum *B P. Hist. Oxon.* Primula veris caulifera prolifera odorata *I.B. Primula veris flore geminato Ger. Paralyfis flore geminato odorato Park: parad: Double Cowslips one within another, or hose in hose.*

**S.** **Verbasculum** sylvaticum vel pratense inodorum *B. P. Hist. Oxon.* Primula pratensis inodora lutea *Ger: Primula veris caulifera pallido flore inodoro, aut vix odoro I. B. Great Cowslips, or field Oxlipps.*

**Verbasculum**, five **Paralyfis** flore flavo simplici inodoro absque calicibus *Park: parad: Single Ox-lips.*

Vere

Verbasculum, five Paralyfis flore geminato inodora *Park: parad: Double Ox-lipps, hofe in hofe.*

Verbasculum, five Paralyfis flore geminato purpureo absque calicibus. *Purple-flowered Ox-lipps, hofe in hofe.*

**S.** Verbasculum fylvarum majus singulari flore *B: P: tylvestre majus singularibus floribus, singularibus cauliculis infistentibus Hist. Oxon: Primula veris vulgaris Park: Primula veris minor Ger: Primula veris, floribus ex singularibus pediculis, majoribus simplicibus I. B. Common Primrose. Offic.*

Verbasculum, five Primula veris flore viridi simplici *Park: parad: Primula flore viridi Ger: Primula veris floribus obscure virentibus fimbriatis I. B. The single-green-Primrose.*

Verbasculum fylvaticum magno plenoque flore *P. B. Primula hortensis flore pleno vulgaris Park. parad: Primula veris flore pleno Ger: Primu-*

la veris floribus plenis, ex singularibus  
pediculis *I: B: The ordinary double Prim-  
rose.*

Verbasculum Turcicum, five Car-  
chichec Turcarum *Hist. Oxon.* Primu-  
la veris Turcica Tradescanti flore pur-  
pureo *Park;* Carchichec Turcarum, five  
Primula veris Constantinopolitana *Cor-  
nut: Tradescants Turkey purple Prim-  
rose.*

Verbasculum Turcicum, five Car-  
chichec Turcarum flore albo. *White-  
flowered Turkey Prim-rose.*

Verbasculum Turcicum, five Carchi-  
chec Turcarum flore obsoleto, *The  
Turkey Prim-rose of an overworn co-  
lour.*

Verbasculum Turcicum five Carchi-  
chec Turcarum flore eleganter rubro.  
*The fine red Turkey Prim-rose.*

Verbasculum Turcicum five Carchi-  
chec Turcarum flore purpureo mino-  
re. *The lesser Turkey purple-Prim-  
rose.*

Verbasculum umbellatum Alpinum

minus B. P. *Primula veris minor rubra Eboracensis* foliis parvis glabris Auriculæ urfi instar *Hist: Oxon:* *Primula veris flore rubro Ger.* *Primula veris minor purpurascens I. B.* *Paralysis minor flore rubro Park: parad. Red Birds-eyes.*

- S. *VERBENA* communis flore cæruleo B. P. communis *Ger. vulgaris I. B:* mas seu recta & vulgaris *Park: Common Vervain. Offic.*

*Verbena Urticæ folio Hort. Reg. Bles. Nettle-leaved Vervain.*

- S. *VERONICA* mas supina & vulgarissima B. P: mas vulgaris supina *Park: supina vulgaris foliis serratis Hist: Oxon:* vulgatiores folio rotundiore I. B. vera & major *Ger: The Male-Speed-weel, or Fluellen. Offic.*

- S. *Veronica pratensis serpyllifolia B. P.* *Hist: Oxon: pratensis minor Park. Veronica foemina quibusdam, aliis Betonica Pauli serpyllifolia I. B. Little or Smooth Fluellen, or Pauls-Betony.*



*Veronica spicata latifolia B. P. Ger.*  
*major latifolia erecta Hist. Oxon. spi-*  
*cata latifolia major Park. major latifolia*  
*foliis splendentibus, & non splendenti-*  
*bus I. B. Broad-leaved spiked Speed-*  
*well.*

**V I B U R N U M** *Park: Vibur-*  
*num vulgò B: P: Lantana sive Vi-*  
*burnum Ger: Lantana vulgò, aliis*  
*Viburnum I. B. The Way-faring-*  
*Tree.*

**S. V I G I A** *Ger: major. vulgaris fa-*  
*tiva Hist. Oxon. vulgaris fativa I. B.*  
*Park: fativa vulgaris semine nigro*  
*B: P: Common Vetch, or Tare.*  
*Ann.*

*Vicia flore luteo pallido filiquis hir-*  
*sutis crassis brevibus erectis Hist. Oxon.*  
*Pale-yellow flowered Vetch with short gross*  
*upright hairy pods. Ann.*

**S. Vicia** *semine rotundo nigro B. P.*  
*sylvestris semine nigro & variegato acu-*  
*tiore folio Hist. Oxon. vulgaris sylvestris*  
*semine parvo & nigro frugum I. B. syl-*  
*vestris sive Cracca major Ger. Aracus*

five Cracca major *Park. strangle Tare,*  
*or wild Vetch. Ann.*

- ✓ S. Vicia segetum cum filiquis plurimis hirsutis *B. P. Hist: Oxon:* parva five Cracca minor cum multis filiquis hirsutis *I. B.* sylvestris five Cracca minima *Ger. Small wild Tare, or Tine-Tare. Ann.*

- ✓ S. Vicia multiflora *B: P:* perennis multiflora spicata cærulea sepiaria *Hist: Oxon:* sylvestris multiflora five spicata *Park:* multiflora nemorensis perennis five dumetorum *I: B: Tufted Vetch, or Birds-Tares.*

- ✓ S. Vicia sylvatica multiflora maxima *P. B. Joh. Raij. The great tufted Wood-Vetch.*

- ✓ S. Vicia maxima dumetorum *B: P: Ger. Park:* perennis maxima dumetorum flore obscure rubente *Hist: Oxon:* Vicia sepium perennis *I. B. Bush-Vetch.*

Vicia sesamacea *Apula Col. Astragalus luteus annuus Bæticus maritimus*

rectus *Hist. Oxon*: Astragalus marinus  
 Bæticus *Park*: Astragalus marinus Lusit-  
 anicus Boelij *Ger: app.* Foenugræco sil-  
 vestri Tragi in quibusdam accedens  
 planta I. B. *Spanish Sea Milk-Vetch.*  
*Ann.*

S. V I O L A Martia purpurea flore  
 simplici odoro B: P: *Hist. Oxon*: Martia  
 purpurea I: B: nigra sive purpurea *Ger*:  
 simplex Martia *Park: parad. The single*  
*purple March-Violet. Offic.*

Viola Martia multiplici flore B: P:  
 Martia purpurea flore multiplicato ma-  
 jore I. B. Martia flore cæruleo multi-  
 plici *Park: parad.* Martia purpurea mul-  
 tiplex *Ger: Double purple March-Vio-*  
*let.*

Viola Martia alba B: P: Martia flo-  
 re albo odorato I: B: flore albo *Ger*:  
 simplex Martia flore albo *Park: parad.*  
*The white March-Violet.*

Viola Martia flore pleno cinericeo.  
*The Ash-coloured double March-Vio-*  
*let.*

S. Viola Martia inodora silvestris B: P:

*Hist: Oxon: canina filvestris Ger: cærulea Martia inodora sylvatica in cacumine semen ferens I. B. Viola filvestris Park: Wild, or Dog-Violets.*

*Viola Martia major inodora hirsuta Hist. Oxon: The great rough-leaved March Violet without smell.*

✓ *S. Viola bicolor arvensis B: P: Hist. Oxon: tricolor petræa Ger: tricolor filvestris Park: Jacea bicolor, frugum & hortorum vitium I: B: Wild Pansies. Ann.*

✓ *S. Viola tricolor hortensis repens B: P: tricolor hortensis procumbens Hist: Oxon. tricolor Ger: tricolor major & vulgaris Park: tricolor sive Flos Trinitatis I: B: Hearts-ease, or Pansies. Offic. Ann.*

*S. Viola montana lutea grandiflora B: P: Hist: Oxon: Jaceæ tricoloris sive Floris trientalis genus flore luteo magno repens, non annuum I: B: Pansies with a large yellow flower.*

*Viola Martia arborescens purpurea B: P: surrecta purpurea Park: erecta flore*

re

re cæruleo & albo *Hist. Oxon.* Mater  
 Violarum Dalech. *Lugd:* Viola surrectis  
 cauliculis, quibusdam arborea dicta *I: B:*  
*The Upright Violet.*

Viola lunaria major filiquâ oblon-  
 gâ *B. P.* lunaris altera seu peregrina  
*Park. parad.* lunaris longioribus filiquis  
*Ger:* lunaria minor filiquâ longiore *I: B:*  
*Leucoium majus perenne filiquâ lunatâ*  
*longâ mucronatâ Hist. Oxon: Long-*  
*coddèd Honesty, or white Satine*  
*flower.*

Viola lunaria major filiquâ rotundâ  
*B: P:* lunaris sive Bolbonach *Ger:* lu-  
 naris vulgaris *Park. parad.* Lunaria ma-  
 jor filiquâ rotundiore *I: B:* *Leucoium*  
*lunatum sive Lunarium latifolium majus*  
*annuum filiquâ rotundâ flore violaceo*  
*seu subcæruleo Hist. Oxon: Honesty,*  
*or white Satine flower with round codd's.*  
*Ann.*

**VIRGA** aurea major vel Doria *B: P:*  
 Herba Doria Lobelij *Ger:* Herba Do-  
 rea



ria vulgaris *Park.* Alisma Matthioli si-  
ve Doria *I. B.* Dorias his Wound-  
wore.

Virga aurea angustifolia ferrata *B. P.*  
aurea angustifolia ferrata sive Solidago  
Saracenica *I. B.* Solidago Saracenica  
*Dod: Lob:* Saracenica vera Salicis fo-  
lio *Park:* True Saracens Confound.  
*Offic.*

S. Virga aurea angustifolia minus ferra-  
ta *B. P.* Virga aurea *Ger:* aurea vulga-  
ris *Park.* aurea vulgaris latifolia *I. B.*  
*Common Golden-rod. Offic:*

Virga aurea latifolia ferrata *B. P.* au-  
rea ferratis foliis *Park:* aurea Arnoldi  
Villanovani *Ger,* Golden-rod with dent-  
ed leaves.

Virga aurea Mexicana *B. P:* app.  
aurea Americana *Park.* aurea Limo-  
nij folio paniculâ uno versu disposi-  
tâ *Hort. Reg. Bles.* Golden-rod of Ame-  
rica.

Virga aurea foliis Linariæ. Linaria  
aurea Tragi *Ger:* Linaria folioso capi-  
tulo

tulo luteo major *B. P.* Heliochrysum  
 Tragi, five Linaria tertia *I. B.* Chryso-  
 come verior, five Coma aurea Germa-  
 nica & Neapolitana *Park.* Golden-rod  
 with Toad-flax-leaves, or Golden-Toad-  
 flax.

**VITEX** foliis angustioribus *Canna-*  
*bis* modo dispositis *B. P.* Vitex five Ag-  
 nus castus *Ger.* Vitex five Agnus castus  
 folio angusto *Park.* Agnus folio non fere  
 rato *I. B.* The Chast-tree. *Offic.*

**VITIS** vinifera. *Fuchs.* The Vine-  
 tree.

Vitis laciniatis foliis *Cornut.* Vitis se-  
 linoides, five laciniatis foliis *Park.* Jag-  
 ged-leaved, or Parsley-Vine.

**S.** Vitis Idæa foliis oblongis crenatis  
 fructu nigricante *B. P.* Vitis Idæa angu-  
 losa *I. B.* Vaccinia nigra *Ger.* nigra vul-  
 garis *Park.* Black Whorts, or Bilberries.  
*Offic.*

**S.** Vitis Idæa foliis subrotundis non cre-  
 natis baccis rubris *B. P.* Vitis Idæa sem-  
 pervirens fructu rubro *I. B.* Vaccina ru-  
 bra *Ger.* Vaccina rubra *Buxeis* foliis *Park.*  
 Red Whorts, or Whortle-berries. *Vi-*

S. *Vitis Idæa palustris* B: P: *Vaccinia palustris* Ger. *Vaccinium palustre* Park. *Oxycoccus*, five *Vaccinia palustris* I: B: *Marsh-Whorts*, or *Mosse-berries*.

S. *Ulmus montana* B: P: *vulgaris* Park: *vulgatissima folio lato scabro* Ger: *The Common Elm-Tree*. *Offic.*

*Ulmus minor folio angusto scabro* Ger. *The narrow-leaved Elm.*

S. *URTICA urens maxima* B: P: *urens* Ger: *major vulgaris* I: B: Park: *Common Nettle*. *Offic.*

S: *Urtica urens minor* B: P: *minor* Ger: *minor annua* I: B: *minor silvestris* Park: *Small stinging Nettle*. *Ann.*

*Urtica urens pilulas ferens*, *prima Dioscoridis*, *semine Lini* B: P: *Urtica Romana* five *mas cum globulis*, I: B: *Roman Nettle*. *Offic. Ann.*

*Urtica Romana facie Parietarix*. *Romane Nettle with leaves like Pellitory of the Wall*. *Ann.*

Ur-

- S. *Urtica aculeata foliis ferratis* B: P:  
*Cannabis spuria* Ger: Park: *Cannabis*  
*silvestris* quorundam *Urticæ inerti* affi-  
 nis I: B: *Bastard Hempe. Ann.*
- S. *Urtica aculeata foliis ferratis*, five  
*Cannabis spuria* flore albo. *Bastard*  
*Hempe with white flowers. Ann.*
- S. *Urtica aculeata foliis ferratis*, five  
*Cannabis spuria* flore luteo amplo la-  
 bro purpureo Joh: Raij. *Bastard Hempe*  
*with large yellow flowers with purple*  
*lips, or fair-flowered Nettle-Hempe.*  
*Ann.*
-

## X.

**X**YRIS five Gladiolus foetidus *B. P.* Xyris vel Iris agria foetida *Hist: Oxon:* Xyris *Ger.* Xyris five Spatula foetida *Park:* Spatula foetida, plerisque Xyris *I: B:* Stinking Gladdon, or Gladwyn, *Offic.*

## Y.

**Y**UCA foliis Aloes *B: P: Hist:* *Oxon:* Yuca five Jucca *Park:* parad: Yucca, five Jucca Peruana *Ger:* The supposed Indian Jucca, or the root whereof the bread Casava, or Cazava, is made.

PLAN.



## PLANTÆ QUÆDAM OMMISSÆ,

## A D D E N D Æ.

**B** Ellis silvestris maxima caule rubente hirsuto. *The greatest wild Daisie with reddish hairy stalks.*

Cirsium foliis non hirsutis floribus compactis *B: P: montanum capitulis compactis. Park. foliis non hirsutis. Ger. Carduus, Cirsium Monspelianum folio longo glabro, Matthioli. I: B: Melancholy-Thistle with tufted heads.*

Herba viva, seu sentiens vulgò dicta. *The Sensitive-plant. Ann:*

Herba mimosa, humilis vulgò dicta. *The Humble-plant. Ann:*

Hyacinthus Orientalis major præcox, dictus Zumbul Indi. *Park: parad. The greatest Oriental Jacinth, or Zumbul Indi.*

Hyacinthus Orientalis major flo-

re albo. *The great white Oriental Jacinth.*

- S. *Imperatoria affinis, Umbellifera maritima Scotica. Scottish Sea-Masterwort.*

*Iris, radice tuberosâ, ex albo & cæruleo variegata. Iris latifolia minor gloriosa. Abr: Munting. The striped and white Flag-Flower-de-luce.*

*Napus silvestris B: P: I: B: Bunias silvestris Lobelij. Ger: Bunias sive Napus silvestris nostras Park. Wild Navew. Ann.*

*Narcissus totus pallidus oblongo calice serotinus minor. Park: parad. The late pale coloured Daffodil with a long cup.*

- S. *Ophrys minima. B: P: Bifolium minimum. I: B: The least Tway-blade.*

*Triticum Indicum. I: B: Maiz. sive Frumentum Indicum Ger: Maiz. frumentum Indicum vel Turcicum vulgare. Park. Frumentum Indicum Mays dictum. B: P: The usual Indian, or Turkey Wheat. Ann.*

S. *Vicia lathyroides purpuro-cæruleis floribus.* *Jok. Raij. Chickling-vetch with a purple and blew flower. Ann.*

S. *Vicia minor hirsuta flore minimo rubente.* *Small hairy Vetch, with small red flowers. Ann.*


---

FINIS.

---

2. The first of the three  
 parts of the book is  
 devoted to the history of  
 the country from the  
 first settlement to the  
 present time.

H. N. S.



## THE

## TABLE

Of the

ENGLISH NAMES.

## A.

	Pag.	Plant.
<b>R</b> obinus his false ACACIA of America.	3.	3.
The true Acacia, or the Egyptian Thorn.	3.	4.
The true second Acacia of Dioscorides.	3.	5.
Common ADDERS-TONGUE.	250.	4.
ADONIS-FLOWER.	10.	4.
Common AGRIMONY.	114.	5.
Sweet Agrimony.	115.	1.
Common Hemp-like Agrimony.	115.	2.
Broader-leaved Hemp-Agrimony of America.	115.	3.
Water-Agrimony with undivided leaves.	115.	4.
Water-Agrimony with divided leaves.	115.	5.
Clowns-AL-HEAL, or Clowns Round-wort.	325.	6.
Hercules his Al-heal.	258.	1.
Common ALEXANDERS.	320.	5.
Candy Alexander.	320.	6.
Common ALDER, or ALLER.	15.	4.
The black Alder.	15.	5.
The ALMOND TREE.	22.	3.
The Dwarfse Almond.	22.	4.
Herb ALOES of America.	35.	7.

B b

Woody



# The Table

<b>woody ALKANET.</b>	24.	5.
<i>The great yellow Alkanet.</i>	24.	6.
<i>Small Alkanet with purple flowers.</i>	24.	7.
<i>Small bowing Alkanet, with dark purple flowers.</i>	25.	1.
<i>Bastard Alkanet, or bastard Gromil.</i>	25.	2.
<b>Broad and narrow-leaved ANEMONIES,</b> <i>with single and double flowers of several</i> <i>kinds and colours.</i>	26.	4.
<i>Matthiolum, his white-flowered wild Anemonie.</i>	26.	5.
<i>The three-leaved wild Anemonie.</i>	27.	1.
<i>White-flowered wood Anemonie.</i>	27.	2.
<i>Blush flowered wood Anemonie,</i>	27.	3.
<b>Garden ANGELICA.</b>	27.	5.
<i>wild Angelica.</i>	27.	6.
<i>Great wild Angelica.</i>	28.	1.
<i>Shining Angelica of Canada.</i>	28.	2.
<b>ANISE.</b>	28.	4.
<b>The APPLE-TREE.</b>	221.	3.
<i>Red Apples of Love.</i>	322.	3.
<i>Gold coloured Apples of Love.</i>	322.	4.
<i>White-flowered Thorn Apple.</i>	322.	5.
<i>Purple-flowered Thorn-Apple.</i>	322.	6.
<i>Thorn-Apple with great prickles.</i>	322.	7.
<i>The male Balsom-Apple.</i>	44.	3.
<i>The female Balsom-Apple.</i>	44.	4.
<b>The great APRICOCK-TREE.</b>	221.	5.
<i>White Garden ARRACH.</i>	41.	2.
<i>Red Garden Arrach.</i>	41.	3.
<i>Broad-leaved wild Arrach, or Goose foot.</i>	41.	4.
<i>The other Goose-foot, or Arrach.</i>	41.	5.
<i>Common wild Arrach.</i>	42.	1.
<i>The lesser wild Arrach.</i>	42.	2.
<i>Stinking Arrach.</i>	42.	3.
<i>Great Berry-bearing Arrach, or Berry bearing</i> <i>Spinach.</i>	42.	4.

# Of the English Names,

<i>Common, or the lesser Berry-bearing Arrach.</i>	42.	5 <sup>a</sup>
<i>Narrow-leaved wild Arrach.</i>	43.	1.
<i>English Sea-Arrach.</i>	43.	2.
<i>White ARCHANGEL.</i>	180.	7.
<i>White Archangel with leaves like Pellitory of the wall.</i>	181.	1.
<i>Archangel with spotted leaves.</i>	181.	2.
<i>Yellow Archangel.</i>	181.	3.
<i>Yellow Archangel with spotted leaves.</i>	181.	4.
<i>Red Archangel.</i>	181.	5.
<i>Strange Archangel.</i>	182.	4.
<i>Dead, or spotted ARSMART.</i>	266.	3.
<i>Hot Arsmart.</i>	266.	4.
<i>Small creeping Arsmart.</i>	266.	5.
<i>Coded Arsmart.</i>	45.	1.
<i>The common ARTICHOCK.</i>	85.	3.
<i>The great English Artichock.</i>	85.	4.
<i>Prickly Artichock, or Chardon.</i>	85.	5.
<i>ASARABACCA.</i>	36.	5.
<i>Garden ASPARAGUS.</i>	37.	1.
<i>Marsh Sperage, or Asparagus.</i>	37.	2.
<i>Prickly Rock Asparagus.</i>	37.	3.
<i>Common ASH-TREE.</i>	123.	7.
<i>The ASPEN-TREE, or Quaking-Asp.</i>	277.	6.
<i>The white branched ASPHODIL.</i>	38.	1.
<i>The yellow Asphodil.</i>	38.	2.
<i>Small hollow-leaved Asphodil.</i>	38.	3.
<i>Lancashire Asphodil, or bastard Asphodil.</i>	38.	4.
<i>AVENS, Herbe-Bennet.</i>	69.	3.
<i>Purple mountain Avens.</i>	69.	4.
<i>Purple mountain Avens with double flowers.</i>	69.	5.
<i>Yellow mountain Avens.</i>	70.	1.
<i>Cinque-foil Avens.</i>	70.	2.

# The Table

## B.

The BARBERRY-BUSH.	47.	8.
The Barberry without stones.	48.	1.
Common BAKLEY.	155.	6.
Winter or square Barley, or Bear-Barley.	155.	7.
Naked Barley.	156.	1.
BARRENWORT.	108.	6.
Common BASIL.	248.	2.
Great wild Basil.	88.	3.
Great wild Basil with white flowers.	88.	4.
Small wild Basil.	88.	5.
Cow-Basil.	211.	4.
Garden BAUM.	226.	2.
Blew-flowered Turkie-Baum.	226.	3.
White-flowered Turkie-Baum.	226.	4.
The Common sweet Bay.	190.	1.
The wild Bay.	190.	2.
Great Garden BEANS.	116.	3.
Common, or Field-Beans.	117.	1.
The old Greekiſh-Bean.	117.	2.
Scarlet Beans.	268.	5.
White Kidney-Beans.	268.	6.
Red Kidney-Beans.	269.	1.
Fine Spotted Kidney-Beans.	269.	2.
Small white Kidney-Bean with a black spot in the middle.	269.	3.
BEAN-TREFOIL, or the Peasod-tree.	24.	3.
The leſſer Bean-Trefoil.	24.	4.
Stinking Bean-Trefoil.	24.	2.
BEARS-BREECH, or Branke-uſine.	4.	4.
Prickly Bears-breech.	4.	5.
BEARS-EARS of divers colours.	306.	2.
Bears-ear-Sanicle.	306.	3.
The leſſer round-leaved BEL-FLOWER.	62.	6.
The white round-leaved Bel-flower.	62.	7.
Blew Peach-leaved Bel flower.	63.	1.
White Peach-leaved Bel-flower.	63.	2.

Purple

# Of the English Names.

Purple Coventry-Bel flowers.	63.	3.
White Coventry-Bel flowers.	63.	4.
Blew Canterbury Bells.	63.	5.
White Canterbury-Bells.	63.	6.
Double purple Canterbury-Bells.	64.	1.
Double white Canterbury-Bells.	64.	2.
Garden Canterbury-Bells, or Garden Throat- wort with far creeping roots.	64.	3.
Little Throatwort, or Canterbury-Bells.	64.	
The greatest Canterbury-Bells, or Giant- Throatwort.	64.	5.
The BEECH-TREE.	127.	3.
The white BEET.	48.	2.
The green BEET.	48.	3.
Red Beet.	48.	4.
Red Roman Beet, or Betraw.	48.	5.
Broad-ribbed Sicilian Beet.	48.	6.
The Sea Beet.	48.	7.
Prickly Beet of Candy.	48.	8.
Common BETONY.	49.	1.
White Betony.	49.	2.
Great Betony of Denmark.	49.	3.
Water-Betony, or Water-Figg-wort.	313.	1.
Great white BINDEWEED.	92.	1.
Small Bindweed.	92.	2.
Black Bindweed.	92.	3.
Small long-leaved Bindweed.	92.	4.
Sicilian Bindweed with very small blew flowers.	93.	1.
Great blew Bindweed with cornered leaves.	93.	2.
Binde-weed with Marsh-Mallow leaves.	93.	3.
Sea-Binde-weed.	323.	3.
Mountain-Binde-weed.	323.	4.
Prickly Binde-weed with red berries.	320.	4.
The BIRCH-TREE.	49.	4.
Red BIRDS-EYES.	353.	6.
The great BIRDS-FOOT.	255.	2.
	BIRDS-	

# The Table

BIRDS-NEST, or misshapen Orchis.	253.	1.
Round-rooted BIRTHWORT.	34.	5.
The running-rooted Birthwort.	35.	1.
The bushie-rooted Birthwort.	35.	2.
Ever-green bushie-rooted Birthwort, or Virginian Snake-root.	35.	3.
Common BISHOPS-WEED.	22.	1.
Bishops-weed of Candy.	22.	2.
Great BISTORT, or Snake-weed.	49.	5.
Great Bistort, or Snake-weed with narrower leaves, and less-wreathed roots.	49.	6.
Small Bistort of our Countrey.	50.	1.
BITTER SWEET, or woody-Nightshade.	321.	4.
Bitter-sweet with white flowers.	321.	5.
Bitter sweet with party-coloured leaves.	321.	6.
The BLADDER-NUT.	271.	5.
The three-leaved Bladder-nut of Virginia.	271.	6.
The great red BLITE.	51.	2.
The small red Blite.	51.	3.
Upright Blite, or All-seed.	51.	4.
Prickly Blite of America.	51.	5.
BLOODWORT.	183.	5.
Common BORRAGE.	56.	2.
White flowered Borrage.	56.	3.
Never-dying Borrage.	56.	4.
Great BLEW-BOTTLE.	98.	2.
Great Oriental Bottles, or Sultan flower.	98.	3.
White coloured Oriental Bottles, or Sultan flower.	98.	4.
Yellow coloured Oriental Bottles, or Sultan flower.	98.	5.
Common Blew-bottle, or Corn-flower.	98.	6.
White coloured small Bottle flower.	98.	7.
Small Bottle flower of several other colours.	98.	8.
The BOX-TREE.	59.	3.
Dwarf-Box.	49.	4.
Gilded-Box.	59.	5.
The common BRAMBLE, or Black-berry bush.	300.	2.

Small



# Of the English Names.

<i>Small Bramble, or Dew-berry.</i>	300.	3.
<i>The Stone-Bramble.</i>	300.	6.
<i>White BRYONIE.</i>	55.	5.
<i>Black Bryonie.</i>	56.	1.
<i>The greater long-leaved BROOKLIME.</i>	23.	1.
<i>Common Brooklime.</i>	23.	2.
<i>Round-leaved Brooklime, or Water Pimpernel.</i>	23.	3.
<i>Narrow-leaved Brooklime.</i>	24.	1.
<i>Common BROOM:</i>	127.	4.
<i>Dyers-Broom.</i>	127.	5.
<i>Dyers-Broom with upright branches.</i>	127.	6.
<i>Spanish Broom.</i>	325.	2.
<i>Butchers-Broom:</i>	300.	7.
<i>Broom-Rape.</i>	255.	3.
<i>The common great BUCKLERWORT, or the greatest bastard-Parsley.</i>	336.	6.
<i>Small Bucklerwort of Apuleia in Naples.</i>	337.	1.
<i>Syrian Bucklerwort, or broad-leaved Cher- vil of Syria.</i>	337.	2.
<i>Common BUGLE.</i>	91.	6.
<i>Bugle with white flowers.</i>	91.	7.
<i>Great Garden BUGLOSSE.</i>	56.	5.
<i>Wilde, or Corn-Buglosse.</i>	56.	6.
<i>Sweet-smelling Buglosse of Candy, with stript red and white flowers.</i>	57.	1.
<i>Small wild Buglosse, or great Goose-grasse.</i>	57.	2.
<i>Common Vipers-Buglosse.</i>	107.	5.
<i>Vipers-Bugloss with a white flower.</i>	108.	1.
<i>Reddish flowered Vipers-Buglosse of Candy.</i>	108.	2.
<i>Vipers-Bugloss of Candy with party-coloured flowers.</i>	108.	3.
<i>Sea-Buglosse. Echium Marinum. P.B. I. Raij.</i>		
<i>Great American BURNET.</i>	270.	5.
<i>Great Burnet.</i>	270.	6.
<i>Small Burnet, or Garden Burnet.</i>	271.	1.
<i>Burnet with Agrimony leaves.</i>	271.	2.
<i>The great BUR-DOCK.</i>	185.	3.

*Wooly*

# The Table

Woolly-headed Bur-Dock.	185.	4.
The lesser Bur-Dock.	185.	5.
The common BUTTER BUR.	266.	6.
The lesser, or white flowered Butter-Bur.	267.	1.
Branched BUR-REED.	324.	6.
Bur-Reed not branched.	325.	1.
BUTTERWORT.	306.	5.

## C.

<b>W</b> Hite CABBAGE.	52.	2.
Red Cabbage.	52.	3.
Cabbage with many heads.	52.	4.
Common CALAMINT.	61.	1.
Field-Calamint.	61.	2.
Water-Calamint with whorled coronets.	61.	3.
Small WATER-CALTROPS,	}	338. 5.
or Frogs-Lettuce.		
Small water caltrops, or Frogs-Lettuce	}	338. 6.
with Oake leaves.		
Common CAMMOMILE.	79.	2.
Double flowered Cammomile.	79.	3.
Dwarfe, or barren Cammomile.	79.	4.
Cammomile with Sweet-Maudlin-leaves.	79.	5.
Red ROSE-CAMPION.	209.	3.
The single white Rose-Campion.	209.	4.
Spotted whitish Rose-Campion.	209.	5.
The white Champion.	209.	6.
Single red wild Champion.	210.	1.
Red Batchelours Buttons, or double red	}	210. 2.
wild Champion.		
Annual wild Champion with small flesh-	}	210. 3.
coloured flowers.		
Wild Champion with striked husks.	210.	5.
Shrubby Myrtle-leaved Champion, like	}	211. 3.
spatling-Poppy.		
Night-flowering Champion.	211.	4.

Eng.

# Of the English Names.

English Sea-Campion.	212. 1.
The Smaller white wild Champion.	212. 2.
Small hairy Champion.	213. 4.
Small hairy Champion with party-coloured flowers.	213. 5.
Annual hairy Champion with white flowers on one side of the stalk.	214. 1.
Cherlerus his small stiff Champion.	214. 2.
Common CANARY-GRASSE,	268. 3.
Canary-grasse with lesser black seed.	268. 4.
The CAROB-TREE.	318. 6.
The yellow-rooted CARROT.	261. 6.
The Orange Carrot.	262. 1.
The white-rooted Carrot.	262. 2.
Red-rooted Carrot.	262. 3.
The common wild Carrot, or Birds-nest.	262. 4.
The deadly-Carrot.	333. 1.
Deadly, or Scorching-Carrot with Mea- dow-Rue-leaves.	333. 2.
CARAWAY.	69. 2.
Golden CASSIDONY, or Golden Tufts.	149. 4.
Lobels CATCH-FLIE with red flowers.	212. 4.
Lobels Catch-flie with white flowers.	213. 1.
Red German Catch-flie.	213. 2.
German Catch-flie with white flowers.	213. 3.
CATS-TAIL, or Reed-Mace.	347. 4.
The lesser Reed-Mace, or Cats-tail.	347. 5.
The great CEDAR of Lebanon.	74. 3.
Cypresse-like Cedar, or Berry-bearing Cedar.	74. 4.
The greater CELLANDINE.	80. 3.
The greater Cellandine with fine-cut leaves.	81. 1.
Lesser Cellandine, or Pilewort.	81. 2.
Double-flowered lesser Cellandine.	81. 3.
The greater CENTAURY.	74. 5.
The Pyrenean great Centaury, or great Cen- taury with Artichock leaves.	75. 1.

Small

# The Table

<i>Small Centaury:</i>	75.	2.
<i>Small Centaury with white flowers.</i>	75.	3.
<b>CHARLOCK, or wild Mustard.</b>	288.	6.
<i>White-flowered Charlock with joynted cods.</i>	288.	7.
<i>Yellow Charlock with smooth joynted cods.</i>	289.	1.
<i>Spanish one-grained Charlock.</i>	289.	2.
<b>The CHASTE-TREE.</b>	361.	1.
<i>The common CHERRY-TREE.</i>	75.	4.
<i>Common wild Cherry.</i>	75.	6.
<i>The common black Cherry.</i>	75.	7.
<i>Double flowered barren Cherry.</i>	75.	5.
<i>Birds Cherry.</i>	76.	1.
<i>The wild Northern Cherry-tree with small late fruit.</i>	76.	2.
<i>The Cherry-Bay.</i>	76.	3.
<i>Common winter-Cherry.</i>	321.	1.
<b>Common CHERVIL.</b>	76.	6.
<i>Common wild Chervil.</i>	77.	1.
<i>Great sweet Garden Chervil, or Myrrh:</i>	236.	1.
<i>Annual Chervil with knotty joynts, and rough seed.</i>	236.	3.
<i>Small Hemlock-chervil with rough seeds.</i>	236.	4.
<i>Tooth-pick-Chervil.</i>	133.	4.
<b>Common CHESNUT-TREE.</b>	73.	3.
<i>The Horse Chesnut.</i>	73.	4.
<b>Great CHICKWEED.</b>	16.	1.
<i>Common Chickweed.</i>	16.	2.
<i>Long-leaved water-Chickweed.</i>	16.	3.
<i>Plantain-leaved Chickweed.</i>	16.	4.
<i>Moufear-Chickweed.</i>	16.	5.
<i>Broader-leaved Moufear Chickweed.</i>	16.	6.
<i>Small water-Chickweed, by some called Blinks.</i>	17.	1.
<i>Fine Chickweed.</i>	17.	2.
<i>Berry-bearing Chickweed.</i>	18.	1.
<i>Ivy-leaved Chickweed.</i>	18.	2.
<i>Germander-Chickweed.</i>	18.	3.

*Speed.*

# Of the English Names.

Speedwel-Chickweed.	18.	4.
Chickweed-Break-stone.	72.	4.
Annual CHICHLING with cods like small Pease.	187.	2.
Rough-codded annual Chichling.	187.	3.
Spanish yellow-flowered Chichling.	187.	4.
Great red flowered Chichling of Tangiers, with bunched cods.	187.	6.
Spanish party-coloured Chichling.	188.	1.
Narrow-leaved annual Chichling with red flowers and long small cods with round seed.	188.	2.
Blew-flowered narrow-leaved annual Chichling, with long small cods, and cornered seed.	188.	3.
CHICH-PEASE, or Cicers.	83.	6.
Three leaved wild Cicers.	29.	4.
Wild CICELY	236.	2.
Straw-berry-leaved CINQUE-FOIL.	263.	3.
Tree, or shrub Cinquefoil.	263.	4.
Common Cinquefoil, or Five-leaved Grass.	263.	5.
Small golden-flowered Cinquefoil.	263.	6.
Great upright Cinquefoil.	264.	1.
Tormentil Cinquefoil.	264.	2.
Marsh-Cinquefoil.	264.	3.
Ordinary male CISTUS.	86.	1.
Narrow-leaved male Cistus.	86.	2.
Willow-leaved annual Cistus.	86.	3.
Cistus with Rosemary leaves.	86.	4.
Dwarfe-Cistus, or little Sun-flower.	77.	4.
Dwarfe-Cistus with a white flower.	77.	5.
CIVES.	278.	2.
Garden CLARY.	156.	2.
Whitish flowered Clary, like Garden Clary.	156.	3.
Yellow Clary, or Jupiters-Distaffe.	156.	4.
Broad-leaved wild Clary of Tangiers.	156.	5.

Low,



# The Table

Low German Clary	156.	6.
Clary with Lavender-like flowers.	157.	1.
Common wild Clary.	157.	2.
Clary with Betony-like leaves,	157.	3.
Clary with purple leaves.	157.	4.
Jagged Athiopian Clary.	11.	1.
Strong smelling CLAVER, or Treacle Claver.	339.	2.
Claver-grasse.	340.	1.
Great flat Snail-Claver.	342.	4.
Great prick'y Snail-Claver, or Hedge-hogs.	343.	2.
Small prickly Snail-Claver with fine-cut leaves.	344.	2.
See MEDICA. and TREFOIL.		
The Hungarian Climmer.	87.	1.
See LADIES BOWER.		
CLOUD BERRY.	80.	3.
COCKS-HEAD. or Saint-join.	249.	3.
COCKLE.	210.	4.
Savoy-COLE.	52.	5.
Curled Savoy-Cole.	53.	1.
Garden Colewort.	53.	2.
Red Coleworts.	53.	3.
Swollen Coleworts.	53.	4.
Small curled Cole.	53.	5.
Colic-flare.	53.	6.
Curled childing-Cole,	53.	7.
Cole-rape.	54.	1.
Parsley-Colewort.	54.	2.
Small Parsley-Colewort.	54.	3.
Sea Colewort.	54.	4.
Common single COLUMBINES.	33.	1.
Double Columbines.	33.	2.
Double stript Columbines.	33.	3.
Rose-Columbines.	33.	4.
COLTS-FOOT.	347.	3.
Great COMFRY.	327.	5.
White-flowerd Comfry.	327.	6.

Com.

# Of the English Names.

<i>Comfry with knobbed roots, and yellow-flowers.</i>	327.	7.
True <i>Saracens</i> <b>CONSOUND.</b>	360.	1.
Common <b>CORIANDER.</b>	94.	5.
The male red <b>CORNEL-TREE.</b>	94.	6.
The female <i>Cornel</i> or <i>Dog-Berry-Tree.</i>	95.	1.
<b>COSTMARY.</b>	225.	6.
Great English <b>COTTONWEED.</b>	135.	2.
The <i>Cotton-Rose</i> , or <i>Rose-Cotton-weed.</i>	136.	1.
<i>Purple-flowered mountain-Cottonweed.</i>	136.	3.
See <b>CUDWEED.</b>		
The common field <b>COWSLIP.</b>	351.	1.
Double <i>Cowslips</i> one within another, or Hose-in-hose.	351.	2.
Great <i>Cowslips</i> , or <i>Field-Oxlips.</i>	351.	3.
The blew <i>Crowfoot</i> <b>CRANES-BILL.</b>	128.	5.
The white <i>Crowfoot</i> - <i>Cranes bill.</i>	128.	6.
The party-coloured <i>Crowfoot</i> - <i>Cranes-bill.</i>	129.	1.
The lesser <i>Crowfoot</i> - <i>Cranes-bill.</i>	129.	2.
The lesser annual purple flowered <i>Crow-</i> <i>foot-Cranes-bill</i> of <i>Bohemia.</i>	129.	3.
Long-rooted <i>Cranes-bill.</i>	129.	4.
Swart-tawney, or spotted <i>Cranes-bill.</i>	129.	5.
The red <i>Rose-Cranes-bill.</i>	130.	1.
Stript <i>Rose</i> <i>Cranes-bill</i>	130.	2.
Purple <i>Muscovy</i> <i>Cranes-bill.</i>	130.	3.
The variable stript <i>Cranes-bill.</i>	130.	4.
Bulbous or knobbed <i>Cranes-bill.</i>	130.	5.
Shining <i>Rock-Cranes-bill.</i>	130.	6.
<i>Doves-foot</i> , or <i>Cranes-bill.</i>	130.	7.
<i>Doves-foot</i> <i>Cranes-bill</i> with deep-cut leaves.	131.	1.
white-flowered <i>Doves-foot-Cranes-bill.</i>	131.	2.
<i>Doves-foot-Cranes-bill</i> with a blew flower.	131.	3.
Jagged <i>Doves-foot-Cranes-bill</i> with flowers on long foot-stalks.	131.	4.
<i>Cranes-bill</i> with <i>Marsh-Mallow</i> leaves.	131.	5.

Small

# The Table

<i>Small Sea-Cranes-bill, or Betony-leaved</i>	}	132.	1.
<i>Cranes-bill.</i>			
<i>Candy Cran-es-bill.</i>		132.	2.
<i>Musked Cran-es-bill.</i>		132.	3.
<i>unsavoury Cran-es-bill.</i>		132.	4.
<i>unsavoury Cran-es bill with white flowers.</i>		132.	5.
<i>The bearded CREEPER.</i>		82.	3.
<i>Common Garden-CRESSSES.</i>		242.	2.
<i>Curled Garden-Cresses.</i>		242.	3.
<i>Broad-leaved Garden-Cresses, or great Spainish</i>	}	242.	4.
<i>Cresses.</i>			
<i>Common Water-Cresses.</i>		243.	4.
<i>Bitter-Cresses.</i>		244.	1.
<i>Indian-Cresses.</i>		244.	4.
<i>Sciatica-Cresses.</i>		170.	1.
<i>Swines-Cresses.</i>		21.	4.
<b>CROSSWORT.</b>		97.	4.
<i>The musk Wood-CROW-FOOT.</i>		283.	1.
<i>Round-rooted, or bulbous Crow-foot.</i>		283.	2.
<i>The Garden double yellow Crow-foot.</i>		263.	3.
<i>upright meadow-Crow-foot.</i>		284.	1.
<i>Double flowered upright meadow-Crow-foot.</i>		284.	2.
<i>Common Crow-foot, or Butter-cups.</i>		284.	3.
<i>Wooly Mountain-Crow-foot.</i>		284.	4.
<i>Sweet Wood-Crow-foot.</i>		284.	5.
<i>The Glob-Crow-foot.</i>		285.	1.
<i>The lesser single white Mountain-Crow-foot.</i>		285.	2.
<i>Double white Crow-foot.</i>		285.	3.
<i>Prickly Crow-foot of Candy.</i>		285.	4.
<i>Rough-headed, or Corn-Crowfoot.</i>		285.	5.
<i>Field-Crow-foot with a small flower.</i>		286.	1.
<i>Crow-foot of Illyria.</i>		286.	2.
<i>Yellow single grass-leaved Crow-foot.</i>		286.	3.
<i>Round-leaved Marsh-Crowfoot.</i>		286.	4.
<i>Water-Crowfoot with various leaves.</i>		287.	3.

# Of the English Names.

<i>Ivy-leaved Water-Crow-foot.</i>	287.	4.
<b>Common CUCUMBERS.</b>	97.	5.
<i>Wild, or squirting Cucumber.</i>	97.	6.
<b>Everlasting, or American CUDWEED.</b>	134.	5.
<i>Common Cudweed, or Herbe-impious.</i>	135.	1.
<i>Middle, or black-headed Cudweed.</i>	135.	3.
<i>The least Cudweed.</i>	135.	4.
<i>The lesser broad-leaved Cudweed.</i>	135.	5.
<i>Mountain Cudweed, or Cats-foot.</i>	136.	2.
<b>Ordinary CUMIN.</b>	97.	8.
<i>Horned Wild-Cumin.</i>	163.	6.
<b>Common red CURRANS, or Ras-berries.</b>	146.	6.
<i>The great red Curran.</i>	146.	7.
<i>White Curran.</i>	146.	8.
<i>Small black Curran.</i>	147.	1.
<i>Great black Curran.</i>	147.	2.
<i>The red Curran with the Goose-berry leaf.</i>	147.	3.
<b>Bastard CYPERUS with short pendulous heads.</b>	140.	6.
<b>Common CYPRESSE-TREE.</b>	98.	1.

## D:

<b>T</b> He great None-such <b>DAFFODIL, or</b> } incomparable Daffodil.. }	237.	1.
<i>The incomparable Daffodil with a double flower.</i> }	237.	2.
<i>The common white Daffodil called Primrose-peerless:</i> }	237.	3.
<i>The double white Daffodil.</i>	237.	4.
<i>The late purple-ringed Daffodil.</i>	238.	1.
<i>The double purple-ringed Daffodil.</i>	238.	2.
<i>The great yellow Daffodil of Africa.</i>	238.	3.
<i>The French Daffodil with great flowers.</i>	238.	4.
<i>The early French Daffodil.</i>	238.	5.
<i>The late pale-coloured Daffodil with a long cup.</i> }	356.	4.

The

# The Table

The great <i>Junquilia</i> , or Rush-leaved Daffodil with a large flower or cup.	238.	6.
The yellow Italian Daffodil of Caccini.	239.	1.
The ordinary <i>Junquilia</i> or Rush-leaved Daffodil.	239.	2.
The Rush-leaved Daffodil with pale yellow flowers.	239.	3.
The double <i>Junquilia</i> , or Rush-Daffodil.	139.	4.
Great yellow Spanish bastard-Daffodil.	239.	5.
The greatest Spanish whitish bastard-Daffodil.	239.	6.
The mountain bastard-Daffodil.	239.	7.
The common English bastard-Daffodil.	240.	1.
The least Spanish bastard-Daffodil.	240.	2.
The greatest double yellow bastard-Daffodil, or John Tradescant, his great Rose-Daffodil.	240.	3.
Master Wilmers great double Daffodil.	240.	4.
The double English bastard-Daffodil, or Gerards double Daffodil.	241.	1.
The lesser French double bastard-Daffodil.	241.	2.
The lesser yellow bastard <i>Junquilia</i> , or Rush-leaved Daffodil.	241.	3.
The white Sea-bastard-Daffodil.	241.	4.
The great white Sea-Daffodil, or Matthioli, his third Daffodil.	242.	1.
The greater Autumn, or winter-Daffodil.	91.	1.
The greater wild white DAISIE.	46.	1.
The greatest wild Daisie with red hairy stalks.	365.	1.
Great Daisie with broader snip't-leaves, and a running root.	46.	2.
The greater Daisie with the Tansie-leaf.	46.	3.
The lesser Daisie with the Tansie-leaf.	46.	4.
Common small wild Daisie.	46.	5.
Field Daisie with two ranges of leaves.	47.	1.
Small wild Daisie with double flowers.	47.	2.
Small wild Daisie with blew flowers.	47.	3.
Double red Garden-Daisie.	47.	4.
Double white Garden-Daisie.	47.	5.
	Double	



# Of the English Names,

<i>Double party-coloured Garden-Daisie:</i>	47.	6.
<i>Childing Daisie.</i>	47.	7.
<b>DANDELYON.</b>	102.	2.
<i>Knotty-rooted Dandelyon.</i>	102.	3.
<b>DARNEL.</b>	203.	3.
<i>Red Darnel-grass.</i>	203.	4.
<b>DILL.</b>	27.	4.
<b>DITTANDER, or Pepperwort.</b>	191.	2.
<i>Dittander, or Pepperwort with wood-leaves.</i>	191.	3.
<i>Leadwort, or French Dittander.</i>	191.	4.
<i>Bastard DITTANY or Fraxinel.</i>	123.	5.
<i>White-flowered Bastard-Dittany.</i>	123.	6.
<i>Bastard-Dittany.</i>	280.	1.
<i>Purple-flowered</i> <b>DEVILS-BIT.</b>	327.	2.
<i>Devils-bit with white flowers:</i>	327.	3.
<i>Devils-bit with flesh-coloured flowers.</i>	327.	4.
<i>Patience, or great Garden</i> <b>DOCK.</b>	183.	2.
<i>Sharp-pointed Dock.</i>	183.	3.
<i>Sharp-pointed Dock with curled leaves.</i>	183.	4.
<i>The smallest sharp-pointed Dock.</i>	184.	1.
<i>Golden flowered Dock.</i>	184.	2.
<i>Great water-Dock.</i>	184.	3.
<i>Round-leaved wild Dock.</i>	184.	4.
<i>Fiddle-Dock.</i>	184.	5.
<i>Climming</i> <b>DOGSBANE.</b>	32.	6.
<i>Purple</i> <b>DOG-TOOTH-VIOLET.</b>	101.	2.
<i>White Dog-tooth-Violet.</i>	102.	1.
<b>DORIAS his WOUNDWOORT.</b>	359.	3.
<i>Great</i> <b>DRAGONS.</b>	107.	1.
<b>DROPWORT.</b>	120.	3.
<i>Water-Dropwort.</i>	248.	3.
<i>Hemlock-Dropwort.</i>	249.	1.
<i>Common</i> <b>DUCKS-MEAT.</b>	109.	6.
<i>Ivy-leaved Ducks-meat.</i>	191.	1.

# The Table

## E.

<b>C</b> OMMON EARTH-NUT.	57.	3.
The single EGLANTINE, or sweet Briar-bush.	297.	6.
The double Eglantine.	298.	1.
Common ELDER.	304.	2.
Elder with whittish green berries.	304.	3.
Red-berried Elder.	304.	4.
Cut-leaved Elder.	304.	5.
Shrub Dwarf-Elder with fine party coloured leaves.	304.	6.
Dwarf Elder, or Walwort.	304.	7.
Marsh-Elder, or water-Elder.	305.	1.
Rose Elder.	305.	2.
ELECAMANE.	149.	1.
The common ELM TREE.	362.	2.
The narrow leaved Elm.	362.	3.
Garden ENDIVE.	170.	6.
Curled Endive.	171.	1.
ERINGO, or Sea Holly.	112.	5.
Mediterranean Eringo, or Sea Holly.	112.	6.
Mountain Eringo.	113.	1.
Blew Eringo.	113.	2.
EYE BRIGHT..	116.	1.
Eye-bright-Corn-Wheat.	116.	2.

## F.

<b>T</b> HE PRINCES FEATHER, or None so pretty with a red poyntel in the middle of the flower.	305.	6.
The Princes-Feather, or None so pretty with a pale poyntel in the middle of the flower.	306.	1.
Common FENNEL.	122.	2.
Brown Fennel.	122.	3.
	Sweet	

# Of the English Names.

Sweet Fennel.	122.	4.
Sweet Fennel from the Azores.	122.	5.
The broader-leaved Fennel-gyant:	118.	4.
Fine leaved Fennel-gyant.	118.	5.
Broad leaved (shining Fennel gyant of Tangiers.	119.	1.
Italian Sow-Fennel.	267.	2.
Common Sow-Fennel.	267.	3.
FENUGREEK.	122.	6.
Flowering FERN. or Osmund-Royal.	120.	4.
Female-Fern, or Common Brakes.	120.	5.
Male Fern.	120.	6.
Branched Male-Fern with dented leaves.	120.	7.
Male Fern with thin- & deeply-dented leaves.	121.	1.
Prickly Male Fern.	121.	2.
Marsh or water-Male-Fern.	121.	3.
True Oak-Fern.	121.	4.
The lesser branched Female-Fern, or Stone-Fern.	121.	5.
Male Stone Fern.	121.	6.
Fine-cut Stone-Fern with slender and brittle stalks	121.	7.
Small flowering Rock Fern.	122.	1.
Common FEVERFEW.	223.	7.
Double Feverfew.	224.	1.
Naked Feverfew.	224.	2.
Common FIG-TREE.	120.	1.
The lesser prickly Indian Figg.	120.	2.
Common FIGWORT.	312.	5.
Yellow flowered Figg-wort.	313.	2.
Nettle-leaved Figwort.	313.	3.
Figg-wort without knobbed roots.	313.	4.
The FIRRE-TREE.	1.	1.
The French Corn FLAGG.	133.	5.
Blush Corn-Flagg.	133.	6.
White flowered Corn-Flagg.	133.	7.
Small purple Corn-Flagg.	133.	8.
Corn-Flagg of Constantinople.	134.	1.

# The Table

Sweet-smelling Flag.	9.	1.
Mannered FLAX.	202.	2.
Perennial wild-Flax.	202.	3.
Dwarfe wild-Flax, or Mill-mountain.	202.	4.
Strange wild white flowered Flax.	202.	5.
Common TOADFLAX.	201.	2.
Great purple sweet-smelling Toad-Flax.	201.	3.
Small blew flowered Toad Flax.	201.	4.
Narrow leaved annual Toad-Flax with large yellow flowers.	201.	5.
The truest great FLEABANE.	93.	4.
The truest Small Fleabane.	94.	1.
Great Flea-bane, or Ladies-gloves.	94.	2.
Middle-Flea-bane.	94.	3.
Blew flowered Flea-bane, or sweet purple Flea bane.	94.	4.
Common FLEA-WORT.	280.	2.
Indian Fleawort with dented leaves.	280.	3.
Ever-green Fleawort.	280.	4.
FLIXWEED.	244.	3.
Single scarlet FLOWER of Constantinople.	208.	5.
Flesh-coloured Flower of Constantinople.	208.	6.
White coloured Flower of Constantinople.	209.	1.
Double scarlet Flower of Constantinople.	209.	2.
The common Flag-FLOWER DE-LUCE.	171.	2.
The white flowered, or Florentine Flower-de-luce.	171.	3.
The great Turkey Flower-de-luce.	171.	4.
The great Dalmatian Flower-de-luce.	172.	1.
Yellow variable Flower-de-luce.	172.	2.
Lobels yellow variable Flower-de-luce.	172.	3.
The stript blew and white Flag-Flower-de-luce.	366.	2.
The yellow Flower-de-luce of Tripoly.	172.	4.
Yellow Water-Flag, or Flower-de-luce.	172.	5.
The small variable Hungarian Flower-de-luce.	173.	1.
The lesser Grass-Flower de-luce.	173.	2.
The blew variable Dwarfe-Flower-de-luce.	78.	4.

The

# Of the English Names.

<i>The white Dwarf-Flower-de-luce.</i>	79.	1.
<i>Velvet Flower-de-luce.</i>	173.	3.
<i>The Persian Bulbous Flower-de-luce.</i>	173.	4.
<i>The blew English bulbous Flower-de-luce.</i>	174.	1.
<i>The great white bulbous Flower-de-luce.</i>	174.	2.
<i>The blew stript, or the Chamolet Flower-de-luce.</i>	174.	3.
<i>The great purple variable bulbous Flower-de-luce.</i>	174.	4.
<i>The smaller white narrow-leaved bulbous Flower-de-luce.</i>	175.	1.
<i>The gold-yellow narrow-leaved bulbous Flower-de-luce.</i>	175.	2.
<i>Common yellow narrow-leaved bulbous Flower-de-luce.</i>	175.	3.
<i>Narrow-leaved bulbous Flower-de-luce with yellow Falls with a golden spot, Arches, and uprights pale blew.</i>	175.	4.
<i>Narrow-leaved bulbous Flower-de-luce with greenish Falls with a yellow spot, the Arches pale and uprights deep-blew.</i>	175.	5.
<i>Narrow-leaved bulbous Flower-de-luce, with blew Falls with a golden spot, Arches and uprights pure blew.</i>	175.	6.
<i>Narrow-leaved bulbous Flower-de-luce with white Falls with a golden spot, Arches pale, and uprights bright blew.</i>	176.	1.
<i>Great FLORAMOUR, or purple FLOWER-GENTLE.</i>	20.	2.
<i>Scarlet Flower-gentle with red seed.</i>	20.	3.
<i>Scarlet Flower-gentle with upright spikes.</i>	20.	4.
<i>Red Flower gentle with upright pannicles.</i>	20.	5.
<i>Green Flower gentle with upright pannicles.</i>	21.	1.
<i>Lesser Flower-gentle with spiked, round and crested pannicles.</i>	21.	2.



# The Table

<i>Variable Flower-gentle.</i>	21.	3.
<i>The great</i> SUN-FLOWER.	149.	2.
<i>The male</i> FOOLS-STONES.	251.	1.
<i>The female</i> Fools-stones.	251.	2.
Sharp-pointed FLUELLEN.	108.	4.
<i>Female</i> Fluellen, or round-leaved Fluellen, or Speedwel.	108.	5.
FOUR-LEAVED or purple Grass.	282.	1.
Purple FOX GLOVES.	103.	2.
<i>White flowered</i> Fox-gloves.	103.	3.
<i>Flesh.coloured.</i> Fox-gloves.	103.	4.
<i>Broad leaved</i> Iron coloured Fox gloves.	103.	5.
<i>Fox gloves with large yellow flowers.</i>	103.	6.
<i>Small pale-yellow</i> Fox gloves.	104.	1.
<i>Bastard</i> Fox gloves, commonly <i>Virginian</i> Fox gloves.	104.	2.
The true FOX TAIL.	137.	2.
<i>Great English marsh</i> Foxtail.	137.	3.
Broad-leaved FRIERS-COWIE.	34.	4.
The most common FRI: TILLARY, or checkered Daff-dil.	124.	1.
The white Frittillary.	124.	2.
The Spanish Frittillary with the flowers standing as it were in an umbel.	124.	3.
The double bluish Frittillary.	124.	4.
The white Frittillary with many flowers.	124.	5.
The lesser dark Frittillary.	124.	6.
Common FUMITORY.	124.	7.
The greater ramping Fumitory.	125.	1.
Climbing Fumitory.	125.	2.
Indian Fumitory.	125.	3.

## G.

Common garden GARLICK.	14.	2.
<i>Vipers</i> Garlick.	14.	3.
<i>Great</i> Turkey Garlick.	14.	4.
<i>Crow</i> Garlick.	15.	1.
<i>Mountain</i> Garlick, and perhaps <i>Vine</i> Leek.	15.	2.
GAULB,		

# Of the English Names.

<b>GAULE</b> , Sweet willow, or Dutch Myrtle.	292.	1.
Swallow-wort- <b>GENTIAN</b> .	128.	1.
Cross-wort- <b>Gentian</b> .	128.	2.
Small <b>Gentian</b> of the Spring.	128.	3.
Dwarfe Autumnal <b>Gentian</b> .	128.	4.
Common <b>GERMANDER</b> .	77.	6.
Cut-leaved <b>Germander</b> .	78.	1.
Wild <b>Germander</b> .	78.	2.
Wild <b>Germander</b> with leaves standing on long foot stalks.	78	3.
The more common <b>TREE GERMANDER</b> .	332.	1.
Tree- <b>Germander</b> of Spain.	332.	2.
<b>WATER GERM</b> NDER.	311.	2.
Garden <b>GILLOFLOWER</b> of many kinds & colours.	70.	3.
Garden <b>STOCK GILLOFLOWERS</b> single, of divers colours.	192.	2.
Striped single <b>Stock Gilloflowers</b> .	192.	3.
Double <b>Stock Gilloflowers</b> .	192.	4.
Sweet smelling white <b>Stock Gilloflowers</b> with green shining leaves.	193.	1.
Broad-leaved Sea- <b>Stock Gilloflower</b> .	193.	4.
Narrow-leaved Sea- <b>Stock Gil</b> flower.	193.	5.
The yellow Sea- <b>Stock-Gilloflower</b> .	194.	1.
Stinking <b>GLADDON</b> or Gladwyn.	364.	1.
Evergreen <b>GLASSWORT</b> .	178.	1.
<b>Glaswort</b> , or <b>Salwort</b> .	178.	2.
Great <b>Glaswort</b> .	178.	3.
White <b>Glaswort</b> .	178.	4.
Prickly <b>Glaswort</b> .	178.	5.
Yellow <b>GOATS BEARD</b> .	338.	2.
Purple flowered <b>Goats beard</b> .	338.	3.
Buck-horn-leaved <b>Goats-beard</b> .	338.	4.
Garden <b>GOLD-OF PLEASURE</b> .	235.	2.
One-grained <b>Gold-of-pleasure</b> .	235.	3.
Round-podded lake <b>Gold-of-pleasure</b> .	235.	4.
Common <b>GOLDEN ROD</b> .	300.	2.

Golden

# The Table

Golden-rod with dented leaves.	360.	3.
Golden-rod of America.	360.	4.
Golden-rod with Toad-flax-leaves, or golden Toad flax.	}	360. 5.
Common GOOS-BERRIES		145. 5.
The cristal round or Glob goos-berry.		146. 1.
The great yellow long Goos-berry.		146. 2.
The square Goos-berry without a stone.		146. 3.
Small hairy or prickly Goos-berry		146. 4.
Red Goos-berries.		146. 5.
Common GOOSE-GRASS, or Clivers.		31. 3.
Goose-grass with smooth seed.		31. 4.
Goose-grass with seed like a Coriander Comfit.		31. 5.
Great BOTTLE-GOURD.		97. 7.
The Sky coloured GRAPE-FLOWER.		158. 4.
The white Grape-flower.		158. 5.
The dark-blew Grape-flower.		159. 1.
The ash coloured Grape flower, or Muscari.		159. 2.
Corn Reed-GRASS.		136. 4.
The most common Fox-tail-Grass.		136. 5.
The lesser bastard Foxtail Grass.		137. 1.
Flote-Grass.		137. 4.
Spiked Flote-Grass, or water-Grass.		137. 5.
Great water Reed-Grass.		137. 6.
Rough-Grass.		138. 1.
Single spiked Hedge Oat-Grass.		138. 2.
Oat-Grass with a sparsed pannicle.		138. 3.
Smal Oat-Grass without awns.		138. 4.
Oat-Grass with a yellow pannicle.		138. 5.
Great wild Oat-Grass.		119. 2.
Rough Oat-Grass with more compacted pannicles.		119. 3.
Dranke, or Oat Grass with larger and more sparse pannicles.	}	11. 4.
Common Couch Grass, or Dogs-Grass.		138. 6.
Sweet Dogs-Grass.		139. 1.
Sea-Dogs-Grass, or Couch-Grass:		139. 2.
Knotted		

# Of the English Names.

Knotted Dogs-Grass.	136.	3.
Smooth Crested-Grass.	139.	4.
Great Vernal Cyperus-Grass.	139.	5.
The greater narrow leaved Cyperus-Grass:	140.	1.
Marsh Cyperus Grass with a divided head.	140.	2.
Cyperus-Grass with a loose spike.	140.	3.
Slender-leaved wood Cyperus-Grass.	140.	4.
The greater marsh Cyperus-Grass, or spiked Cyperus-Grass.	140.	5.
Narrow-leaved Cyperus-Grass with small pannicles.	141.	1.
Flea-Grass.	141.	2.
Small hard-Grass.	141.	3.
Common hairy wood-Grass.	141.	4.
Rush-Grass with pointed leaves.	141.	5.
Toad-Grass.	142.	1.
Rush-Grass with round seed vessels.	142.	2.
Arrow-headed-Grass.	142.	3.
Sea spiked-Grass.	142.	4.
Capons-tail-Grass.	142.	5.
Hedge hog-Grass.	142.	6.
Panick Grass with a divided spike.	143.	1.
The greater Meadow Grass.	143.	2.
The lesser Meadow Grass.	143.	3.
Meadow-Grass with harder sparsed panicles.	143.	4.
Soft tufted Meadow Grass.	143.	5.
Vernal Grass with a soft loose spike.	143.	6.
Painted-Grass, or Ladies-laces.	144.	1.
Grass of Parnassus.	144.	2.
Rie-Grass.	144.	3.
Feather-Grass.	144.	5.
Cotton Grass.	144.	6.
Quaking Grass.	145.	1.
The greatest white Spanish Quakers, or Pearle- Grass.	145.	2.
The greatest Cats-tail Grass.	145.	3.
Common GROUND-PINE.	80.	4.
	Common	

# The Table

Common GROUNDSEL.	317.	2.
Cotton Groundsel, or stinking Groundsel.	317.	3.
Common GROMIL.	203.	1.
The smaller creeping Gromil.	203.	2.

## H.

<b>E</b> nglish HARES BELLS, or Spanish Jacinth.	159.	3.
White English Hares-bell.	160.	1.
Bluish flowered English Hares bell.	160.	2.
Great large headed HARES-FOOT.	340.	2.
The great Hares foot-Trefoil.	340.	3.
Hares-foot, or Hares-foot Trefoil.	340.	4.
Common HARTS-TONGUE.	201.	6.
Fagged, or Fingered Harts-tongue.	202.	1.
French HAVER-GRASS.	10.	5.
Bluish Garden Succory-like HAWKE-WEED.	152.	3.
Starry-headed Hawke weed.	152.	6.
Yellow Succory like Hawke-weed.	153.	1.
Unbranched smooth Hawke-weed with Dandelion leaves.	153.	2.
Long-rooted Hawke-weed.	153.	3.
Yellow Devils-bit, or Hawke-weed with bitten roots.	153.	4.
Small rough Succory-leaved Hawke-weed, smelling of the Beaver-flower.	153.	5.
Long small-stalked Hawke-weed.	154.	1.
The smother broad leaved bushy Hawke-weed.	154.	5.
Narrow-leaved Bushy-Hawke-weed.	155.	1.
Bushy Hawke-weed with rough broad leaves.	155.	2.
The lesser Bushy-Hawkeweed.	155.	3.
Berry-bearing HEATH.	109.	7.
Common Heath.	110.	1.
Common rough-leaved Heath.	110.	2.
Fine-leaved Heath.	110.	3.
Low-Dutch Heath, or Broom-Heath.	110.	4.
True black HELLEBORE, or Christmas flower.	150.	2.

Great



# Of the English Names.

Great bastard black Hellebore, or Bears-foot.	150.	3.
Wild bastard black Hellebore.	150.	4.
Early white Hellebore with dark red flowers.	150.	5.
Common white Hellebore.	151.	1.
Common bastard, or wild white Hellebore.	151.	2.
The greater purging Sanicle-like Hellebore.	151.	3.
Common HEMLOCK.	84.	5.
The lesser Hemlock, or Fools-Pasly.	85.	1.
The greatest Hemlock, or Hartwort of Peloponesus.	85.	2.
HEMP, male and female.	65.	1.
Bastard Hemp.	363.	1.
Bastard Hemp with white flowers.	363.	2.
Bastard Hemp with large yellow flowers with purple lips, or fair-flowered Nettle-Hemp.	363.	3.
Common black HENBANE.	163.	3.
White Henbane.	163.	4.
Yellow Henbane of Candy.	163.	5.
Great HENBIT.	182.	1.
HERB Christopher, or Berry bearing Aconite.	8.	5.
Herb Gerard, Goutwort, or Ashweed.	28.	3.
Fennel-leaved Herb Frankincense.	60.	1.
Herb Frankincense with Sow fennel leaves, and smoot furrowed seed.	60.	2.
Herb Frankincense with broad leaves.	194.	2.
The lesser French broad leaved Herb Frankincense.	194.	3.
Columbine-leaved, Herb Frankincense.	194.	4.
Herb Mustick.	223.	6.
Herb Robert.	133.	2.
Herb Robert with white flowers.	133.	3.
Herb true love, or One-berry.	322.	1.
Single HOLLYHOCKS, of many several colours.	220.	4.

Double

# The Table

<i>Double Hollibocks, of many several colours.</i>	221.	1.
<i>Jagged strange Hollibock.</i>	221.	2.
<i>The common HOLLY TREE.</i>	170.	3.
<i>Guilded, or stripped Holly.</i>	170.	4.
<i>Sea-Holly, See ERINGO.</i>		
<i>HOLLOW-ROOT with purple flowers.</i>	125.	4.
<i>The white Hollow-root.</i>	125.	5.
<i>Long-codded HONESTY, or white Satine flower.</i>	359.	1.
<i>Honesty, or white Satine flower with round cods.</i>	359.	2.
<i>HONE-WORT.</i>	317.	1.
<i>Common wild HONY-SUCKLE.</i>	265.	6.
<i>Italian Hony-suckle, or double, or thorough-leaved Hony-suckle.</i>	266.	1.
<i>Late-flowering red thorough-leaved Hony-suckle.</i>	266.	2.
<i>Black-berried upright-Hony-suckle.</i>	77.	2.
<i>Red-berried upright-Hony-suckle.</i>	77.	3.
<i>French Hony-suckle.</i>	249.	4.
<i>White-flowered French Hony-suckle.</i>	250.	1.
<i>Yellow-flowered HONY-WORT.</i>	76.	4.
<i>Great Hony-wort.</i>	76.	5.
<i>HOPS, male and female.</i>	208.	2.
<i>Black or stinking HORE-HOUND.</i>	223.	1.
<i>Black French Hore-hound with long leaves.</i>	223.	2.
<i>Common white Hore-hound.</i>	223.	3.
<i>Sweet Candy-Hore-hound.</i>	223.	4.
<i>Strange Hore-hound of Alepo with long stalked seed vessels.</i>	223.	5.
<i>Common water, or Marsh-Hore-hound.</i>	222.	5.
<i>Water Hore-hound with smaller-cut leaves.</i>	222.	6.
<i>Base-Hore-hound.</i>	225.	5.
<i>The HORN-BEAM-TREE.</i>	69.	1.
<i>Common HORSE-TAIL.</i>	109.	1.
<i>Naked Horse-tail.</i>	109.	2.
<i>Wood-Horse-tail.</i>	109.	3.
<i>The greater marsh Horse-tail.</i>	109.	4.
<i>Female Horse-tail.</i>	109.	5.

*Stink-*

# Of the English Names.

<i>Stinking water-Horse-tail.</i>	109.	6.
<b>HORSE-TONGUE</b> , or <i>Tongue upon Tongue.</i>	190.	4.
<b>HOUSE-LEEK.</b> See <b>SEN GREEN.</b>		
<b>Common HOUNDS-TONGUE.</b>	99.	7.
<i>White-flowered Hounds-tongue.</i>	100.	1.
<i>Ever-green Hounds-tongue.</i>	100.	2.
<i>Small Hounds-tongue with blew flowers.</i>	100.	3.
<i>Narrow-leaved Hounds-tongue of Candy.</i>	100.	4.
<b>The HUMBLE-PLANT.</b>	365.	4.
<i>Common blew flowered</i> <b>HYSSOPE.</b>	165.	1.
<i>White flowered Hyssop.</i>	165.	2.
<i>Red-flowered Hyssope.</i>	165.	3.
<i>Party-coloured Hyssope.</i>	165.	4.
<i>Hairy-Hyssope.</i>	165.	5.
<i>Narrow-leaved Spiked Hyssope.</i>	165.	6.
<i>Hedge-Hyssope.</i>	145.	4.

## I.

<b>T</b> <i>He great purple fair-haired</i> <b>JACINTH:</b>	157.	5.
<i>The great white fair-haired Jacinth.</i>	158.	1.
<i>The fair Curled hair-Jacinth.</i>	158.	2.
<i>The fair-haired branched Jacinth.</i>	158.	3.
<i>The greater Spanish Bel-flowered Jacinth.</i>	160.	3.
<i>Spanish Bel-flowered Jacinth with wider flowers.</i>	160.	4.
<i>The purple Oriental Jacinth.</i>	160.	5.
<i>The pale-blew Oriental Jacinth.</i>	160.	6.
<i>The deep-blew Oriental Jacinth.</i>	160.	7.
<i>The white Oriental Jacinth.</i>	160.	8.
<i>The blush Oriental Jacinth.</i>	160.	9.
<i>The bleak Oriental Jacinth, once double.</i>	160.	10.
<i>The greatest Oriental Jacinth, or Zambul indi.</i>	365.	5.
<i>The great white Oriental Jacinth.</i>	365.	6.
<i>The little Summer-Oriental Jacinth.</i>	161.	1.
<i>The common blew Starry Jacinth.</i>	161.	2.
<i>The early blew Starry Jacinth.</i>	161.	3.
<i>The early white starry Jacinth.</i>	161.	4.
<i>The ash-coloured starry Jacinth.</i>	161.	5.

The

# The Table

<i>The starry Jacinth of Turkey with the black root.</i>	162.	11.
<i>One-leaved starry Jacinth from Portugal.</i>	162	2.
<i>The great Spanish starry Jacinth, or of Peru.</i>	162.	3.
<i>The blew Lilly-leaved starry Jacinth.</i>	163.	1.
<i>The white Lilly leaved Jacinth.</i>	163.	2.
<b>SAINT JAMES WORT.</b> See RAGWORT.		
<i>Common white JASMINE.</i>	169.	1.
<i>Common yellow Jasmine.</i>	169.	2.
<i>Virginian Jasmine.</i>	169	3.
<i>The blew Persian Jasmine, or Pipe-Tree with cut leaves.</i>	169.	4.
<i>The blew Persian Jasmine with uncut leaves.</i>	169.	5.
<b>Common IMPERIAL-CROWN.</b>	199.	1.
<i>Double Imperial Crown.</i>	199.	2.
<i>The yellow Crown-Imperial.</i>	199.	3.
<i>Striped yellow Crown-Imperial.</i>	199.	4.
<b>JOBS TEARS.</b>	202.	6.
<b>Common SAINT JOHNS WORT.</b>	164.	1.
<i>Small creeping Saint-Johns wort.</i>	164.	2.
<i>woolly Saint-Johns-wort.</i>	164.	3.
<i>Small upright Saint Johns-wort.</i>	164.	4.
<i>Tree, or shrub Saint-Johns-wort.</i>	164.	6.
<b>Common IRON-WORT.</b>	318.	3.
<i>Narrow-leaved Albeal, or Iron-wort.</i>	318.	4.
<i>Iron-wort with Germander-Chickweed leaves.</i>	318.	5.
<i>The supposed Indian JUCCA, or the root whereof the bread Casava, or Cazava is made.</i>	364.	2.
<b>JUDAS TREE.</b>	318.	7.
<b>Berry bearing IVIE.</b>	148.	1.
<b>Barren or creeping Ivie.</b>	148.	2.
<b>Ground-Ivie.</b>	148.	3.
<i>Three-leaved Ivie of Virginia.</i>	148.	4.
<i>Five-leaved Ivie of Virginia.</i>	148.	5.
<b>Common JUNI-ER.</b>	177.	2.
<b>Low-mountain Juniper.</b>	177.	3.

# Of the English Names.

## K.

### Black KNAPWEED.

<b>B</b> Common Knapweed with white flowers	166.	1.
Ever-green Knapweed of Portugal.	166.	2.
Cut-leaved Knapweed.	166.	3.
The purple mountain thorny-headed Knapweed.	166.	4.
The Spanish Sea Knapweed.	167.	5.
Yellow Knapweed with prickly heads.	167.	1.
Prickly glob-headed Knapweed of Tangier.	167.	2.
Pine-Apple-headed Knapweed.	167.	3.
Silver Knapweed with purple flowers.	167.	4.
Silver-Knap-weed with white flowers.	326.	2.
The greater Silver Knapweed of Austria.	326.	3.
Little Silver-Knapweed.	326.	4.
Common KNOT-GRASS.	326.	5.
White mountain Knot-grass.	276.	3.
German Knot grass, or Knavel.	276.	4.
	276.	5.

## L.

### White LADIES BED STRAW:

<b>W</b> Yellow Ladies-bed-straw.	126.	4.
Single blew. LADIES BOWER.	127.	1.
LADIES-MANTLE.	86.	6.
Silver-leaved To mentil, or rather Satin-leaved	13.	2.
Cinque-foil Ladies Mantle	13.	3.
LADIES-SLIPPER.	61.	4.
LADIES-SMUCK, or Cuck w-flowers.	243.	1.
Ladies smocks with white flowers.	243.	2.
Impatient Ladies smocks, or Cuckw-flower.	243.	3.
The other impatient Ladies-smock.	244.	2.
Triple LADIES-TRACES.	251.	5.
LAMB LETTUCE, or Corn-Sallad.	349.	7.
LANGUE-DE-BOEUF, or yellow Bugloss.	152.	4.
Great Arabian Langue-de-boeuf with cut leaves.	152.	5.

The



# The Table

<b>The LARCH-TREE.</b>	186.	1.
<b>LARKS-HEELS.</b> <i>of several colours.</i>	91.	8.
<b>French LASERWORT.</b>	186.	2.
<i>Broader-leaved Laserwort with curled rough seed-filmes.</i>	186.	3.
<b>Broad-leaved LAVENDER.</b>	188.	5.
<i>Small Lavender-spike.</i>	189.	1.
<i>Ordinary French Lavender, or Stikadove.</i>	327.	1.
<b>SEA-LAVENDER.</b>	200.	4.
<i>Small Sea-Lavender.</i>	201.	1.
<b>LAVENDER-COTTON.</b>	1.	4.
<i>Fine Lavender-cotton with Heath-leaves.</i>	1.	5.
<i>Rosemary-leaved Lavender-cotton.</i>	1.	6.
<b>LAUREL of Alexandria.</b>	190.	3.
<i>Spurge Laurel.</i>	189.	2.
<b>Common LEEKS.</b>	277.	7.
<i>A Leek with party-coloured leaves, like Ladies-laces.</i>	278.	1.
<b>Common LENTILES.</b>	190.	5.
<b>Great LEOPARDS-BANE.</b>	105.	2.
<i>The lesser Leopards-bane.</i>	105.	3.
<i>Great American Leopards-bane.</i>	105.	4.
<i>Small American Leopards-bane with dark- green leaves.</i>	105.	5.
<b>Garden LETTUCE.</b>	179.	1.
<i>Red Lettuce.</i>	179.	2.
<i>Roman Lettuce.</i>	179.	3.
<i>Common Cabbage-Lettuce.</i>	179.	4.
<i>Lombard-Lettuce.</i>	180.	1.
<i>Curled Lettuce.</i>	180.	2.
<i>Curled Endive-Lettuce.</i>	180.	3.
<i>Cut-leaved wild Lettuce.</i>	180.	4.
<i>Strong-sented wild-Lettuce.</i>	180.	5.
<i>Mountain-Lettuce with purple flowers.</i>	180.	6.
<b>Common white LILLY.</b>	196.	3.
<i>The double white Lilly without smell.</i>	196.	4.
	Gold	

# Of the English Names,

Gold-red Lilly.	196.	5.
The greatest bulbed red Lilly.	196.	6.
The Dwarfed bulbed Lilly.	197.	1.
The lesser mountain Lilly.	197.	2.
The Persian Lilly.	199.	5.
The yellow Day-Lilly.	199.	6.
The gold-red Day-Lilly.	200.	1.
The white-flowered Lilly of the valey.	200.	2.
Red-flowered Lilly of the valey.	200.	3.
The great white water-Lilly.	246.	5.
The great yellow water-Lilly.	247.	1.
The lesser yellow water-Lilly with fringed flowers.	247.	2.
The least water-Lilly, or Frog-bit.	247.	3.
The common Female LIME, Lin, or Linden-tree.	335.	4.
Small-leaved Lime-tree.	335.	5.
Common LIQUORICE.	134.	3.
Wild Liquorice, or Liquorice-vetch.	134.	4.
Common Ground LIVERWORT.	195.	1.
Small Liverwort with crumpled leaves.	195.	2.
Starry headed Liverwort.	195.	3.
Round-headed Liverwort.	195.	4.
Ash-coloured Ground Liverwort.	195.	5.
Single blew-flowered Noble Liverwort.	345.	3.
Noble Liverwort with single white flowers.	345.	4.
Noble Liverwort with single red flowers.	345.	5.
Double-blew Noble Liverwort.	346.	1.
Double-red Noble Liverwort.	346.	2.
Common yellow LOOSE-STRIFE.	214.	3.
The lesser hairy codded Loose-strife.	215.	1.
The greater Smooth-leaved codded Loose-strife.	215.	2.
Purple spiked Loose-strife.	216.	3.
Three-leaved purple spiked Loose-strife with six square stalks.	216.	4.
Blew spiked Loose-strife.	217.	1.
See WILLOW-HERBE.		
Common LOVAGE.	195.	6.

Dd

Spotted

# The Table

Spotted LUNGWORT.	328.	
French or Golden Lungwort.	154.	2.
Long stalked French Lungwort.	154.	3.
French Lungwort with smother and more cut leaves.	154.	4.
White LUPINS.	207.	3.
Great blew Lupins.	207.	4.
Small blew Lupins.	207.	5.
Yellow Lupins.	208.	1.

## M.

<b>C</b> ommon Madder.	299.	3.
A lesser kind of Madder from St. Vincents Rock.	299.	4.
Narrow-leaved Crosswort Madder.	299.	5.
Small creeping Fiela-Madder.	299.	6.
Narrow-leaved Spiked Madder.	300.	1.
Small mountain Bastard Madder.	126.	5.
Galen his MADWORT.	20.	1.
Horned MAIDEN-HAIR.	9.	2.
White Stone-Fern, or Maiden-hair.	9.	4.
Common black Maiden-hair.	9.	5.
English Maiden hair.	339.	2.
Great Golden Maiden-hair, or Goldilocks.	10.	1.
Little Goldilocks, or Golden Maiden-hair.	10.	2.
Dwarfe broad-leaved Goldilocks, or Golden Maiden-hair.	10.	3.
Small w. ld MALLOW, or Dwarfe-Mallow.	218.	4.
Common Mallow.	218.	5.
Common Mallow with white flowers.	219.	1.
The Spanish blush Mallow.	219.	2.
Crisped, or curled Mallow.	219.	3.
The Spanish Mallow, or Summer Mallow.	219.	4.
Small annual round-leaved Mallow, with very small white flowers, and seeds going round about the joynts of the stalks, and sticking closely to them.	220.	1.

The

# Of the English Names.

<i>The Tree-Mallow, or Venice Sea-Tree-Mallow.</i>	220.	2 <sup>3</sup>
<i>English Sea-Tree-Mallow.</i>	220.	3.
<i>Vervain-Mallow.</i>	11.	4.
<i>White flowered Vervain-Mallow.</i>	11.	5.
<i>Vervain-Mallow with rough husks.</i>	11.	6.
<i>Shrub-Mallow with white or purple flowers.</i>	12.	1.
<i>Venice Mallow, or Goodnight at noon.</i>	12.	2.
<i>A kind of Venice Mallow from the Cape of good Hope.</i>	12.	3.
<i>Egyptian Mallow.</i>	12.	4.
<i>Small hairy rough Vervain-Mallow.</i>	12.	5.
<i>Great Vervain-Mallow with pale purple flowers.</i>	13.	1.
<i>Common Marsh-Mallow.</i>	19.	2.
<i>Rounder-leaved Marsh-Mallow.</i>	19.	3.
<i>Tree Marsh-Mallow of France.</i>	19.	4.
<i>Yellow Marsh Mallow.</i>	19.	5.
<i>The male MANDRAKE.</i>	222.	1.
<i>The female Mandrake.</i>	222.	2.
<i>The great MAPLE.</i>	5.	3.
<i>The great Maple with fine stript leaves.</i>	5.	4.
<i>The great Maple with sharp pointed and small cut leaves.</i>	5.	5.
<i>The lesser Maple.</i>	6.	1.
<i>Single MARIEGOLD.</i>	61.	5.
<i>Double Mariegold.</i>	62.	1.
<i>Childing Mariegold.</i>	62.	2.
<i>Small wild Mariegold.</i>	62.	3.
<i>Single Marsh-Mariegold.</i>	62.	4.
<i>Double Marsh-Mariegold.</i>	62.	5.
<i>Corn Mariegold.</i>	82.	4.
<i>Candy-Corn-Mariegold.</i>	83.	1.
<i>Party-coloured Candy-Corn-Mariegold.</i>	83.	2.
<i>Clusius his Corn-Mariegold of Valentia.</i>	83.	3.
<i>Broad-leaved Corn-Mariegold of Tangiers.</i>	83.	4.
<i>Low naked Corn-Mariegold of Africa.</i>	83.	5.
<i>The great double African Mariegold.</i>	329.	4.

# The Table

<i>The great single French or African Marigold.</i>	330.	1.
<i>The lesser single African Marigold.</i>	330.	2.
<i>The lesser double African Marigold.</i>	330.	3.
<i>The single hollow African Marigold.</i>	330.	4.
<i>Double hollow African Marigold.</i>	331.	1.
<b>Ordinary sweet MARJORAM.</b>	218.	1
<i>Yellow or gilded Marjoram.</i>	218.	2.
<i>Port Marjoram.</i>	218.	3.
<i>Wild or Field-Marjoram.</i>	253.	2.
<i>Wild Marjoram with party-coloured leaves.</i>	253.	3.
<b>The MARTAGON Imperial.</b>	197.	3.
<i>The white Martagon without spots.</i>	197.	4.
<i>The white spotted Martagon.</i>	197.	7.
<i>The red Martagon of Constantinople.</i>	198.	1.
<i>The light red Bizantine Lilly, or Martagon.</i>	198.	2.
<i>The early red Martagon, or, Martagon Pompony.</i>	198.	3.
<i>The yellow spotted Martagon.</i>	198.	4.
<b>MASTERWORT, or bastard Pellitory of Spain.</b>	170.	5.
<i>Scottish Sea Masterwort.</i>	366.	1.
<i>English Sea-MATWEED, or Marram.</i>	144.	4.
<b>Sweet MAUDLIN.</b>	11.	2.
<b>MAY WEED, or Dogs Cammomile.</b>	79.	6.
<i>Double-flowered May-weed.</i>	79.	7.
<i>Stinking May-weed.</i>	79.	8.
<b>MEADOW SWEET or Queen of the Meadow.</b>	45.	2.
<i>The greater Meadow-sweet.</i>	45.	3.
<i>The great smooth MEDICA turned like a Tun.</i>	342.	5.
<i>The thorny Tun-like Medica.</i>	343.	1.
<i>The low Medick with flat wreathed cods.</i>	344.	4.
<b>See CLAVER. and TREFOIL.</b>		
<b>The common MEDLAR TREE.</b>	229.	2.
<i>The Medlar of Naples.</i>	229.	3.
<i>Dwarfe Medlar.</i>	80.	1.
<b>Common MELILOTE.</b>	225.	1.
<i>Great white flowering Melilote.</i>	225.	2.
<i>Italian Melilote.</i>	225.	3.

*Melilote*



# Of the English Names.

Melilote with longer cods.	225.	4.	
Small yellow Melilote with lesser flowers and seeds set in a thick spike.	}	226.	1.
Common MELONS.		226.	5.
Male French-MERCURY.		228.	5.
Female French Mercury.		228.	6.
Male Dogs-Mercury.		228.	7.
Female Dogs-Mercury.		229.	1.
Common English Mercury.		185.	2.
MERVAİL OF PERU.		323.	1+
The common MEZEREON-TREE.		189.	3.
The Mezereon with deeper coloured flowers.		189.	4.
The white flowered Mezereon.		189.	5.
The Mezereon with stript leaves.		189.	6.
Common MILFO L, or Yarrow.		230.	6.
Purple flowered Milfoil, or Yarrow.		231.	1.
Great purple Milfoil. or Yarrow.		231.	2+
The greatest white-flowered Yarrow, or Milfoil.		231.	3.
Achilles Milfoil.		231.	4.
Yellow Yarrow, or Milfoil.		231.	5.
Water Violet, or Milfoil.		231.	6.
Small Water-Milfoil.		232.	1.
Feathered Water-Milfoil.		232.	2.
Hooded Water-Milfoil.		232.	3.
Crow-foot-Water-Milfoil.		232.	4.
Blew MILK-WORT.		275.	1.
Red Milk-wort.		275.	2.
White Milk-wort.		275.	3.
Sea-Milk-wort, or black Saltwort.		134.	2.
Clusius his Spanish Milk-wort.		83.	7.
Common white MILLET.		230.	3.
Black Millet.		230.	4.
Turky Millet.		230.	5.
Heart-MINT, or Spear-Mint.		226.	7.
Red or brown Mint.		227.	1.
Crosse-Mint.		227.	2.

# The Table

Curled-Mint.	227.	3.
Water-Mint.	227.	4.
Long-leaved Horse-Mint.	227.	5.
Round-leaved Horse-Mint.	227.	6.
Clusius his knobbed Wild-Mint	228.	1.
Hungarian Wild-Mint.	228.	2.
The greatest Cat-Mint.	228.	3.
The lesser Cat-Mint.	228.	4.
wild Mint of America.	253.	4.
Broad-leaved yellow MOLY.	232.	5.
Dioscorides his Moly, or narrow-leaved white-flowered Moly.	} 233.	1.
Dioscorides his Moly with bluish flowers.		
The Spanish silver-cupped Moly.	233.	2.
The late Pine-Apple Moly.	233.	3.
Homers-Moly.	233.	4.
The second mountain-Moly.	233.	5.
MONEY-WORT, or Herbe-two-pence.	15.	3.
Small purple-flowered Money-wort.	246.	1.
Great blew MONKS-HOOD, or Helmet-flower.	246.	2.
Party-coloured Monks-hood.	8.	2.
The wholesome Monks-hood, or Helmet-flower.	8.	3.
Small MOON=WORT.	8.	4.
Club-MOSSE, or wolves-Clawes.	208.	3.
Cypresse-Mosse, or Heath=Cypresse.	234.	2.
Upright Firr=Mosse.	234.	3.
Cup, or Chalice=Mosse.	234.	4.
The lesser Earth=Mosse, with heads like Golden Maiden=hair.	} 234.	5.
Common MOTHERWORT.		
Motherwort with fine curled leaves.	222.	3.
Yellow MOTH=MULLEN with long cut leaves.	222.	4.
White-flowered Moth=Mullen.	50.	2.
Purple Moth=Mullen.	50.	3.
Moth=Mullen of an overworn blew colour.	50.	4.
Iron=coloured Moth=Mullen.	50.	5.
	51.	1.
	Common	

# Of the English Names.

Common MOUSEAR.	269.	6.
Golden Mousear.	270.	1.
Mousear with a large white flower.	44.	1.
Fair-flowered Mousear with very narrow leaves.	44.	2.
MOUS-TAIL.	155.	5.
Common MUG WORT.	35.	4.
The black MULBERRY-TREE.	234.	1.
White MULLEN.	350.	1.
Common black Mullen.	350.	2.
Sage leaved Mullen.	350.	3.
Common MUSTARD.	319.	1.
The creeping coddled Arabian-Mustard.	105.	6.
Yellow Arabian-Mustard.	106.	1.
Common Arabian-Mustard.	106.	2.
Common Hedge-Mustard, or Banke-Cresses.	113.	3.
Broad leaved Hedge-Mustard of Naples.	113.	4.
Narrow-leaved Hedge Mustard of Naples.	113.	5.
True Hedge-Mustard, or Italian Banke-Cresses.	114.	1.
Hairy Hedge Mustard with uncut leaves.	114.	2.
Treacle-Mustard.	333.	3.
Mithridate-Mustard.	333.	4.
Variable flowered Mustard.	334.	1.
Mompeliers umbelliferous Mustard.	334.	2.
Thorny Treacle Mustard.	334.	3.
Hoary Treacle-Mustard of Machlin.	334.	4.
Spur-flowered Buckler-Mustard.	334.	5.
Yellow field Treacle-Mustard.	335.	1.
Towers-Mustard.	55.	1.
Clusius his second Towers-Mustard.	54.	6.
MYRRHE. See CHERVIL and CICELY.		

## N.

<b>N</b> AILWORT, or whitelow-Grass.	53.	5.
Great Nailwort, or Coddled Mousear.	59.	1.
Rue-whitelow-grass, or Nailwort.	316.	7.
One Summers NAVELWORT.	19.	1.
Hairie		

# The Table

Hairy Kidneywort, or Navel-wort.	95.	5.
Navelwort. wal-Pennywort, or Kidneywort.	95.	6.
wild NAVEW.	366.	3.
Common NETTLE.	362.	4.
Small stinging-Nettle.	362.	5.
Roman Nettle.	362.	6.
Roman Nettle with leaves like Pellitory of the wal.	362.	7.
Hedge-Nettle.	182.	2.
Hungarian Dead-Nettle.	182.	3.
The Nettle-tree.	204.	2.
Field NIGELLA.	245.	3.
Spanish Nigella.	245.	4.
Double blew Nigella, or the Fennel-flower.	245.	5.
Common NIGHTSHADE.	320.	7.
Deadly Nightshade.	321.	2.
Tree-Nightshade.	321.	3.
Enchanters Nightshade.	323.	2.
NIPPLEWORT.	324.	3.
The Filberd-NUT.	95.	3.
Common Hazel-Nut.	95.	4.

## O.

<b>T</b> HE common OAKE-TREE.	282.	2.
The scarlet Holme-Oake, or Evergreen Oake.	170.	2.
Oake of Jerusalem.	51.	6.
Indian Oake of Jerusalem.	52.	1.
white OATS.	43.	3.
Black Oats.	43.	4.
Naked Oats.	43.	5.
Bearded wild Oats, or Haver.	119.	5.
The bastard, or sweet wild OLIVE.	249.	2.
The common ONYON.	60.	3.
The Flie ORCHIS.	251.	3.
Red handed Orchis with long spurs.	252.	4.
See SATYRION and FOOLS-STONES.		
Common ORPINE.	331.	3.
	_Small	

# Of the English Names.

<i>Small creeping Evergreen</i> ORPINE.	331.	4.
<i>Imperatus of Naples his true Orpine.</i>	331.	5.
The OSIER.	302.	7.
Common OX-EYE.	57.	4.
<i>Cammomile-leaved Ox-eye.</i>	58.	1.
<i>Ox-eye with purplish flowers.</i>	58.	2.
Single OX-LIPS.	351.	4.
<i>Double Ox-lips, hose-in-hose.</i>	352.	1.
<i>Purple-flowered Ox-lips, hose-in-hose.</i>	352.	2.

## P.

<b>T</b> HE ordinary PALMA CHRISTI, or great Spurge.	}	291.	2.
Ordinary PANICK.		258.	2.
PANSIES, or Hearts-ease.		358.	3.
<i>Wild Pansies.</i>		358.	2.
<i>Pansies with a large yellow flower.</i>		358.	4.
Garden PARSLEY.		31.	6.
<i>Great Virginian Parsley.</i>		32.	1.
<i>Curled Parsley.</i>		32.	2.
<i>Long-leaved strange Parsley.</i>		32.	3.
<i>Hedge-Parsley.</i>		73.	5.
<i>Small Corn-Parsley.</i>		73.	6.
<i>Purple flowered great bastard Parsley.</i>		73.	7.
<i>Knotted Hedge-Parsley.</i>		74.	1.
<i>Carrot-Parsley of Tangiers.</i>		74.	2.
<i>Bastard Stone-Parsley.</i>		319.	3.
<i>Parsley-piert, or Parsley break-stone.</i>		13.	4.
Common Garden PARSNEP.		261.	5.
<i>Long-leaved water-Parsnep.</i>		319.	4.
<i>Great Water Parsnep.</i>		319.	5.
<i>Common water-Parsnep.</i>		320.	1.
<i>Creeping water-Parsnep.</i>		320.	2.
<i>The least Water-Parsnep.</i>		320.	3.
<i>Cow-Parsnep.</i>		325.	3.
The purple PASQUE-FLOWER.		280.	7.

The



# The Table

The Common PEACH-TREE.	221.	6.
The PEAR-TREE.	281.	3.
Rouncival-PEASE.	271.	7.
Rose-Pease, or Tufed or Scottish Pease.	272.	1.
Egg-Pease.	272.	2.
sugar-Pease.	272.	3.
Field-Pease.	272.	4.
white winged wild Pease.	248.	1.
The bladder Heart-like spotted Pease.	272.	5.
Everlasting-Pease.	186.	5.
Square-codded Pease.	205.	1.
Wood-Pease, or Heath-Pease.	40.	4.
PELLITORY of the wall.	261.	4.
Common PENNY-ROYAL.	280.	5.
Hart-Penny-royal.	280.	6.
Marsh PENNYWORT.	287.	5.
The male PEONY.	257.	1.
The single female Peony.	257.	2.
The great double female Peony.	257.	3.
The double blush Peony.	257.	4.
Great PEREWINKLE.	87.	3.
Small Perewinkle.	87.	4.
Small Perewinkle with a white flower.	87.	5.
The lesser Perewinkle, with deep purple double flowers.	88.	1.
Small Perewinkle with spotted leaves.	88.	2.
Common SAINT PETERS-WORT.	164.	5.
Male PIMPERNEL.	22.	5.
Female Pimpernel.	22.	6.
Female Pimpernel with white flowers.	22.	7.
Female Pimpernel with Iron-coloured flowers.	22.	8.
Yellow Pimpernel.	22.	9.
Sea Pimpernel.	30.	2.
Water Pimpernel. See BROOKLIME.		
The PINE TREE.	271.	3.
The wild Pine.	271.	4.
Common ground-Pine.	80.	4.
	Garden	

# Of the English Names.

Garden PINKS of divers kinds and colours.	70.	4.
Maiden Pinks.	70.	5.
Childing Pinks.	70.	6.
Dept-ford Pink.	71.	1.
Hoary Pink.	72.	1.
The blew PIPE-TREE, or Lilac.	328.	2.
The silver coloured Pipe-tree, or Lilac.	328.	3.
The deep purple Pipe-tree, or Lilac.	328.	4.
The single white Pipe-tree.	328.	5.
The PITCH-TREE.	269.	5.
The true Oriental PLANE.	274.	4.
The Plane of the west parts of Virginia, or the Occidental Plane.	274.	5.
Great PLANTAIN, or waybread.	273.	1.
Hoary Plantain.	273.	2.
Hoary Plantain with a white spike.	273.	3.
Rose Plantain.	273.	4.
Hares-foot-Plantain.	273.	5.
Ribwort, or lesser Plantain.	273.	6.
Common Sea Plantain.	273.	7.
Buck-horn-Plantain.	95.	2.
Great water Plantain.	274.	1.
The lesser water-Plantain, or Dwarfse water Plantain.	274.	2.
Starry-headed water-Plantain.	274.	3.
The PLUM-TREE.	279.	5.
Ordinary POLEY-MOUNTAIN.	274.	6.
White Poley mountain.	274.	7.
Common POLYPODY.	277.	2.
The POMEGRANATE-TREE.	221.	7.
The greater wild or double-bloßomed Pomgranate-tree	221.	8.
The great long POMPION.	265.	2.
Great round Pompion.	265.	3.
Narrow-leaved PONDEWEED.	278.	6.
Long-leaved shining Pondweed.	279.	1.
Small Pondweed, or thorrow-leaved Pondweed.	279.	2.
		Broad

# The Table

Broad-leaved Pondweed.	279.	3.
The white POPLAR-TREE.	277.	3.
The smaller leaved Poplar.	277.	4.
The black Poplar-tree.	277.	5.
Single white Garden-POPPIE.	258.	3.
Single black Garden Poppie.	258.	4.
White Jagged Poppie.	258.	5.
Red Jagged Poppie.	259.	1.
Red Jagged Poppie with a purple bottom.	259.	2.
Double purple-flowered Poppie.	259.	3.
Double scarlet coloured Poppie.	259.	4.
Double silver coloured Poppie.	259.	5.
Double white Poppie.	259.	6.
Double red or blush Poppies.	259.	7.
Double incarnate Poppies.	260.	1.
Double Jagged fine'y-strip Poppies.	260.	2.
Corn Poppie, or Corn-Rose.	260.	3.
Corn-Poppie with white bottoms.	260.	4.
Flesh coloured Corn-Poppie.	260.	5.
Double flowered Corn-Poppie.	260.	6.
Thorny Poppy of America.	261.	1.
Yellow flowered Horned-Poppie.	261.	2.
Violet-coloured Horned-Poppie.	261.	3.
Spatling-Poppie.	211.	1.
Spatling-Poppie with rough leaves.	211.	2.
Long rough headed Bastard-Poppie.	34.	1.
Round rough-headed Bastard-Poppie.	34.	2.
Yellow wild Bastard-Poppie.	34.	3.
Virginian POTATO'S.	322.	2.
French Potato's, or Jerusalem Artichocks.	149.	3.
Common PRIMROSE.	352.	3.
The single green Primrose.	352.	4.
The ordinary double Primrose.	352.	5.
Tradescants Turkey purple Primrose.	353.	1.
White-flowered Turkey Primrose.	353.	2.
The Turkey Primrose of an over-worn colour.	353.	3.

The

# Of the English Names.

<i>The fine-red Turkey Primrose.</i>	353.	4.
<i>Too lesser Turkey purple Primrose.</i>	353.	5.
<i>Tree-Primrose.</i>	214.	4.
<i>The lesser Tree-Primrose.</i>	214.	5.
<i>Common PRIVET.</i>	196.	2.
<i>The broader leaved Mock-Privet.</i>	269.	4.
<i>Ever-green Privet.</i>	11.	3.
<i>Garden PURSLANE.</i>	278.	3.
<i>Golden Purslane.</i>	278.	4.
<i>Wild Purslane.</i>	278.	5.
<i>Water-Purslane.</i>	16.	7.
<i>Common Sea-Purslane.</i>	147.	4.
<i>The greater outlandish, or hoary Sea-Purslane.</i>	147.	5.

## Q.

<b>T</b> <i>He common QUINCE-TREE.</i>	221.	4.
<i>Gesner his Wild Quince.</i>	80.	2.

## R.

<b>T</b> <i>He rounder-rooted black RADISH.</i>	288.	1.
<i>The black or pear-fashion Radish.</i>	288.	2.
<i>Common Garden Radish.</i>	288.	3.
<i>Horse-Radish.</i>	288.	4.
<i>Water-Radish.</i>	288.	5.
<i>Common Saint Jameswort, or RAGWORT.</i>	168.	1.
<i>Broad-leaved Ragwort.</i>	168.	2.
<i>Perennial Ragwort with Groundsel leaves.</i>	168.	3.
<i>Mountain Ragwort.</i>	168.	4.
<i>Sea-Ragwort.</i>	168.	5.
<b>RAMPIONS.</b>	290.	2.
<i>Long Fox-tail-Rampions.</i>	290.	3.
<i>Rampions with Scabious heads, or hairy sheeps Scabious.</i>	290.	4.
<b>RAMSONS.</b>	14.	5.
<i>Red RASP-BERRY, or Hinde-berry.</i>	300.	4.
<i>The white Rasp-berry.</i>	300.	5.
	Yellow	

# The Table

Yellow RATTLE, or Cocks-comb.	262.	5.
Red Rattle-grass.	262.	6.
White-flowered Rattle-grass.	263.	1.
Great red Rattle. or Lowseswort.	263.	2.
The common REED.	36.	3.
Yellow spotted Indian Reed.	36.	4.
Purple REST-HARROW without prickles.	28.	5.
White-flowered Rest-harrow without prickles.	28.	6.
Prickly Rest-harrow, or Cammock.	28.	7.
Annual branched Rest-harrow with round snipped leaves.	29.	1.
The greater yellow gentle Rest-harrow.	29.	2.
Yellow annual upright rough clammy Rest-harrow, with short rough codd.	29.	3.
Great red-flowered Scrubie Rest-harrow.	30.	1.
Garden ROCKET.	111.	1.
Garden Rocket with deeper-cut leaves.	111.	2.
Rocket of Alepo with hairy stalks and codd, the lower leaves spotted.	111.	3.
Wild Rocket.	111.	4.
Daisie-leaved Rocket.	111.	5.
Winter Rocket, or winter Cresses.	111.	6.
The lesser single-flowered winter Rocket, or winter Cresses.	112.	1.
Small water Rocket.	112.	2.
Prickly square-codded Rocket of Mompelier.	112.	3.
Sea-Rocket.	112.	4.
Base-Rocket.	290.	5.
Crambling-Rocket.	291.	1.
The red ROSE.	292.	4.
The Rose of the World, or the stripped red Rose.	292.	5.
The Hungarian Rose.	292.	6.
The red Province Rose.	293.	1.
The red Belgick Rose, or the Marigold Rose.	293.	2.
The double Velvet-Rose.	293.	3.
The Marble-Rose.	293.	4.

The



# Of the English Names.

The Frankford-Rose.	293.	5.
The double Cinamon-Rose.	293.	6.
The single Cinamon-Rose.	293.	7.
The common Damask Rose.	293.	8.
The party-coloured Rose, of some York and Lancaster.	294.	1.
The Cristal-Rose.	294.	2.
The elegant variegated Damask-Rose, or Mistress Hearts Rose.	294.	3.
The great double Damask Province, or Holland Rose.	294.	4.
The monethly-Rose.	294.	5.
The blush Belgick Rose, called by some, The white Province-Rose, and the Batauvick Rose	295.	1.
A lesser kind of the blush Belgick Rose, called Rosa Madama.	295.	2.
The single Yellow Rose.	295.	3.
The double yellow Rose.	295.	4.
The Vermilion Rose of Austria	295.	5.
The common white Rose, or English white Rose.	295.	6.
The greater white Rose with two range of leaves.	296.	1.
The lesser white Rose with two range of leaves.	296.	2.
The Carnation Rose, or blush-Rose.	296.	3.
The single musk-Rose.	296.	4.
The double musk Rose.	296.	5.
The Spanish musk Rose.	296.	6.
The great Apple-Rose.	296.	7.
The ordinary wild Rose, or Briar-bush.	297.	1.
The ordinary wild Rose, or Briar-bush with white flowers.	297.	2.
A Scottish wild Rose with most fragrant white flowers.	297.	3.
The small red Rose without prickles.	297.	4.
The Rose with shining leaves, perhaps the Virginian. Briar-bush of Parkinson.	297.	5.
The Pimpinell-Rose.	298.	2.
The lesser Scottish Burnet, or Pimpinell Rose with fine stript flowers.	298.	3.
		Am

# The Table

<i>An undescribed Tree-Rose.</i>	298.	4.
<b>Common ROSEMARY.</b>	298.	5.
<i>Gilded Rosemary.</i>	299.	1.
<i>Wild Rosemary.</i>	299.	2.
<b>ROSE-ROOT.</b>	291.	5.
<i>English RUBARBE.</i>	182.	5.
<i>Bastard Rubarbe, or Monks Rubarbe.</i>	183.	1.
<b>Garden RUE.</b>	300.	8.
<i>Assyrian wild-Rue.</i>	301.	1.
<i>Common Goats-Rue.</i>	126.	1.
<i>White flowered Goats-Rue.</i>	126.	2.
<i>Common great Meadow-Rue.</i>	332.	3.
<i>The lesser Meadow-Rue.</i>	332.	4.
<i>American Meadow-Rue with Columbine leaves.</i>	332.	5.
<i>Wall-Rue</i>	9.	3.
<i>The least RUPTURE-WORT, or All-seed.</i>	277.	1.
<b>Common soft RUSH.</b>	176.	3.
<b>Common hard Rush.</b>	176.	4.
<i>Bul-Rush, or great Water-Rush.</i>	176.	5.
<i>Club Rush, or Aglet-headed-Rush.</i>	177.	1.
<b>RYE.</b>	314.	1.

## S.

<b>Common SAFFRON.</b>	96.	2.
<i>White stript Spring-Saffron flower.</i>	96.	3.
<i>White Spring-Saffron with a purple bottom.</i>	96.	4.
<i>Yellow stript Spring-Saffron.</i>	96.	5.
<i>Gold-yellow Spring-Saffron.</i>	96.	6.
<i>Great purple Spring-Saffron.</i>	96.	7.
<i>Small purple Spring-Saffron.</i>	96.	8.
<i>Turky stript Spring-Saffron.</i>	97.	1.
<i>Blow Spring-Saffron of Naples.</i>	97.	2.
<i>Stript purple Spring-Saffron.</i>	97.	3.
<i>Bastard-Saffron.</i>	88.	6.
<i>Clusius his everlasting Bastard-Saffron.</i>	88.	7.
<i>Purple Meadow-Saffron.</i>	89.	5.
<i>White</i>		

# Of the English Names.

<i>White English Meadow-Saffron.</i>	89.	6.
<i>The party-coloured Meadow-Saffron.</i>	90.	1.
<i>Double flowered Meadow-Saffron.</i>	90.	2.
<i>The party-coloured double Meadow Saffron.</i>	90.	3.
<i>The checkered Meadow-Saffron of Chio, or Sio.</i>	90.	4.
<i>Small Meadow-saffron with true Saffron leaves.</i>	90.	5.
<i>Spring Meadow-Saffron.</i>	90.	6.
<i>Common SAGE.</i>	302.	8.
<i>Red Sage.</i>	303.	1.
<i>Common painted Sage, or green stript Sage.</i>	303.	2.
<i>Fine stript Sage, or red stript Sage.</i>	303.	3.
<i>Gilded Sage.</i>	303.	4.
<i>Great Sage with dented leaves.</i>	303.	5.
<i>Small Sage, or Sage of vertue.</i>	303.	6.
<i>Wormwood-Sage.</i>	303.	7.
<i>Apple bearing Sage of Candy, and Candy Sage without Apples.</i>	303.	8.
<i>White-flowered Sage of Candy, or Apple- bearing Sage.</i>		
<i>Wood-Sage.</i>	311.	3.
<i>Common SALLOW.</i>	302.	5.
<i>Round-leaved Sallow.</i>	312.	6.
<i>See WILLOW.</i>		
<i>SAMPIRE.</i>	95.	7.
<i>Golden flowered Sampire.</i>	96.	1.
<i>Common SANICLE.</i>	305.	3.
<i>Spotted Sanicle.</i>	305.	4.
<i>The lesser spotted Sanicle.</i>	305.	5.
<i>Shrube-Sanicle of America.</i>	306.	4.
<i>Common humble-Bee SATYRION.</i>	251.	4.
<i>Butter-flie Satyrion.</i>	252.	1.
<i>The great male banded Orchis, or Satyrion Royal.</i>	252.	2.
<i>The female banded Orchis, or female Satyrion Royal.</i>	252.	3.
<i>See ORCHIS.</i>		
<i>SAUCE-ALONE, or Jack by the Hedge.</i>	14.	1.
<i>Common SAVINE.</i>	301.	2.

E c

Sum.

# The Table

Summer SAVORY.	307.	3.
Winter Savory.	307.	4.
SAW-WORT.	318.	2.
Common white SAXIFRAGE.	307.	5.
Golden Saxifrage.	307.	6.
Golden Saxifrage with long foot=stalks.	307.	7.
Meadow=Saxifrage.	308.	1.
English marsh=Saxifrage.	308.	2.
Great Burnet-Saxifrage.	270.	2.
The lesser round-leaved Burnet=Saxifrage.	270.	3.
Small Burnet=Saxifrage.	270.	4.
Black Herb-Frankincense, or Venetian Saxifrage.	101.	2.
Common field=SCABIOUS.	308.	3.
The lesser field-Scabious.	308.	4.
White Hungarian Scabious.	308.	5.
The great mountain Scabious.	308.	6.
Red Scabious of Austria.	309.	1.
Indian Scabious with red flowers.	309.	2.
Partly coloured Indian Scabious.	309.	3.
Childing Indian Scabious.	309.	4.
White-flowered Indian Scabious from the Cape of Good-hope.	}	309. 5.
Great Spanish Scabious.		309. 6.
Scabious with leaves like the small wild Teasel.	309.	7.
Shrub Scabious of Candy.	310.	1.
Small Sea-Scabious.	310.	2.
Silver-leaved Scabious.	310.	3.
SCALLIONS, or Eschallotes.	60.	4.
The greater rough Caterpillers, or SCORPION- GRASSE.	}	311. 4.
The great Caterpillar, or Scorpion-grasse.		311. 5.
Matthiolum his Scorpion-grass.	312.	1.
The least Scorpion-grass with vetch-leaves.	312.	2.
Rauefear Scorpion-grass.	307.	2.
Small yellow flowered Scorpion=grass.	107.	2.

Water

# Of the English Names.

<i>water Scorpion-grass.</i>	107.	4.
<i>Common, or English Sea SCURVY=GRASS.</i>	89.	2.
<i>Dutch Scurvy grass.</i>	89.	3.
<i>The lesser round-leaved Scurvy-grass.</i>	89.	4.
<i>Common SELFHEAL.</i>	55.	2.
<i>White-flowered Self-heal.</i>	55.	3.
<i>Self-heal with a large bluish flower.</i>	55.	4.
<i>Common Bastard-SENA.</i>	91.	2.
<i>Scorpion-codded Bastard-Sena.</i>	91.	3.
<i>Sweet-smelling Bastard Sena.</i>	91.	4.
<i>Red-flowered Bastard=Sena from the Cape of good-hope.</i>	} 91.	5.
<i>Common great SENGREEN, or House-leek.</i>		315. 1.
<i>Candy Purflane, or Starry Sen-green.</i>	315.	2.
<i>Yellow Prick-madam, or small House-leek, or Sen- green.</i>	} 315.	3.
<i>Saint Vincents Sengreen.</i>		315. 4.
<i>Small yellow mountain Sengreen.</i>	316.	2.
<i>Mountain Heath-like Sengreen with large purple flowers.</i>	} 316.	3.
<i>Small marsh Sengreen.</i>		316. 5.
<i>Small mountain Sengreen with jagged leaves.</i>	316.	6.
<b>See STONE-CROP.</b>		
<i>The SENSITIVE-PLANT.</i>	365.	3.
<i>The true SERVICE TREE.</i>	324.	4.
<i>Wild Service-tree, or Quicken-tree.</i>	324.	5.
<i>The common Service-tree.</i>	229.	4.
<i>SHEPHERDS-NEEDLE, or Venus Comb.</i>	310.	4.
<i>The greater Shepherds needle of Candy.</i>	310.	5.
<i>Common SHEPHERDS PURSE.</i>	58.	3.
<i>The lesser Shepherds-purse</i>	58.	4.
<i>Great Shepherds-purse with long pouches.</i>	59.	2.
<i>Mountain SILER.</i>	196.	1.
<i>The SILVER BUSH.</i>	45.	4.
<i>SILVERWEED, or wild Tanfie.</i>	279.	4.
<i>SKIRRETS.</i>	319.	2.



# The Table

The SLOE-TREE.	279.	6.
Common SMALLAGE.	32.	4.
Sweet Smallage, or Seleri.	32.	5.
Purple SNAPDRAGON.	30.	3.
White-flowered Snapdragon.	30.	4.
Flesh-coloured Snapdragon.	30.	5.
The greater wild Snapdragon, or Calves-snout.	31.	1.
The smallest wild Snapdragon, or Calves snout.	31.	2.
Common SNEEZWORD.	106.	4.
Double-flowered Sneezwort.	106.	5.
Sneezwort of Austria.	167.	5.
Smaller Sneezwort of Spain.	167.	6.
SOLOMONS SEAL.	275.	4.
Great-flowered Solomons-Seal:	275.	5.
The greatest-leaved Solomons-Seal.	275.	6.
The great Solomons-Seal.	276.	1.
Narrow-leaved Solomons-Seal.	276.	2.
Common SOPEWORT.	307.	1.
Double Sopewort.	307.	2.
Common SORREL.	6.	2.
Great German Sorrel.	6.	3.
Barren Sorrel of Muscovie, commonly called Lazie Sorrel.	6.	4.
Indian Sorrel with swollen husks.	6.	5.
Great creeping bladder-bearing Sorrel of Tangiers with dented leaves.	}	6. 6.
Strange Sorrel of Naples with seed vessels representing an Ox head.		
Sheeps=Sorrel.	7.	2.
French or round-leaved Sorrel.	7.	3.
Round leaved creeping York-shire, and also Scots Sorrel.	7.	4.
Common wood=Sorrel.	345.	1.
Upright Yellow Indian wood-Sorrel.	345.	2.
Common SOW-BREAD.	99.	1.
Common Sow-bread with white flowers.	99.	2.
Purple-flowered Sow-bread of the Spring.	99.	3.
Ivie-leaved Sow-bread.	99.	4.
		Ivie

# Of the English Names.

<i>Ivie=leaved Sow=bread with white flowers.</i>	99.	5.
<i>Long-rooted Sow-bread.</i>	99.	6.
<b>Italian SOW-FENNEL.</b>	267.	2.
<i>Common Sow-Fennel.</i>	267.	3.
<b>Smooth SOW=THISTLE, or Hâres-Lettuce.</b>	323.	5.
<i>Ivie=leaved Sow-Thistle.</i>	323.	6.
<i>The prickly Sow-Thistle.</i>	324.	1.
<i>Prickly Sow-Thistle of Candy.</i>	152.	2.
<i>Tree=Sow-Thistle.</i>	324.	2.
<b>Common SOUTHERNWOOD.</b>	1.	2.
<i>Great Southernwood.</i>	1.	3.
<i>Wild Southernwood.</i>	2.	1.
<b>Great SPEARWORT.</b>	286.	5.
<i>The lesser Spearwort.</i>	287.	1.
<i>Dented Spearwort.</i>	287.	2.
<i>The male SPEED-WEL, or Fluellen.</i>	354.	3.
<i>Little or smooth Speed-wel, Fluellen, or Pauls Betony.</i>	354.	4.
<i>Broad=leaved spiked Speed=wel.</i>	355.	1.
<b>Small branched SPIDERWORT:</b>	267.	4.
<i>Savoy Spiderwort.</i>	267.	5.
<i>Tradescant his Virginian Spiderwort.</i>	268.	1.
<i>White-flowered Virginian Spiderwort.</i>	268.	2.
<b>Common SPIGHEL.</b>	230.	2.
<b>Common SPINAGE.</b>	184.	6.
<i>Spinage with smooth seeds.</i>	185.	1.
<b>The SPINDLE-TREE.</b>	114.	3.
<i>The Virginian Spindle=tree.</i>	114.	4.
<b>SPLEENWORT, or Milt-waste.</b>	39.	1.
<i>Great bastard Spleenwort.</i>	203.	5.
<i>Rough Spleenwort, or common Bastard Spleenwort.</i>	204.	1.
<b>Garden SPURGE.</b>	186.	4.
<i>Great French wood-Spurge.</i>	335.	6.
<i>Broad-leaved Spanish Spurge.</i>	336.	1.
<i>Sun-Spurge.</i>	336.	2.
<i>Dwarf Spurge, or narrow-leaved annual Spurge.</i>	336.	3.
<i>Broad-leaved Spurge.</i>	336.	4.

# The Table

<i>Small wood-Spurge with horned flowers.</i>	336.	5.
<i>Petty Spurge.</i>	265.	1.
<b>SPURRY.</b>	17.	3.
<i>Purple Chickweed-Spurry.</i>	17.	4.
<i>Sea Spurry.</i>	17.	5.
<i>Great SQUIL, or Sea-Onyon.</i>	310.	6.
<b>SQUINACY-WORT.</b>	299.	7.
<i>The common STAR OF BETHLEHEM.</i>	253.	5.
<i>Yellow Star of Bethlehem.</i>	254.	1.
<i>The greatest white Star-flower, or Star, of Bethlehem</i>	254.	2.
<i>The great white spiked Star of Bethlehem.</i>	254.	3.
<i>The Star flower of Naples.</i>	254.	4.
<i>The green Star-flower. or bulbous Asphodil.</i>	255.	1.
<i>Purple Italian STARWORT.</i>	39.	2.
<i>Great blew Starwort of the Alps.</i>	93.	3.
<i>Broad-leaved Starwort with flowers like Sea Starwort.</i>	} 39.	4.
<i>The narrow-leaved late-flowering Starwort of Virginia.</i>		5.
<i>Low yellow Starwort.</i>	40.	1.
<i>Willow-leaved Starwort.</i>	40.	2.
<i>Yellow creeping Starwort of Virginia.</i>	40.	3.
<i>Common Sea-Starwort.</i>	346.	4.
<b>STAVESACRE, or Louse-wort.</b>	326.	1.
<b>STITCHWORT with large flowers.</b>	72.	2.
<i>The lesser Stitchwort.</i>	72.	3.
<b>STONE-CROP, or wal-Pepper.</b>	315.	5.
<i>A Smaller white flowered Stone-crop.</i>	316.	3.
<b>Common STRAWBERRIES.</b>	122.	7.
<i>White Strawberries.</i>	123.	1.
<i>Great white Straw-berries.</i>	123.	2.
<i>Virginian Strawberries.</i>	123.	3.
<i>Barren Strawberries.</i>	123.	4.
<i>The Strawberry-tree.</i>	33.	6.
<b>Garden SUCCORY.</b>	84.	1.

*white*

## Of the English Names.

<i>White flowered garden Succory.</i>	84.	2.
<i>Yellow Succory, or rough Hawke-weed with a } large flower.</i>	84.	3.
<i>Smooth Succory Hawke-weed.</i>	84.	4.
<i>Dwarfe Gum=Succory.</i>	81.	4.
<i>Blew Gum-Succory.</i>	81.	5.
<i>Warted=Succory.</i>	81.	6.
<i>Gum-Succory with twig-like branches.</i>	82.	1.
<i>Strange Gum Succory.</i>	82.	2.
<i>Virginian SUMACH, or Buck-horn-tree.</i>	291.	6.
<i>Myrtle-leaved Sumach.</i>	291.	7.
<i>Round-leaved SUNDEW.</i>	292.	3.
<i>White SWALLOW-WORT.</i>	36.	6.
<i>Black Swallow-wort.</i>	36.	7.
<i>Swallow-wort with yellowish flowers.</i>	36.	8.

### T.

<b>B</b> Road-leaved TABACCO.	245.	1.
<i>English Tabacco.</i>	245.	2.
<i>The ordinary French TAMARISK-TREE.</i>	329.	1.
<i>Common TANSIE.</i>	329.	2.
<i>Curled, or crisped Tansie.</i>	329.	3.
<b>TARRAGON.</b>	106.	3.
<i>Strangle-TARE, or wild Vetch.</i>	355.	5.
<i>Small wild Tare, or Tine-Ture.</i>	356.	1.
<i>Tare Everlasting.</i>	187.	1.
<i>Garden, or manured TEASEL.</i>	104.	3.
<i>The great wild Teasel, or Venus bason.</i>	104.	4.
<i>Wild Teasel with jagged leaves.</i>	104.	5.
<i>Shepherds-Rod, or small wild Teasel.</i>	105.	1.
<i>Common way-THISTLE, or Creeping Thistle.</i>	65.	2.
<i>Common way-Thistle with a white flower.</i>	65.	3.
<i>The Milkie-Thistle, or our Ladies-Thistle.</i>	65.	4.
<i>Our Ladies-Thistle without spots.</i>	65.	5.
<i>The small Spanish Milk-Thistle.</i>	65.	6.
<i>The greater Glob-Thistle.</i>	66.	1.

The

# The Table

The lesser Glob-Thistle.	66.	2.
wooly-headed Thistle, or Friars-crown.	66.	3.
Thistle with a bending head.	66.	4.
Thistle upon Thistle.	66.	5.
welted Thistle with small flowers.	67.	1.
The Marsh-Thistle.	67.	2.
Marsh-Thistle with white flowers.	67.	3.
The Spear-Thistle.	67.	4.
Great Spear-Thistle with longer prickles.	67.	5.
Broad-leaved field-Thistle.	67.	6.
The French bulbed-Thistle.	67.	7.
The Star-Thistle.	68.	1.
Saint Barnabees-Thistle.	68.	2.
Saint Barnabees-Thistle with less prickly heads.	68.	3.
Star-Thistle with stock-Gilloflower-leaves.	68.	4.
The low Carlin-Thistle.	68.	5.
Tall Carlin-Thistle.	68.	6.
The common wild Carlin-Thistle.	68.	7.
Common Cotton-Thistle.	4.	2.
The greatest Cotton-Thistle, or Cotton-Thistle of Illyria.	4.	3.
welted Cotton-Thistle of Alepo with great flowers like an Artichock.	4.	4.
The blessed-Thistle.	89.	1.
The great mountain Melancholy-Thistle.	85.	6.
The English Soft, or Gentle-Thistle.	85.	7.
Melancholy-Thistle with tufted heads.	365.	2.
The yel'ow Distaffe Thistle.	41.	1.
Fish Thistle with broad reddish flowers.	5.	1.
Clusius his Chamæleon-Thistle of Salamanca.	5.	2.
The annual Golden Thistle.	311.	1.
The white THORNE, or Haw-Thorn-Tree.	230.	1.
The Ever-green-Thorne.	256.	3.
The true Goats-Thorne.	338.	1.
Buck-Thorn, or Common purging-Thorn:	291.	2.
The lesser purging-Thorn of Hungary.	291.	3.
Sallow-Thorn, or Sea-Buck-Thorn.	291.	4.
	Common	



## Of the English Names.

Common THORROW WAX.	265.	5.
Codded Thorrow-wax.	54.	5.
THRIFT, or Sea-Gilliflower..	73.	1.
Thrift with a white flower.	73.	2.
Common Garden THYME.	335.	3.
Lemon-Thyme.	317.	8.
Gilded, or yellow Thyme.	318.	1.
Wild Thyme, or Mother of Thyme.	317.	4.
Mother of Thyme with white flowers.	317.	5.
Mother of Thyme with party-coloured leaves.	317.	6.
Hairy Wild Thyme.	317.	7.
Setfoil-TOOTHWORT, or Corralwort.	102.	4.
Five-leaved Toothwort, or Corralwort.	102.	5.
The greater Toothwort.	102.	6.
Bastard Toothwort with Vipers Bugloss flowers.	103.	1.
TORMENTIL.	337.	3.
TRAVELLERS JOY.	86.	5.
TREE OF LIFE.	235.	2.
White flowered TREFOIL.	339.	3.
Common purple Trefoil.	339.	4.
Hope-Trefoil.	341.	1.
Little yellow Trefoil, or Melilote-Trefoil.	341.	2.
The least Hope-Trefoil.	341.	3.
Knotted Trefoil with round heads.	341.	4.
Starry-headed Trefoil.	342.	1.
Straw-berry Trefoil.	342.	2.
Common Snail-Trefoil, or Barbary-buttons.	342.	3.
Heart-Trefoil.	343.	3.
The smallest Hedge-hog-Trefoil.	344.	1.
Burgundy Trefoil, or Burgundy Hay.	344.	3.
See CLAVER, and MEDICA.		
Sweet Trefoil.	204.	3.
Small hairy long-codded Trefoil.	204.	4.
Yellow flowered square-codded Trefoil of Mompelien.	204.	5.
Square-codded Sea-Trefoil with smooth thick leaves.	204.	6.
Great Birds-foot-Trefoil.	205.	2.
		Birds

# The Table

<i>Birds-foot Trefoil, or small coddled Trefoil.</i>	205.	3.
<i>Small coddled Trefoil with long narrow leaves.</i>	205.	4.
<i>Hoary Shrub-Claver, or Trefoil with small short upright cods.</i>	206.	1.
<i>The greater Pile-Trefoil.</i>	206.	2.
<i>The lesser Pile-Trefoil.</i>	206.	3.
<i>Claver, or Trefoil with Bird-foot Cods.</i>	206.	4.
<i>Bladder-Trefoil.</i>	207.	1.
<i>Shrub-Trefoil.</i>	100.	5.
<i>Horned Shrub-Trefoil.</i>	100.	6.
<i>The second Spanish Base-Trefoil.</i>	101.	1.
<i>Marsh-Trefoil, or Buck-Beans.</i>	346.	3.
<i>Candy TUFTS with purple flowers.</i>	333.	5.
<i>Candy Tufts with white flowers.</i>	333.	6.
<i>The early and late flowering TULIP with single flowers of many colours.</i>	346.	7.
<i>The double late flowering Tulip.</i>	347.	1.
<i>The yellow Tulip of Bononia.</i>	347.	2.
<i>Round-rooted TURNEP.</i>	289.	3.
<i>Long rooted Turnep.</i>	289.	4.
<i>The yellow-rooted Turnep.</i>	290.	1.
<i>The greater TURN-SOLE.</i>	149.	5.
<i>The colouring or dying Turn-sole.</i>	150.	1.
<i>TUTSAN, or Parke-leaves.</i>	25.	3.
<i>Matthiolum his Tutjan, or Elegant Saint Johnswort not perforate.</i>	25.	4.
<i>Tutjan of Naples.</i>	26.	1.
<i>Hairy Tutjan.</i>	26.	2.
<i>Stinking Tutjan.</i>	26.	3.
<i>TWO-BLADE.</i>	250.	5.
<i>The least Tway-blade.</i>	366.	5.

## V.

<b>T</b> <i>He great Garden-VALERIAN, or Setmal.</i>	348.	1.
<i>Great wild Valerian.</i>	348.	2.
<i>Small wild Valerian, or Marsh-Valerian.</i>	348.	3.
	Summer	

# Of the English Names.

<i>Summer Valerian.</i>	348.	4.
<i>Dodonæus his Valerian with red flowers.</i>	349.	1.
<i>Dodonæus his Valerian with white flowers.</i>	349.	2.
<i>Nettle-leaved Valerian of Canada, or strange Colts foot of America.</i>	} 349.	3.
<i>Greek Valerian with blew flowers.</i>	349.	4.
<i>Greek Valerian with white flowers.</i>	349.	5.
<i>Indian Valerian.</i>	349.	6.
<b>VENUS-LOOKING-GLASSE,</b> or the great <i>Corn-Violet.</i>	} 250.	2.
<i>Thorrow-leaved Venus-Looking glass.</i>	250.	3.
<b>Common Vervain.</b>	354.	1.
<i>Nettle-leaved Vervain.</i>	354.	2.
<b>Common Vetch,</b> or Tare.	355.	3.
<i>Pale-yellow flowered Vetch with short gross upright hairy cods</i>	} 355.	4.
<i>Chickling Vetch with a purple and blew flower.</i>	367.	1.
<i>Small hairy Vetch with small red flowers.</i>	367.	2.
<i>Yellow Vetchling.</i>	187.	5.
<i>Tufted Vetch,</i> or Birds Tares.	356.	2.
<i>The great tufted wood-Vetch.</i>	356.	3.
<i>Bush Vetch.</i>	356.	4.
<i>Spanish Sea-Milk-Vetch.</i>	356.	5.
<i>Base Milk-Vetch.</i>	256.	1.
<i>English wood-Milk-Vetch.</i>	256.	2.
<i>Ordinary Bitter-Vetch.</i>	255.	4.
<i>Crimson Grass-Vetch.</i>	188.	4.
<i>The greater Hatchet-Vetch.</i>	314.	2.
<i>The lesser horned Hatchet-Vetch.</i>	314.	3.
<i>Strange Hatchet Vetch of Clusius.</i>	314.	4.
<i>Sweet smelling yellow-flowered African Hatchet- Vetch.</i>	} 40.	5.
<i>American Trefoil Hatchet-Vetch.</i>	148.	7.
<i>Hatchet-Vetch of Ægypt with joynted cods.</i>	126.	3.
<i>Great Horse-shoe-Vetch.</i>	117.	4.
<i>The French Horse-shoe-Vetch.</i>	117.	5.
Many		

# The Table

<i>Many-codded Horse-shoe-Vetch.</i>	118.	1.
<i>Tufted Horse-shoe-Vetch.</i>	118.	2.
<i>Kidney-Vetch.</i>	207.	2.
<i>Sea-Kidney-Vetch of Spain, or Candy.</i>	43.	6.
<b>The VINE-TREE.</b>	361.	2.
<i>Jagged-leaved, or Parsley-Vine.</i>	361.	3.
<i>The single purple March-VIOLET.</i>	357.	1.
<i>Double purple March-Violet.</i>	357.	2.
<i>The white March-Violet.</i>	357.	3.
<i>The ash-coloured double March-Violet.</i>	357.	4.
<i>Wild or Dogs-Violets.</i>	357.	5.
<i>The great rough leaved March-Violet without a smell.</i>	358.	1.
<i>The upright Violet.</i>	358.	5.
<i>The greater late-flowering Bulbous Violet.</i>	191.	5.
<i>Small early-flowering Bulbous-Violet.</i>	192.	1.
<i>Purple flowered Dames-Violet, or Queens-Gilloflower.</i>	151.	4.
<i>Single white-flowered Dames-Violet, or Queens-Gilloflower.</i>	151.	5.
<i>Double white Dames-Violet, or Queens-Gilloflower.</i>	151.	6.
<i>Double purple Dames-Violet, or Queens-Gilloflower.</i>	152.	1.
<b>Spanish VIPERS-GRASS.</b>	312.	3.
<i>The small Hungarian Vipers-grass.</i>	312.	4.
<b>upright VIRGINS-BOWER.</b>	87.	2.

## W.

<b>W</b> AKE-ROBINE, or Cuckow-pint.	35.	5.
<i>Spotted wake-Robin with black spots.</i>	35.	6.
<i>Round-leaved wake-Robin.</i>	36.	1.
<b>The common WALNUT-TREE.</b>	246.	3.
<i>The great thin-shelled walnut.</i>	246.	4.
<b>Small WALL-FLOWER.</b>	193.	2.
<i>Double Wall-flower.</i>	193.	3.
<b>The WAYFARING-TREE.</b>	355.	2.
<b>WELD, or Dyers-weed.</b>	208.	4.
<b>White WHEAT.</b>	346.	5.

Red

# Of the English Names.

Red wheat.	346.	6.
The usual Indian, or Turkey wheat.	366.	6.
Buck-Wheat.	118.	3.
Party-coloured Cow-Wheat.	224.	3.
Blew Cow-Wheat.	224.	4.
Crested Cow-wheat.	224.	5.
Common Cow-wheat.	224.	6.
Common WHINS.	127.	2.
Needle-Furze, or Petty-whin.	127.	3.
The WHITE-BEAM-TREE.	15.	6.
Black WHORTS, or Bil.berries.	361.	5.
Red whorts, or whortle-berries.	361.	5.
Marsh whorts, or Mosse-berries.	362.	1.
Sweet WILLIAMS, or Pride of London of several colours	}	71. 1.
Wild Williams, Meadow-Pinke, Cuckow-flower.		71. 3.
The common white WILLOW.	301.	3.
The common red willow.	302.	1.
The Crack-willow.	302.	2.
Bay-leaved willow, or Sweet-Bay-willow.	302.	3.
The creeping Dwarf-willow.	302.	4.
Mock willow.	325.	4.
Great hairy coddled WILLOW-HERBE.	214.	6.
The less, or middle smooth leaved coddled willow herbe.	}	215. 3.
The lesser smooth broad-leaved coddled willow- herbe.		215. 4.
The least smooth coddled willow-herbe.	216.	1.
Rose-Bay-willow-herbe.	216.	2.
Hooded willow-herbe, or Loose-strife.	217.	2.
See LOOSE-STRIFE.		
Common WINTER-GREEN.	281.	1.
Winter-green with Chick-weed flowers.	281.	2.
WOAD.	176.	2.
Winter WVOLVES-BANE, or Aconite.	7.	5.
Great yellow wolves-bane.	8.	2.
		See



# The Table

See MONKS=HOOD.

White=flowered WOOD=ROOF.

37. 4.

Blew-flowered wood-roof.

37. 5.

Annual white-flowered wood-roof.

37. 6.

Common WORMWOOD.

2. 2.

Unsavoury wormwood.

2. 3.

Romane wormwood.

2. 4.

English Sea-wormwood.

2. 5.

Fine-leaved wormwood of Austria.

2. 6.

Lavender=leaved Sea wormwood, or Sea Mugwort.

3. 1.

White tufted wormwood.

3. 2.

Treacle WORM-SEED.

235. 1.

Y.

The YEW-TREE.

331. 2.

## ERRATA.

**P** Agina 13. Linea 21. supple Percepier Anglorum Ger. P. 19. l. 23. sup.  
 Tree Marsh-Mallow of France. P. 30. l. 12. in margine f. S. P. 34. l. 2.  
 f. Ger. Park. l. 11. f. Ann. P. 37. l. 24. f. Annual. P. 39. l. 4. in marg.  
 f. S. P. 42. l. 1. in marg. f. S. l. 6. in marg. f. S. P. 40. l. 5. f. Ann. l. 14.  
 f. Ger. P. 55. l. 16. & 18. in marg. f. S. P. 62. l. 23. in marg. f. S. P. 68.  
 l. 21. lege B. P. l. 25. leg. B. P. P. 70. l. 6. f. l. B. l. 7. f. Alpina pentaphyllea  
 Ger. P. 76. l. 13. f. major flavo flore Park. P. 100. l. 20. leg. B. P.  
 P. 101. l. 2 leg. B. P. l. 19. lege Erythronium. P. 102. l. 25. in marg. f. S. P.  
 112. l. 17. leg. Italica. P. 118. l. 2. leg. B. P. P. 120. l. 1. in marg. dele S.  
 l. 9. leg. B. P. P. 125. l. 1. leg. bivalvibus. P. 126. l. 15. leg. Park. P. 128.  
 l. 17. f. Ann. P. 134. l. 14. sup. minus. P. 140. l. 14. leg. slender-eared. P.  
 142. l. 8. leg. B. P. l. 17. leg. Park. P. 143. l. 5. leg. Panick-grass. P. 144.  
 l. 2. leg. striatum Ger. P. 145. l. 18. post. Ger. f. l. B. l. 25. f. Offic. P. 149  
 l. 7. leg. B. P. P. 150. l. 10. sup. niger foetidus B. P. P. 157. l. 4. leg. B. P.  
 l. 23. f. comosus Ger. P. 161. l. 1. leg. bleak. P. 166. l. 9. leg. Hort. P. 178  
 l. 5. l. 10. l. 13. l. 18. in marg. f. S. P. 185. l. 5. leg. B. P. P. 194. l. 22. leg. Ligustic-  
 cum. P. 198. l. 3. leg. purpureo sanguineum. P. 201. l. 14. leg. B. P. l. 23. in  
 marg. f. S. P. 204. l. 1. in marg. f. S. P. 207. l. 13. leg. Offic. l. 20. leg. B. P. P.  
 208. l. 9. leg. capsulis. P. 209. l. 20. leg. B. P. P. 210. l. 1. in marg. f. S. P.  
 214. l. 21. f. Ann. P. 222. l. 18. in marg. f. S. P. 223. l. 4. dele Park. p. 225  
 l. 1. in marg. f. S. P. 226. l. 16. pro hortensis leg. vulgaris. P. 229. l. 6. leg.  
 B. P. P. 246. l. 4. f. Ann. P. 248. l. 3. leg. B. P. P. 255. l. 4. sup. Asphodelus  
 bulbosus Ger. P. 257. l. 5. f. B. P. foemina P. 263. l. 21. leg. B. P. P. 264.  
 l. 23. f. Quinquifolium palustre rubrum B. P. P. 265. l. 13. leg. rugged.  
 l. 14. f. Ann. P. 269. l. 13. leg. latiusculo. P. 273. l. 23. in marg. f. S. P. 274. l. 24  
 f. Offic. P. 287. l. 12. sup. aquatilis Ger. P. 288. l. 2. f. niger. B. P. P. 307  
 l. 11. leg. æstiva hortensis. P. 314. l. 1. in marg. f. S. P. 317. l. 15. leg. SER-  
 PYLLUM. P. 321. l. 8. f. Ger. P. 324. l. 7. pro B. P. leg. Ger. P. 327. l. 7. leg.  
 Morfus. P. 339. l. 12. leg. B. P. P. 347. l. 12. leg. Reed-Mice. P. 351. l. 3. in  
 marg. f. S. P. 354. l. 21. f. minor. Ger. P. 356. l. 16. leg. P. Br. P. 362. l.  
 æce 19. f. Vitica Romana Ger. Park.

